Measuring Timeliness of Outbreak Response in the World Health Organization African Region, 2017–2019

Appendix

Appendix Table. Representativeness of samples from the population of outbreaks reported, WHO African Region, 2017–2019

| | | Total (N = 296) | | Time to detection | | Time to notification | | Time to control | |
|----------------------------|-------------------------|-----------------|-------|-------------------|------|----------------------|------|-----------------|------|
| Variable | Modalities | N* | % | n† | % | n† | % | n† | % |
| Income (16) | Low | 156 | 52.7 | 107 | 58.2 | 127 | 54.7 | 109 | 54.2 |
| | Middle and high | 140 | 47.3 | 77 | 41.8 | 105 | 45.3 | 92 | 45.8 |
| WHO | Eastern/Southern | 133 | 44.9 | 78 | 42.4 | 96 | 41.4 | 96 | 47.8 |
| subregion (10) | Western | 102 | 34.5 | 74 | 40.2 | 88 | 37.9 | 37 | 18.4 |
| | Central | 61 | 20.6 | 32 | 17.4 | 48 | 20.7 | 68 | 33.8 |
| Outbreak start date (15) | 2017 | 103 | 34.8‡ | 75 | 40.8 | 87 | 37.5 | 62 | 30.8 |
| | 2018 | 101 | 33.1‡ | 62 | 33.7 | 83 | 35.8 | 72 | 35.8 |
| | 2019 | 87 | 29.4‡ | 47 | 25.5 | 62 | 26.7 | 67 | 33.4 |
| No. refugees from | low§ | 199 | 67.2 | 129 | 70.1 | 160 | 69.0 | 133 | 66.2 |
| elsewhere (13) | high§ | 97 | 32.8 | 55 | 29.9 | 72 | 31.0 | 68 | 33.8 |
| IDP (% population) (13) | low§ | 212 | 71.6 | 139 | 75.5 | 170 | 73.3 | 145 | 72.1 |
| | high§ | 84 | 28.4 | 45 | 24.5 | 62 | 26.7 | 56 | 27.9 |
| Disease category | Food-/waterborne | 74 | 25.0 | 47 | 25.5 | 54 | 23.3 | 60 | 29.9 |
| | Vector-borne | 48 | 16.2 | 24 | 13.0 | 34 | 14.7 | 31 | 15.4 |
| | Viral hemorrhagic fever | 56 | 18.9 | 41 | 22.4 | 49 | 21.1 | 37 | 18.4 |
| | Vaccine-preventable | 85 | 28.7 | 49 | 26.6 | 67 | 28.9 | 52 | 25.9 |
| | Other | 33 | 11.2 | 23 | 12.5 | 28 | 12.0 | 21 | 10.4 |
| Current health expenditure | low§ | 162 | 54.7 | 99 | 53.8 | 126 | 54.3 | 112 | 55.7 |
| (% GDP) (13) | high§ | 134 | 45.3 | 85 | 46.2 | 106 | 45.7 | 89 | 44.3 |
| Population density (13) | low§ | 201 | 67.9 | 121 | 65.8 | 157 | 67.7 | 131 | 65.2 |
| | high§ | 95 | 32.1 | 63 | 34.2 | 75 | 32.3 | 70 | 34.8 |

GDP, gross domestic product; IDP, internally displaced persons; IQR, interquartile range; Med., median

^{*}N, based on records of total outbreaks meeting selection criteria (total for each modality = 296)

[†]n, based on records of total outbreaks minus those with key missing dates (n = 184 [detection], n = 132 [notification], n = 201 [control] for each modality)

[‡]Because 5 reports in the initial dataset were missing key dates, the percentages do not total 100%. Data from those reports were not included in the findings

[§]Low indicates ≤ median, high indicates > median of in-country value for variable compared with that value for all countries in the African region