Supplementary Online Content

Stephen CD, Fung V, Lungu CI, Espay AJ. Assessment of emergency department and inpatient use and costs in adult and pediatric functional neurological disorders. *JAMA Neurol*. Published online October 26, 2020. doi:10.1001/jamaneurol.2020.3753

- eTable 1. List of ICD-9-CM and ICD-10-CM Diagnosis and Procedure Codes Used in Analyses
- eTable 2. Composition of FND Diagnosis and Overlap Between FND and Neurological Comparator Diagnoses Across Databases
- eTable 3. Missing Data for Health Care Utilization Comparison From NIS 2017, KID 2016, and NEDS 2017
- **eTable 4.** Clinical Characteristics of FND vs Other Neurological Disorders in Adult and Pediatric Populations and Inpatient Health Care Resource Utilization (NIS 2014 and KID 2012 ICD-9 Comparator Data)
- **eTable 5.** Ten-Year Annual Total Charge Estimates Across All Databases in Adults and Children 2008-2017, Highlighting Years With Overlap

This supplementary material has been provided by the authors to give readers additional information about their work.

eTable 1. List of ICD-9-CM and ICD10-CM/PCS diagnosis and procedure codes used in analyses

Term	Code	Description			
ICD-9-CM diagnosis code dictionary					
FND	300.11	Conversion disorder			
	306.0	Musculoskeletal malfunction arising from mental factors			
Other neurological disorders (Other	320 and sub codes	Bacterial meningitis			
neuro)	321 and sub codes	Meningitis due to other organisms			
	322 and sub codes	Meningitis of unspecified cause			
	323 and sub codes	Encephalitis myelitis and encephalomyelitis			
	324 and sub codes	Intracranial and intraspinal abscess			
	325 and sub codes	Phlebitis and thrombophlebitis of intracranial venous sinuses			
	326 and sub codes	Late effects of intracranial abscess or pyogenic infection			
	330 and sub codes	Cerebral degenerations usually manifest in childhood			
	331 and sub codes	Other cerebral degenerations			
	332 and sub codes	Parkinson's disease			
	333 and sub codes	Other extrapyramidal disease and abnormal movement disorders			
	334 and sub codes	Spinocerebellar disease			
	335 and sub codes	Anterior horn cell disease			
	336 and sub codes	Other diseases of spinal cord			
	338.0	Central pain syndrome			
	340 and sub codes	Multiple sclerosis			
	341 and sub codes	Other demyelinating diseases of central nervous system			
	342 and sub codes	Hemiplegia and hemiparesis			
	343 and sub codes	Infantile cerebral palsy			
	344 and sub codes	Other paralytic syndromes			
	345 and sub codes	Epilepsy and recurrent seizures			
	348.2	Benign intracranial hypertension			
	348.81	Temporal sclerosis			
	348.9	Unspecified condition of brain			
	349.0	Reaction to spinal or lumbar puncture			
	349.2	Disorders of meninges, not elsewhere classified			
	350 and sub codes	Trigeminal nerve disorders			
	351 and sub codes	Facial nerve disorders			
	352.5	Disorders of hypoglossal [12th] nerve			
	352.6	Multiple cranial nerve palsies			
	352.9	Unspecified disorder of cranial nerves			
	356 and sub codes	Hereditary and idiopathic peripheral neuropathy (not including 356.4			

		Idiopathic progressive polyneuropathy)
	357.0	Acute infective polyneuritis
	357.4	Polyneuropathy in malignant disease
	357.81	Chronic inflammatory demyelinating polyneuritis
	357.89	Other inflammatory and toxic neuropathy
	358 and sub codes	Myoneural disorders
	359 and sub codes	Muscular dystrophies and other myopathies
	339 and sub codes	Other headache syndromes
	346 and sub codes	Migraine
	377.3 and sub codes	Optic neuritis
	377.41	Ischemic optic neuropathy
	377.5 and sub codes	Disorders of optic chiasm
	377.6 and sub codes	Disorders of other visual pathways
	377.7 and sub codes	Disorders of visual cortex
	377.9 and sub codes	Unspecified disorder of optic nerve and visual pathways
	378.7 and sub codes	Other specified strabismus
	378.8 and sub codes	Other disorders of binocular eye movements
	386.2 Vertigo of central origin	
	433.01	Occlusion and stenosis of basilar artery with cerebral infarction
	433.11	Occlusion and stenosis of carotid artery with cerebral infarction
	433.21	Occlusion and stenosis of vertebral artery with cerebral infarction
	433.31	Occlusion and stenosis of multiple and bilateral precerebral arteries
		with cerebral infarction
	433.81	Occlusion and stenosis of other specified precerebral artery with cerebral infarction
	433.91	Occlusion and stenosis of unspecified precerebral artery with cerebral infarction
	434.01	Cerebral thrombosis with cerebral infarction
	434.11	Cerebral embolism with cerebral infarction
	434.91	Cerebral artery occlusion, unspecified with cerebral infarction
	435 and sub codes	Transient cerebral ischemia
	436 and sub codes	Acute, but ill-defined, cerebrovascular disease
	437 and sub codes	Other and ill-defined cerebrovascular disease
	438 and sub codes	Late effects of cerebrovascular disease
Other neurological disorders code	290 and sub codes	Dementias
non-inclusions	327 and sub codes	Organic sleep disorders
	337 and sub codes	Disorders of the autonomic nervous system

	338 and sub codes	Pain, not elsewhere classified other than 338.0			
	348.0	Cerebral cysts			
	348.1	Anoxic brain damage			
	348.3 and sub codes	Encephalopathy, not elsewhere classified			
	348.4	Compression of brain			
	348.5	Cerebral edema			
	348.8 and sub codes	Other conditions of brain			
	348.82	Brain death			
	348.89	Other conditions of brain			
	352.0	Disorders of olfactory (1st) nerve			
	352.1	Glossopharyngeal neuralgia			
	356.4	Idiopathic progressive polyneuropathy			
	377.0	Papilledema			
	386.1 and sub codes	Other and unspecified peripheral vertigo			
	386.3 and sub codes	Labyrinthitis			
	780.3 and sub codes	Convulsions			
	781 and sub codes	Symptoms involving nervous and musculoskeletal systems			
	784 and sub codes	Headache			
	792.0	Nonspecific abnormal findings in cerebrospinal fluid			
Other neurological disorders code	191 and sub codes	Malignant neoplasm of brain			
exclusions = Neurosurgery	192 and sub codes	Malignant neoplasm of other and unspecified parts of nervous			
		system			
	198.3	Secondary malignant neoplasm of brain and spinal cord			
	225 and sub codes	Benign neoplasm of brain and other parts of nervous system			
	430 and sub codes	Subarachnoid hemorrhage			
	431 and sub codes	Intracerebral hemorrhage			
	432 and sub codes	Other and unspecified intracranial hemorrhage			
Neuro-inflammatory/demyelinating	340 and sub codes	Multiple sclerosis			
disease including multiple sclerosis (MS)	341 and sub codes	Other demyelinating diseases of central nervous system			
Refractory epilepsy (excluding	345.01	Generalized nonconvulsive epilepsy, with intractable epilepsy			
partial or generalized status	345.11	Generalized convulsive epilepsy, with intractable epilepsy			
epilepticus)	345.41	Localization-related (focal) (partial) epilepsy and epileptic syndromes			
		with complex partial seizures, with intractable epilepsy			
	345.51	Localization-related (focal) (partial) epilepsy and epileptic syndromes			
		with simple partial seizures, with intractable epilepsy			
	345.61	Infantile spasms, with intractable epilepsy			
	345.71	Epilepsia partialis continua			

	345.81	Other forms of epilepsy and recurrent seizures, with intractable epilepsy			
	345.91	Epilepsy, unspecified, with intractable epilepsy			
Anterior horn cell diseases (AHCD)	335 and sub codes	Anterior horn cell disease			
Any psychiatric symptoms (any	295 and sub codes	Schizophrenic disorders			
psych sx) not including drug or	296 and sub codes	Episodic mood disorders			
alcohol abuse, obsessive	297 and sub codes	Delusional disorders			
compulsive disorder or disorders of	298 and sub codes	Other nonorganic psychoses			
attention	300.0 and sub codes	Anxiety states			
	300.2 and sub codes	Phobic disorders			
	301 and sub codes	Personality disorders			
	308 and sub codes	Acute reaction to stress (proxy for PTSD)			
Mood disorders	296 and sub codes	Episodic mood disorders			
Anxiety disorders	300.0 and sub codes	Anxiety states			
	300.2 and sub codes	Phobic disorders			
Functional somatic disorders (FSD)	564.1	Irritable bowel syndrome			
	729.1	Myalgia and myositis, unspecified (fibromyalgia proxy)			
	780.71	Chronic fatigue syndrome			
	300.8 and sub codes	Somatoform disorders			
	337.20	Reflex sympathetic dystrophy, unspecified			
	337.21	Reflex sympathetic dystrophy of the upper limb			
	337.22	Reflex sympathetic dystrophy of the lower limb			
	337.29	Reflex sympathetic dystrophy of other specified site			
	306.1	Respiratory malfunction arising from mental factors			
	306.2	Cardiovascular malfunction arising from mental factors			
	306.3	Skin disorder arising from mental factors			
	306.4	Gastrointestinal malfunction arising from mental factors			
	306.5 and sub codes	Genitourinary malfunction arising from mental factors			
	306.50	Psychogenic genitourinary malfunction, unspecified			
	306.51	Psychogenic vaginismus			
	306.52	Psychogenic dysmenorrhea			
	306.53	Psychogenic dysuria			
	306.59	Other genitourinary malfunction arising from mental factors			
	306.6	Endocrine disorder arising from mental factors			
	306.7	Disorder of organs of special sense arising from mental factors			
	306.8	Other specified psychophysiological malfunction			
	306.9	Unspecified psychophysiological malfunction			

ICD-10-CM diagnosis code dictionary					
FND	F44.4	Conversion disorder with motor symptom or deficit			
IND	F44.5	Conversion disorder with notor symptom or denote Conversion disorder with seizures or convulsions			
	F44.6	Conversion disorder with sensory symptom or deficit			
	F44.7				
Other period diserders (Other		Conversion disorder with mixed symptom presentation			
Other neurological disorders (Other	G00-G09 and sub codes	Inflammatory diseases of the central nervous system			
neuro)	G10-G14 and sub	Cyclemic atrophics primarily affecting the control nonveys systems			
	codes	Systemic atrophies primarily affecting the central nervous system			
	G20-G26 and sub	Extransgramidal and massament disorders			
		Extrapyramidal and movement disorders			
	G30-G32 and sub	Other degenerative diseases of the nervous system			
		Other degenerative diseases of the hervous system			
	codes G35-G37 and sub	Democratic and discussion of the control normal accuracy of the			
	codes	Demyelinating diseases of the central nervous system			
	G40 and sub codes	Epiloney and recurrent soizures			
	G43 and sub codes	Epilepsy and recurrent seizures			
	G44 and sub codes	Migraine Other headache syndromes			
	G45 and sub codes	Transient cerebral ischemic attacks and related syndromes			
	G46 and sub codes	Vascular syndromes of brain in cerebrovascular diseases			
	G50 and sub codes	Disorders of trigeminal nerve			
	G50 and sub codes G51 and sub codes	Facial nerve disorders			
	G52.1 and sub codes	Disorders of glossopharyngeal nerve			
	G52.2 and sub codes	Disorders of vagus nerve			
	G52.3 and sub codes	Disorders of hypoglossal nerve			
	G52.7 and sub codes	Disorders of multiple cranial nerves			
	G52.8 and sub codes	Disorders of other specified cranial nerves			
	G52.9 and sub codes	Cranial nerve disorder, unspecified			
	G53 and sub codes	Cranial nerve disorders in diseases classified elsewhere			
	G54 and sub codes	Nerve root and plexus disorders			
	G55 and sub codes	Nerve root and plexus compressions in diseases classified			
		elsewhere			
	G56 and sub codes	Mononeuropathies of upper limb			
	G57 and sub codes	Mononeuropathies of lower limb			
	G58 and sub codes	Other mononeuropathies			
	G59 and sub codes	Mononeuropathy in diseases classified elsewhere			
	G60.0	Hereditary motor and sensory neuropathy			

G60.1	Refsum's disease
G60.2	Neuropathy in association with hereditary ataxia
G60.8	Other hereditary and idiopathic neuropathies
G61 and sub codes	Inflammatory polyneuropathy
G64 and sub codes	Other disorders of peripheral nervous system
G65 and sub codes	Sequelae of inflammatory and toxic polyneuropathies
G70 and sub codes	Myasthenia gravis and other myoneural disorders
G71 and sub codes	Primary disorders of muscles
G72.0	Drug-induced myopathy
G72.1	Alcoholic myopathy
G72.2	Myopathy due to other toxic agents
G72.3	Periodic paralysis
G72.4	Inflammatory and immune myopathies, not elsewhere classified
G73 and sub codes	Disorders of myoneural junction and muscle in diseases classified
	elsewhere
G80-83 and sub	Cerebral palsy and other paralytic syndromes
codes	
G89.0	Central pain syndrome
G91.2	(Idiopathic) normal pressure hydrocephalus
G93.2	Benign intracranial hypertension
G93.49	Other encephalopathy
G93.7	Reye's syndrome
G93.81	Temporal sclerosis
G94	Other disorders of brain in diseases classified elsewhere
G99 and sub codes	Other disorders of nervous system in diseases classified elsewhere
H46	Optic neuritis
H47.01	Ischemic optic neuropathy
H47.49	Disorders of optic chiasm in (due to) other disorders
H47.5	Disorders of other visual pathways
H47.6 and sub codes	Disorders of visual cortex
H50.89 and sub	Other specified strabismus
codes	
H55.89	Other irregular eye movements
H81.4	Vertigo of central origin
I63 and sub codes	Cerebral infarction
167.7	Cerebral arteritis, not elsewhere classified
167.8	Other specified cerebrovascular diseases

	I69 and sub codes	Sequelae of cerebrovascular disease		
Other neurological disorders code	F01-F09 and sub	Mental disorders due to know physiological conditions		
non-inclusions	codes			
	G47 and sub codes	Sleep disorders		
	G52.0	Disorders of olfactory nerve		
	G60.3	Idiopathic progressive polyneuropathy		
	G60.9	Hereditary and idiopathic neuropathy, unspecified		
	G62 and sub codes	Other and unspecified polyneuropathies		
	G63 and sub codes	Polyneuropathy in diseases classified elsewhere		
	G72.8	Other specified myopathies		
	G72.9	Myopathy, unspecified		
	G89 and sub codes	Pain, not elsewhere classified (other than G89.0, Central pain)		
	G90 and sub codes	Disorders of autonomic nervous system		
	G91 and sub codes	Hydrocephalus (other than G91.2, (Idiopathic) normal pressure hydrocephalus)		
	G92 and sub codes	Toxic encephalopathy		
	G93.0	Cerebral cysts		
	G93.1	Anoxic brain damage		
	G93.3	Postviral fatigue syndrome		
	G93.40	Encephalopathy, unspecified		
	G93.41	Metabolic encephalopathy		
	G93.5	Compression of brain		
	G93.6	Cerebral edema		
	G93.82	Brain death		
	G93.89	Other specified disorders of brain		
	G93.9	Disorder of brain, unspecified		
	G95 and sub codes	Other and unspecified diseases of spinal cord		
	G96 and sub codes	Other disorders of central nervous system		
	G97 and sub codes	Intraoperative and postprocedural complications and disorders of		
		nervous system, not elsewhere classified		
	G98 and sub codes	Other disorders of nervous system not elsewhere classified		
	R25-R29 and sub	Symptoms and signs involving the nervous and musculoskeletal		
	codes	systems		
	R51 and sub codes	Headache		
	R56 and sub codes	Convulsions, not elsewhere classified		
	R83 and sub codes	Abnormal findings in cerebrospinal fluid		
Other neurological disorders code	C70	Malignant neoplasm of meninges		
exclusions = Neurosurgery	C71	Malignant neoplasm of brain		

	C72	Malignant neoplasm of spinal cord, cranial nerves and other parts of central nervous system
	C79.3	Secondary malignant neoplasm of brain and cerebral meninges
	C79.4	Secondary malignant neoplasm of other and unspecified parts of nervous system
	D33	Benign neoplasm of brain and other parts of central nervous system
	160	Nontraumatic subarachnoid hemorrhage
	l61	Nontraumatic intracerebral hemorrhage
	162	Other and unspecified nontraumatic intracranial hemorrhage
Neuro-inflammatory/demyelinating	G35 and sub codes	Multiple sclerosis
disease including multiple sclerosis	G36 and sub codes	Other acute disseminated demyelination
(MS)	G37 and sub codes	Other demyelinating diseases of central nervous system
Refractory epilepsy (excluding partial or generalized status epilepticus)	G40.019	Localization-related (focal) (partial) idiopathic epilepsy and epileptic syndromes with seizures of localized onset, intractable, without status epilepticus
	G40.119	Localization-related (focal) (partial) symptomatic epilepsy and epileptic syndromes with simple partial seizures, intractable, without status epilepticus
	G40.219	Localization-related (focal) (partial) symptomatic epilepsy and epileptic syndromes with complex partial seizures, intractable, without status epilepticus
	G40.319	Generalized idiopathic epilepsy and epileptic syndromes, intractable, without status epilepticus
	G40.A19	Absence epileptic syndrome, intractable, without status epilepticus
	G40.B19	Juvenile myoclonic epilepsy, intractable, without status epilepticus
	G40.419	Other generalized epilepsy and epileptic syndromes, intractable, without status epilepticus
	G40.804	Other epilepsy, intractable, without status epilepticus
	G40.814	Lennox-Gastaut syndrome, intractable, without status epilepticus
	G40.824	Epileptic spasms, intractable, without status epilepticus
	G40.919	Epilepsy, unspecified, intractable, without status epilepticus
Anterior horn cell diseases (AHCD)	G12 and sub codes	Spinal muscular atrophy and related syndromes
Any psychiatric symptoms (any	F30-F39 and sub	Mood [affective] disorders
psych sx) not including drug or	codes	
alcohol abuse, obsessive	F20-F29 and sub	Schizophrenia, schizotypal, delusional, and other non-mood
compulsive disorder or disorders of	codes	psychotic disorders
attention	F40 and sub codes	Phobic anxiety disorders
	F41 and sub codes	Other anxiety disorders

	E42.1 and out codes	Doct traumatic atraca disorder (DTCD)		
	F43.1 and sub codes	Post-traumatic stress disorder (PTSD)		
	F60 and sub codes	Specific personality disorders		
Mood disorders	F30-39 and sub	Mood [affective] disorders		
	codes			
Anxiety disorders	F40 and sub codes	Phobic anxiety disorders		
	F41 and sub codes	Other anxiety disorders		
Functional somatic disorders(FSD)	K58	Irritable bowel syndrome		
	M79.7	Fibromyalgia		
	R53.82	Chronic fatigue, unspecified (proxy for Chronic fatigue syndrome)		
	F45 and sub codes	Somatoform disorders		
	G90.5 and sub codes	Complex regional pain syndrome I (CRPS I)		
	F44.8	Other dissociative and conversion disorders		
	F45.8	Other somatoform disorders		
	•			
	ICD-9-CM Proc	edure codes dictionary		
All rehabilitation services	93 and sub codes	Physical Therapy, Respiratory Therapy, Rehabilitation, And Related		
		Procedures		
Physical therapy (PT)	93.0 and sub codes	Diagnostic Physical Therapy		
	93.1 and sub codes	Physical Therapy Exercises		
	93.2 and sub codes	Other Physical Therapy Musculoskeletal Manipulation		
	93.3 and sub codes	Other Physical Therapy Therapeutic Procedures		
Occupational therapy (OT)	93.83	Occupational therapy		
Speech and language pathology (SLP)	93.7 and sub codes	Speech And Reading Rehabilitation And Rehabilitation Of The Blind		
Psychiatric consultation (Psych consult)	94.1 and sub codes	Psychiatric Interviews, Consultations and Evaluations		
Psychiatric treatment/procedures	94 and sub codes	Procedures Related To The Psyche		
(Psych treatment)		·		
All radiology	87 and sub codes	Other Diagnostic Radiology And Related Techniques		
6,7	88 and sub codes	Other Diagnostic Radiology And Related Techniques		
Neuroradiology	87.03	Computerized axial tomography of head (CT head)		
3,	88.38	Other computerized axial tomography (CT spine)		
	88.91	Magnetic resonance imaging of brain and brain stem (MRI head)		
	88.93	Magnetic resonance imaging of spinal canal (MRI spine)		
	88.41	Arteriography of cerebral arteries		
	88.61	Phlebography of veins of head and neck using contrast material		
	87.01	Pneumoencephalogram		
	87.02	Oher contrast radiogram of head		
	01.02	Tonor contract radiogram of fload		

	87.04	Other tomography of head			
	87.17	Other x-ray of skull			
	87.2 and sub codes	X-ray of spine			
Electroencephalogram (EEG) or	89.14	Electroencephalogram			
long-term monitoring (LTM)	89.19	Video and radio-telemetered electroencephalographic monitoring			
Lumbar puncture (LP)	03.31	Spinal tap			
		cedure codes dictionary			
All rehabilitation services	F00-F0F and sub	Physical Therapy, Respiratory Therapy, Rehabilitation, And Related			
	codes	Procedures			
Physical therapy (PT)	F01 and sub codes	Motor and/or Nerve Function Assessment			
	F02 and sub codes	Activities of Daily Living Assessment			
	F070-F073	Motor Treatment – Neurological System			
	F07J-F07M	Motor Treatment – Musculoskeletal System			
	F0C3	Vestibular Treatment – Neurological System			
Occupational therapy (OT)	F08J-F08M	Activities of Daily Living Treatment - Musculoskeletal System			
Speech and language pathology	F003 and sub codes	Speech Assessment - Neurological System - Whole Body			
(SLP)	F00Z and sub codes	Speech Assessment - None			
	F063 and sub codes	Speech Treatment - Neurological System - Whole Body			
	F06Z and sub codes	Speech Treatment - None			
Psychiatric consultation (Psych	GZ14 and sub codes	Neurobehavioral and Cognitive Status			
consult)	GZ5 and sub scores	Individual Psychotherapy			
Psychiatric treatment/procedures	GZ1-GZJ and sub	Mental Health procedures			
(Psych treatment)	codes				
All radiology	B0-BY and sub	Imaging			
	codes				
Neuroradiology	B0 and sub codes	Imaging - Central Nervous System			
	B020 and sub codes	Computerized axial tomography of brain (CT head)			
	B02B	Computerized axial tomography of spinal cord (CT spine)			
	B030	Magnetic Resonance Imaging brain (MRI head)			
	B03B	Magnetic Resonance Imaging spinal cord (MRI spine)			
Electroencephalogram (EEG) or	4A00X	Measurement of Central Nervous Electrical Activity, External			
long-term monitoring (LTM)		Approach			
	4A0034Z	Measurement of Central Nervous Electrical Activity, Percutaneous			
		Approach			
	4A10X4Z	Monitoring of Central Nervous Electrical Activity, External Approach			
	4A1034Z	Monitoring of Central Nervous Electrical Activity, Percutaneous			
		Approach			

Lumbar puncture (LP)	0001137	Drainage of Spinal Canal, Percutaneous Approach, Diagnostic
Lumbar puncture (LP)	009032	Drainage of Spirial Carlai, Perculaneous Approach, Diagnostic

eTable 2. Composition of FND diagnosis and overlap between FND and neurological comparator diagnoses across databases

	ICD-9CM coding			
FND and degree of overlap with other neurological disorders	Adults age 18+ (NIS 2014), subpopulation n= 5,950,391 weighted 29,751,964	Pediatric age 5-17 (KID 2012), subpopulation n=778,518 weighted 1,098,342	Adults age 18+ (NEDS 2014), subpopulation n= 25,132,855 weighted 111,530,998	Pediatric age 5- 17 (NEDS 2014), subpopulation n= 3,361,983 weighted 14,969,328
Composition of FND cohort				
FND total, N	23795	2686	33440	3345
300.11 Conversion disorder, N (%)	22890 (96.32)	2640 (98.27)	32214 (96.34)	3286 (98.25)
306.0 Musculoskeletal malfunction arising from mental factors, N (%)	935 (3.93)	52 (1.95)	1315 (3.93)	168 (2.04)
Overlap between FND and comparator conditions				
MS and FND, N (% of MS)	525 (0.34)	≤10 (0.90)	463 (0.17)	≤10
Refractory epilepsy and FND, N (% of ref epilepsy)	250 (1.03)	23 (0.24)	76 (0.44)	≤10
AHCD and FND, N (% of AHCD)	≤10	0, 0 (0)	≤10	0 (0)
	ICD-10CM coding			
FND and degree of overlap with other neurological disorders	Adults age 18+ (NIS 2017), subpopulation n=6,084,184, weighted 30,420,907	Pediatric age 5-17 (KID 2016), subpopulation n=697,625 weighted 965,132	Adults age 18+ (NEDS 2017), subpopulation n= 27,275,790 weighted 118,034,396	Pediatric age 5- 17 (NEDS 2017), subpopulation n= 3,604,331 weighted 15,522,879
FND total, N	22895	1264	36359	3800
Overlap between FND and comparator conditions				
MS and FND, N (% of MS)	715 (0.42)	≤10	757 (0.24)	≤10
MS and FND, N (% of FND)	715 (3.12)	≤10	757 (2.08)	≤10
Refractory epilepsy and FND, N (% of ref epilepsy)	195 (0.68)	17 (0.13)	120 (0.43)	≤10
Refractory epilepsy and FND, N (% of FND)	195 (0.85)	17 (1.33)	120 (0.33)	≤10
AHCD and FND, N (% of AHCD)	≤10	0 (0)	≤10	0 (0)
AHCD and FND, N (% of FND)	≤10	0 (0)	≤10	0 (0)
Overlap with other pertinent conditions				
Epilepsy and FND, N (% of Epilepsy)	3240 (0.30)	139 (0.20)	3255 (0.17)	191 (0.15)
Epilepsy and FND, N (% of FND)	3240 (14.15)	139 (11.02)	3255 (8.95)	191 (5.02)

Where applicable, data are presented with weighted estimate sample (N) and corresponding percentage of total (column %). Unweighted value (n) is not shown; in cases where the unweighted n≤10, the weighted N are not available (denoted by ≤10). This reflects the most recent data from the 2017 NIS, 2016 KID and 2017 NEDS for ICD-10 data and 2014 NIS, 2012 KID and 2014 NEDS for ICD-9 data. Data on composition of FND diagnosis across its composite ICD-9 diagnosis codes and degree of overlap between FND and the neurological comparator conditions (both ICD-9 and ICD-10 coding) is demonstrated. Total % in the composition of the ICD-9 FND cohort exceed 100%, as some patients having both ICD-9 300.11 and 306.0 diagnostic codes.

Abbreviations: NIS: National/Nationwide Inpatient Sample; KID: Kids' Inpatient Database; NEDS: Nationwide Emergency Department Sample; FND: functional neurological disorder; MS: demyelinating disease including multiple sclerosis; ref epilepsy: refractory epilepsy; AHCD: anterior horn cell diseases including amyotrophic lateral sclerosis and spinal muscular atrophy

eTable 3. Missing data for healthcare utilization comparison from NIS 2017, KID 2016 and NEDS 2017

	Adults age 18+ (NIS 2017), subpopulation n=6,084,184, weighted 30,420,907		Pediatric age 5-17 (KID 2016), subpopulation n=697,625 weighted 965,132		Adults age 18+ (NEDS 2017), subpopulation n= 27,275,790 weighted 118,034,396		Pediatric age 5-17 (NEDS 2017), subpopulation n= 3,604,331 weighted 15,522,879	
Demographic variable	FND, n=4579, weighted 22,895	Non-FND neuro, n=983,923 weighted 4,919,614	FND, n=913, weighted 1,264	Non-FND neuro, n=89,261, weighted 124,053	FND, n=8215, weighted 36359	Non-FND neuro, n=1986050, weighted 8625167	FND, n=856, weighted 3,800	Non-FND neuro, n=75974, weighted 328,609
Age No. with data, (%)	4579, 22895 (100)	983923, 4,919,614 (100)	913, 1264 (100)	89261, 124,053 (100)	8215, 36359 (100.00)	1986050, 8625167 (100.00)	856, 3800 (100.00)	75974, 328609 (100.00)
Gender, No. with data, n (%)	4578, 22890 (99.98)	983893, 4919464 (100.00)	913, 1264 (100)	89245, 124031 (99.98)	8214, 36354 (99.99)	1985970, 8624789 (100.00)	856, 3800 (100.00)	75970, 328587 (99.99)
Race No. with data, n (%)	4392, 21960 (95.92)	951901, 4759504 (96.75)	830, 1147 (90.91)	81839, 113634 (91.69)				
Elective/non- elective, No. with data, n (%)	4569, 22845 (99.78)	982030, 4910149 (99.81)	912, 1262 (99.89)	88977, 123675 (99.68)				
Zip code Income quartile, No. with data, n (%)	4495, 22475 (98.17)	967311, 4836554 (98.31)	901, 1247 (98.69)	87803, 122007 (98.37)	8066, 35697 (98.19)	1952241, 8479642 (98.30)	835, 3705 (97.55)	75122, 324939 (98.88)
LOS No. with data, n (%)	4759, 23795 (100)	983811, 4919054 (99.99)	913, 1264 (100)	89238, 124022 (99.97)				
Disposition category, No. with data, n (%)	4576, 22880 (99.93)	983145, 4915724 (99.92)	913, 1264 (100)	89164, 123915 (99.89)	8215, 36359 (100.00)	1986050, 8625167 (100.00)	856, 3800 (100.00)	75974, 328609 (100.00)
Primary payer with data, n, N (%)	4567, 22835 (99.74)	982434, 4912169 (99.85)	912, 1262 (99.84)	89097, 123818 (99.81)	8170, 36125 (99.36)	1981962, 8604396 (99.76)	855, 3795 (99.87)	75817, 327786 (99.75)

All data are stated as sample number, weighted number and % non-missing. Empty cells in the NEDS are due to the data not being covered in this database.

Abbreviations: NIS: National/Nationwide Inpatient Sample; KID: Kids' Inpatient Database; NEDS: Nationwide Emergency Department Sample; FND: Functional neurological disorders; non-FND neuro: non-FND non-headache or neurosurgical neurological comparison group; No.: number; LOS: length of stay.

eTable 4. Clinical characteristics of FND vs other neurological disorders in adult and pediatric populations and inpatient healthcare resource utilization (NIS 2014 and KID 2012 ICD-9 comparator data)

	Adults age 18+ (NIS 201	(4), subpopulation n= 5,950 29,751,964	Pediatric age 5-17 (KID 2012), subpopulation n=778,518 weighted 1,098,342			
Demographic variable	FND, N= 23,795	Non-FND neuro, N=4,740,612	р	FND, N=2,686	Non-FND neuro, N=119,433	р
Age, median (IQR)	44.48 (32.16, 55.75)	66.68 (52.73, 79.13)	<0.0001	14.16 (11.90, 15.55)	11.46 (7.51, 14.58)	<0.0001
Age category, yr N (%)			<0.0001			<0.0001
5-12				700 (26.06)	62,186 (57.03)	
13-17				1,986 (73.94)	46,850 (42.97)	
18-40	9,365 (39.36)	550,845 (11.62)				
41-65	11,555 (48.56)	1,640,270 (34.60)				
>65	2,875 (12.08)	2,549,496 (53.78)				
Male, N (%)	6,285 (26.41)	2,054,336 (43.34)	<0.0001	769 (28.63)	60,584 (50.73)	<0.0001
White, N (%)	14,530 (65.54)	3,268,312 (72.47)	<0.0001	1,415 (60.02)	61,554 (56.95)	0.51
Non-elective, N	20,520 (86.55)	3,949,811 (83.64)	0.0004	2,295 (85.63)	83,326 (69.96)	<0.0001
		Socioe	conomic status			- I
Zip code Income quartile, N (%)			<0.0001			0.68
0-25th percentile	8,190 (35.25)	1,381,616 (29.78)		701 (26.75)	31,283 (26.76)	
26-50th percentile	6,575 (28.30)	1,294,245 (27.90)		665 (25.35)	28,145 (24.08)	
51-75th percentile	5,195 (22.32)	1,058,225 (22.81)		639 (24.38)	28,862 (24.69)	
76-100th percentile	3,275 (14.10)	905,571 (19.52)		617 (23.52)	28,598 (24.47)	
· · · · · · · · · · · · · · · · · · ·		Medical and ps	ychiatric demogr	aphics		•

No. of chronic conditions, mean (SE mean)	6.68 (0.06)	7.34 (0.02)	<0.0001	3.25 (0.06)	3.67 (0.04)	<0.0001
		Psychia	atric comorbidity			•
Any psych sx, N (%)	13,250 (55.68)	1,100,830 (23.22)	<0.0001	1,093 (40.70)	11,771 (9.86)	<0.0001
Mood disorder, N (%)	6,490 (27.27)	376,290 (7.94)	<0.0001	417 (15.53)	6,507 (5.45)	<0.0001
Anxiety disorders, N (%)	8,505 (35.74)	699,395 (14.75)	<0.0001	750 (27.93)	5,633 (4.72)	<0.0001
		Associated	functional condition	ons		
FSD, N (%)	2480 (10.42)	189730 (4.00)	<0.0001	151 (5.61)	1198 (1.00)	<0.0001
		Le	ngth of stay			
Length of stay, days, mean (SE mean)	4.62 (0.10)	5.87 (0.03)	<0.0001	4.45 (0.34)	5.43 (0.10)	0.0021
		Utilization	of hospital service	es		
All rehab services (PT/OT/speech etc), N (%)	755 (3.17)	242,155 (5.11)	<0.0001	112 (4.17)	6,792 (5.69)	0.42
PT, N (%)	425 (1.79)	97,095 (2.05)	0.25	96 (3.59)	1,891 (1.58)	0.31
OT, N (%)	320 (1.34)	78,925 (1.66)	0.12	72 (2.67)	1, 372 (1.15)	0.40
SLP, N (%)	75 (0.32)	34,235 (0.72)	<0.0001	≤10	588 (0.49)	0.82
Psych management, (%)	320 (1.34)	48,625 (1.03)	0.14	25 (0.92)	490 (0.41)	0.037
Psych consult, N (%)	≤10	3,045 (0.06)	0.14	≤10	47 (0.04)	0.026
			Workup			
All radiology, N (%)	2,075 (8.72)	520,500 (10.98)	<0.0001	261 (9.71)	8,995 (7.53)	0.004
Neuroradiology, N (%)	1,180 (4.96)	162,775 (3.43)	<0.0001	228 (8.50)	6,161 (5.16)	<0.0001
CT head, N (%)	515 (2.16)	71,215 (1.50)	0.0091	32 (1.19)	1,284 (1.08)	0.66
CT spine, N (%)	≤10	11,250 (0.24)	0.51	≤10	130 (0.11)	0.68
MRI head, N (%)	630 (2.65)	60,465 (1.28)	<0.0001	173 (6.44)	4,391 (3.68)	<0.0001
MRI spine, N (%)	180 (0.76)	9,290 (0.20)	<0.0001	61 (2.27)	810 (0.68)	<0.0001
EEG or EEG LTM, N (%)	2,385 (10.02)	69,090 (1.46)	<0.0001	452 (16.84)	13,371 (11.20)	0.0004

LP, N (%)	1,095 (4.60)	106,365 (2.24)	<0.0001	213 (7.92)	7,741 (6.48)	0.0375
			Disposition			•
Disposition category, N (%)			<0.0001			<0.0001
Home	16,690 (70.19)	2,216,636 (46.78)		2449 (91.21)	104,714 (87.69)	
Other facility/rehab	3,605 (15.16)	1,449,196 (30.59)		139 (5.19)	4,197 (3.51)	
Home with home health care	2,430 (10.22)	760,625 (16.05)		28 (1.05)	6,842 (5.73)	
AMA	500 (2.10)	49,580 (1.05)		≤10	143 (0.12)	
Died	140 (0.59)	138,610 (2.93)		0 (0)	786 (0.66)	

Where applicable, data are presented with weighted estimate sample (N) and corresponding percentage of total (column %), or otherwise described in parentheses based on non-missing data. Unweighted value (n) is not shown; in cases where the unweighted n≤10, the weighted N are not available (denoted by ≤10). P values are t tests for continuous variables and Chi squared p value for categorical variables.

Abbreviations: NIS: National/Nationwide Inpatient Sample; KID: Kids' Inpatient Database; FND: Functional neurological disorders; non-FND neuro: non-FND non-headache or neurosurgical neurological comparison group; IQR: Interquartile range; No.: number; Any psychiatric sx: the presence of anxiety, affective, psychotic, or personality disorders; FSD: Functional somatic disorders (IBS, fibromyalgia, chronic fatigue, etc.); Rehab: rehabilitation; PT: physical therapy; OT: occupational therapy; SLP: Speech and language pathology; Psych: psychiatric; EEG: electroencephalography; EEG LTM: EEG long-term monitoring/continuous video monitoring; CT: Computed tomography; MRI: Magnetic resonance imaging; LP: lumbar puncture; AMA: Against Medical Advice.

eTable 5. Ten-year annual total charge estimates across all databases in adults and children 2008-2017, highlighting years with overlap

	Total charges adult FND			Total c	Overall Total		
Year	NIS total charges, \$	NEDS Total charges, \$	NIS + NEDS, \$	KID total charges, \$	NEDS Total charges, \$	KID+NEDS, \$	Adult + Pediatric charges, \$
2008	\$407.2 M	\$42.1 M	\$449.4 M		\$3.7 M		
2009	\$497.6 M	\$54.8 M	\$552.4 M	\$51.1 M	\$3.6 M	\$54.7 M	\$607.1 M
2010	\$591.8 M	\$66.2 M	\$658.0 M		\$5.4 M		
2011	\$636.6 M	\$74.9 M	\$711.4 M		\$7.0 M		
2012	\$702.4 M	\$86.4 M	\$788.8 M	\$74.7 M	\$7.4 M	\$82.0 M	\$870.9 M
2013	\$736.6 M	\$93.8 M	\$830.4 M		\$6.3 M		
2014	\$859.1 M	\$116.4 M	\$975.5 M		\$9.1 M		
2015	Da	ta not showr	owing to tran	sition in codi	ng from ICD-9	9 to ICD-10 mi	d-year
2016	\$601.9 M	\$73.3 M	\$675.2 M	\$35.7 M	\$8.0 M	\$43.7 M	\$718.9 M
2017	\$1,065.6 M	\$149.9 M	\$1,215.5 M		\$12.9 M		\$1,228.4* M

All charge data are expressed in 2017 dollars and sample size is of non-missing data. Gradient fill in total charges and mean charges per patient in FND, with increasing red color indicating increasing charges. Data from NIS from 2008-2011 are adjusted using trend weights to account for change in database sampling.

* Not including KID inpatient charge data, which is unavailable for this year.

Abbreviations: NIS: National/Nationwide Inpatient Sample; KID: Kids' Inpatient Database; NEDS: Nationwide Emergency Department Sample; FND: functional neurological disorder; M: million.