

Supplementary Materials

Synthesis, *in silico* and *in vitro* assessment of new quinazolinones as anticancer agents via potential AKT inhibition

Ahmed A. Noser¹, Mohamed El-Naggar², Thoria Donia³ and Aboubakr H. Abdelmonsef^{4*}


¹ Organic Chemistry, Chemistry Department, Faculty of Science, Tanta University, Tanta 31527, Egypt

² Chemistry Department, Faculty of Sciences, University of Sharjah, 27272 Sharjah, UAE


³ Biochemistry Division, Chemistry Department, Faculty of Science, Tanta University, Tanta 31527, Egypt

⁴ Chemistry Department, Faculty of Science, South Valley University, Qena 83523, Egypt


* Correspondence: aboubakr.ahmed@sci.svu.edu.eg




¹H-NMR spectrum of compound 2.




¹H-NMR spectrum of compound 3.




¹H-NMR spectrum of compound 4.




¹H-NMR spectrum of compound 5.




¹H-NMR spectrum of compound 6.




$^1\text{H-NMR}$ spectrum of compound 7.




$^1\text{H-NMR}$ spectrum of compound 8.




$^1\text{H-NMR}$ spectrum of compound 10.




$^1\text{H-NMR}$ spectrum of compound 11.




$^1\text{H-NMR}$ spectrum of compound 12.




$^1\text{H-NMR}$ spectrum of compound 13.




^{13}C -NMR spectrum of compound 2.




^{13}C -NMR spectrum of compound 3.




¹³C-NMR spectrum of compound 4.




¹³C-NMR spectrum of compound 5.




^{13}C -NMR spectrum of compound 6.




^{13}C -NMR spectrum of compound 7.




¹³C-NMR spectrum of compound 8.




¹³C-NMR spectrum of compound 10.




^{13}C -NMR spectrum of compound 11.




$^{13}\text{C-NMR}$ spectrum of compound 12.



$^{13}\text{C-NMR}$ spectrum of compound 13.



The oral bioavailability radar of the molecule 9. The colored zone is the suitable physicochemical space for oral bioavailability.



The Boiled-egg plot of the selected compound 9