

Supplementary appendix

This appendix formed part of the original submission and has been peer reviewed. We post it as supplied by the authors.

Supplement to: Richardson RA, Keyes KM, Medina JT, Calvo E. Sociodemographic inequalities in depression among older adults: cross-sectional evidence from 18 countries. *Lancet Psychiatry* 2020; 7: 673–81.

Appendix

Table of Contents

Description of surveys.....	2–4
Number of people who screened positive for depression by socio-demographic factors and country.....	5
Socio-demographic inequalities in depression expressed as prevalence differences.....	6–7
Unstandardized, partially standardized, and fully standardized prevalence ratios by gender, age, educational attainment, and marital status.....	8–11

Description of surveys

We used secondary publicly available data from 8 longitudinal surveys for 93,590 older adults encompassing 18 countries. Among these surveys, the oldest and most established is the Health and Retirement Survey (HRS). The HRS has resulted in more than 4,000 papers,¹ including high impact landmark papers on the links between wealth and health,² and describing retirement trends and its relation to pensions and Social Security benefits.^{3,4} The HRS became a model for the development of sister aging cohort studies, including the Survey of Health, the Ageing and Retirement in Europe (SHARE), the English Longitudinal Study of Ageing (ELSA), the Japanese Study of Aging and Retirement (JSTAR), the China Health and Retirement Survey (CHARLS), and the Korean Longitudinal Study of Aging (KLoSA). These surveys have led to major contributions to the literature, and – due to the comparability of measures used in these surveys across countries – have allowed cross-national comparison of the health and well-being of older adults, including comparisons of cognitive functioning,⁵ physical functioning,⁶ and life-disability.⁷

Basic information about each survey is summarized in the table below, and additional details about survey methodology is available elsewhere.^{1,8-13} We selected these surveys for inclusion in our study because they focused on issues related to health and aging and included comparable information for a large sample of individuals age 50 and older, including comparable tools to assess depressive symptoms.

Each survey calculated response rates slightly differently, and therefore response rates are not directly comparable across countries. Therefore, we do not report response rates in the table below, although response rates in each country for the selected survey year were generally high, ranging from 75.4% (Korea)¹⁴ to 93% (Italy).¹⁵

Survey characteristics

<u>Country</u>	<u>Survey name, year</u>	<u>Eligibility criteria & sample characteristics</u>	<u>Depression measure</u>
Austria	Survey of Health, Aging, and Retirement in Europe (SHARE), ⁸ 2013	Nationally representative sample of adults aged 50 or older and their spouses (regardless of age).	EURO-D
Belgium	Survey of Health, Aging, and Retirement in Europe (SHARE), ⁸ 2013	Nationally representative sample of adults aged 50 or older and their spouses (regardless of age).	EURO-D
China	China Health and Retirement Longitudinal Study (CHARLS), ⁹ 2013	Nationally representative sample of adults 45 or older and their spouses (regardless of age)	CES-D, 10 item
Chile	Encuesta de Previsión Social (EPS), ¹⁰ 2009	Nationally representative sample of adults aged 18 and older.	CES-D, 8 item
Denmark	Survey of Health, Aging, and Retirement in Europe (SHARE), ⁸ 2013	Nationally representative sample of adults aged 50 or older and their spouses (regardless of age).	EURO-D
England	English Longitudinal Study of Aging (ELSA), ¹¹ 2014/2015	Nationally representative sample of adults aged 50 or older and their spouses (regardless of age).	CES-D, 8 item
France	Survey of Health, Aging, and Retirement in Europe (SHARE), ⁸ 2013	Nationally representative sample of adults aged 50 or older and their spouses (regardless of age).	EURO-D
Germany	Survey of Health, Aging, and Retirement in Europe (SHARE), ⁸ 2013	Nationally representative sample of adults aged 50 or older and their spouses (regardless of age).	EURO-D
Greece	Survey of Health, Aging, and Retirement in Europe (SHARE), ⁸ 2007	Nationally representative sample of adults aged 50 or older and their spouses (regardless of age).	EURO-D
Israel	Survey of Health, Aging, and Retirement in Europe (SHARE), ⁸ 2013	Nationally representative sample of adults aged 50 or older and their spouses (regardless of age).	EURO-D

<u>Country</u>	<u>Survey name, year</u>	<u>Eligibility criteria & sample characteristics</u>	<u>Depression measure</u>
Italy	Survey of Health, Aging, and Retirement in Europe (SHARE), ⁸ 2013	Nationally representative sample of adults aged 50 or older and their spouses (regardless of age).	EURO-D
Japan	Japanese Study of Aging and Retirement (JSTAR), ¹² 2011	Adults aged 50 and older residing in 10 municipalities in eastern Japan.	CES-D, 8 item
Korea	Korean Longitudinal Study of Aging (KLoSA), ¹³ 2012	Nationally representative sample of adults 45 or older. Island dwelling individuals excluded.	CES-D, 10 item
The Netherlands	Survey of Health, Aging, and Retirement in Europe (SHARE), ⁸ 2013	Nationally representative sample of adults aged 50 or older and their spouses (regardless of age).	EURO-D
Spain	Survey of Health, Aging, and Retirement in Europe (SHARE), ⁸ 2013	Nationally representative sample of adults aged 50 or older and their spouses (regardless of age).	EURO-D
Sweden	Survey of Health, Aging, and Retirement in Europe (SHARE), ⁸ 2013	Nationally representative sample of adults aged 50 or older and their spouses (regardless of age).	EURO-D
Switzerland	Survey of Health, Aging, and Retirement in Europe (SHARE), ⁸ 2013	Nationally representative sample of adults aged 50 or older and their spouses (regardless of age).	EURO-D
US	Health and Retirement Survey (HRS), ¹ 2014	Adults living in the contiguous U.S. aged 55 or older and their spouses (regardless of age). African-American and Hispanic populations over-sampled.	CES-D, 8 item

CES-D = Center for Epidemiological Depression scale

Number of people who screened positive for depression by socio-demographic factors and country

(Number who screened positive for depression/total in category)



	Age			Marital Status				Gender		Educational attainment		
	<u>55-65</u>	<u>65-75</u>	<u>75 or older</u>	<u>Married/ partnered</u>	<u>Divorced/ separated</u>	<u>Widowed</u>	<u>Single never married</u>	<u>Female</u>	<u>Male</u>	<u>Less than high school</u>	<u>High school completed</u>	<u>Some college</u>
Austria	213/1387	279/1449	234/845	393/2364	92/422	188/629	44/230	516/2124	210/1557	269/906	287/1680	170/1095
Belgium	522/1930	373/1400	404/1197	814/3188	165/443	267/671	47/194	864/2460	435/2067	630/1914	305/1144	364/1469
Chile	1430/2237	891/1429	550/843	1626/2744	244/358	645/857	353/542	1642/2268	1229/2241	2384/3575	293/516	194/418
China	2567/5968	1313/3163	461/1200	3531/8708	53/93	721/1451	38/82	2514/5127	1829/5207	4035/9312	189/562	117/456
Denmark	256/1440	162/1166	150/722	393/2537	50/261	95/390	29/121	367/1754	201/1575	138/674	221/1311	209/1344
England	529/2850	479/2955	553/2242	795/5588	251/828	417/1248	98/381	1023/4451	538/3596	602/2293	250/1372	357/2682
France	489/1600	376/1218	498/1119	802/2614	137/343	327/703	80/217	938/2229	425/1708	749/1786	420/1342	194/809
Germany	455/1965	328/1506	263/964	767/3500	75/279	161/481	38/145	670/2266	376/2169	214/618	592/2370	240/1447
Greece	138/1138	156/827	187/566	252/1754	24/115	183/540	20/115	345/1335	136/1196	395/1675	54/475	32/381
Israel	134/844	149/655	221/516	333/1540	38/119	103/234	10/28	320/1112	184/903	204/634	108/516	192/865
Italy	426/1469	526/1536	494/994	1030/3138	35/97	300/533	70/196	980/2141	467/1859	1165/2912	187/675	95/413
Japan	605/1670	634/1866	122/376	975/3019	95/226	176/419	73/161	764/2001	597/1911	333/1010	650/1753	370/1128
Korea	813/2325	1065/2246	1166/1833	2035/4750	82/145	910/1474	17/35	1851/3632	1193/2772	2266/4351	561/1467	217/585
The Netherlands	267/1456	210/1310	143/779	423/2757	63/229	98/400	26/99	405/1913	216/1636	358/1716	137/854	126/979
Spain	476/1978	449/1697	763/1823	1159/4277	55/149	374/710	61/239	1144/2906	544/2595	1501/4488	83/422	104/591
Sweden	238/1326	258/1741	263/1056	511/3146	86/338	110/385	40/188	518/2183	241/1941	339/1579	178/962	242/1583
Switzerland	167/1067	140/932	157/651	310/1981	58/232	64/283	25/120	316/1417	148/1233	130/564	224/1220	110/866
US	<u>1629/6558</u>	<u>809/4513</u>	<u>1115/5034</u>	<u>1693/9751</u>	<u>720/2399</u>	<u>894/3115</u>	<u>245/838</u>	<u>2349/9398</u>	<u>1203/6703</u>	<u>1262/3652</u>	<u>1604/7719</u>	<u>687/4730</u>
Overall	11,354/ 39,208	8597/ 31,609	7744/ 22,760	17,842/ 67,356	2323/ 7076	6033/ 14,523	1314/ 3931	17,526/ 50,717	10,172/ 42,869	16,974/ 43,659	6343/ 26,360	4020/ 21,841

¹Depression 'caseness' determined with the EURO-D


²Depression 'caseness' determined with the Center for Epidemiological Depression scale (CES-D), 8 item

³Depression 'caseness' determined with the Center for Epidemiological Depression scale (CES-D), 10 item

Socio-demographic inequalities in depression expressed as prevalence differences




Predicted difference in depression prevalence by educational attainment (reference = at least some college)



Notes
Standardized to mean gender, marital status, and age distribution across surveys
Wald test for heterogeneity across countries: $p < 0.0001$
Probable depression assessed with ¹EURO-D, ²CES-D (8 item), or ³CES-D (10 item)

Predicted difference in depression prevalence by marital status (reference = married/partnered)



Notes
Standardized to mean gender, age, and education distribution across surveys
Wald test for heterogeneity across countries: $p < 0.0001$
Probable depression assessed with ¹EURO-D, ²CES-D (8 item), or ³CES-D (10 item)

Unstandardized, partially standardized, and fully standardized prevalence ratios by gender, age, educational attainment, and marital status

Depression prevalence ratio (95% CI) by gender

(reference = men)

	<u>Unstandardized</u>	<u>Partially standardized*</u>	<u>Fully standardized**</u>
Austria	1.53 (1.30, 1.77)	1.54 (1.30, 1.78)	1.56 (1.31, 1.80)
Belgium	1.56 (1.40, 1.72)	1.56 (1.40, 1.72)	1.57 (1.41, 1.73)
Chile	1.31 (1.24, 1.38)	1.31 (1.24, 1.38)	1.32 (1.25, 1.40)
China	1.37 (1.30, 1.43)	1.37 (1.30, 1.43)	1.38 (1.31, 1.45)
Denmark	1.57 (1.31, 1.82)	1.57 (1.32, 1.82)	1.58 (1.32, 1.83)
England	1.32 (1.17, 1.46)	1.32 (1.17, 1.46)	1.34 (1.19, 1.49)
France	1.56 (1.41, 1.71)	1.57 (1.41, 1.72)	1.58 (1.42, 1.74)
Germany	1.47 (1.30, 1.63)	1.47 (1.30, 1.63)	1.48 (1.31, 1.65)
Greece	1.88 (1.51, 2.25)	1.93 (1.53, 2.32)	1.96 (1.55, 2.36)
Israel	1.41 (1.19, 1.64)	1.47 (1.21, 1.72)	1.49 (1.22, 1.75)
Italy	1.78 (1.61, 1.95)	1.82 (1.64, 2.01)	1.85 (1.66, 2.04)
Japan	1.18 (1.07, 1.29)	1.18 (1.07, 1.29)	1.18 (1.07, 1.29)
Korea	1.07 (1.01, 1.13)	1.07 (1.01, 1.14)	1.07 (1.01, 1.14)
The Netherlands	1.45 (1.23, 1.67)	1.45 (1.23, 1.67)	1.46 (1.23, 1.69)
Spain	1.74 (1.58, 1.90)	1.76 (1.60, 1.93)	1.81 (1.63, 1.99)
Sweden	1.87 (1.60, 2.13)	1.88 (1.61, 2.15)	1.90 (1.62, 2.17)
Switzerland	1.72 (1.39, 2.04)	1.73 (1.40, 2.06)	1.74 (1.41, 2.07)
US	<u>1.24 (1.16, 1.31)</u>	<u>1.24 (1.16, 1.32)</u>	<u>1.26 (1.18, 1.34)</u>
Overall	1.38 (1.35, 1.40)	1.38 (1.36, 1.41)	1.40 (1.37, 1.43)

*Standardized to the mean age distribution across surveys

**Standardized to the mean age, marital status, and education distribution across surveys

Depression prevalence ratio (95% CI) by age

(reference = 55 - 65)

	<u>Unstandardized</u>		<u>Partially standardized*</u>		<u>Fully standardized**</u>	
	<u>65-75</u>	<u>75 or older</u>	<u>65-75</u>	<u>75 or older</u>	<u>65-75</u>	<u>75 or older</u>
Austria	1.19 (1.00, 1.38)	1.52 (1.25, 1.79)	1.20 (1.00, 1.39)	1.53 (1.26, 1.81)	1.20 (1.00, 1.40)	1.55 (1.27, 1.83)
Belgium	0.97 (0.86, 1.07)	1.13 (1.00, 1.26)	0.96 (0.85, 1.08)	1.14 (1.00, 1.27)	0.96 (0.85, 1.08)	1.14 (1.00, 1.28)
Chile	0.93 (0.87, 0.98)	0.93 (0.86, 0.99)	0.92 (0.87, 0.98)	0.93 (0.86, 0.99)	0.92 (0.87, 0.98)	0.92 (0.85, 0.99)
China	0.95 (0.90, 1.00)	0.84 (0.77, 0.91)	0.95 (0.90, 1.00)	0.84 (0.76, 0.91)	0.95 (0.90, 1.00)	0.83 (0.76, 0.90)
Denmark	0.76 (0.62, 0.89)	1.02 (0.82, 1.23)	0.76 (0.62, 0.89)	1.02 (0.82, 1.23)	0.75 (0.62, 0.89)	1.02 (0.81, 1.23)
England	0.83 (0.73, 0.93)	1.02 (0.89, 1.16)	0.83 (0.72, 0.93)	1.02 (0.89, 1.16)	0.82 (0.71, 0.93)	1.02 (0.88, 1.17)
France	0.97 (0.87, 1.08)	1.26 (1.12, 1.39)	0.97 (0.86, 1.09)	1.27 (1.12, 1.41)	0.97 (0.86, 1.09)	1.27 (1.12, 1.42)
Germany	0.94 (0.83, 1.05)	1.06 (0.92, 1.20)	0.94 (0.83, 1.05)	1.06 (0.92, 1.20)	0.94 (0.82, 1.05)	1.07 (0.91, 1.21)
Greece	1.30 (1.01, 1.58)	2.05 (1.59, 2.51)	1.31 (1.01, 1.61)	2.11 (1.61, 2.60)	1.32 (1.01, 1.62)	2.15 (1.64, 2.66)
Israel	1.39 (1.10, 1.68)	2.52 (2.04, 3.01)	1.40 (1.10, 1.69)	2.58 (2.07, 3.09)	1.41 (1.11, 1.72)	2.66 (2.13, 3.20)
Italy	1.14 (1.02, 1.26)	1.57 (1.40, 1.74)	1.15 (1.02, 1.28)	1.62 (1.43, 1.81)	1.15 (1.02, 1.29)	1.64 (1.45, 1.84)
Japan	0.94 (0.85, 1.03)	0.89 (0.74, 1.04)	0.94 (0.85, 1.03)	0.89 (0.73, 1.04)	0.94 (0.85, 1.03)	0.89 (0.73, 1.05)
Korea	1.29 (1.20, 1.38)	1.67 (1.55, 1.79)	1.29 (1.20, 1.39)	1.67 (1.55, 1.79)	1.30 (1.20, 1.40)	1.69 (1.57, 1.81)
The Netherlands	0.85 (0.71, 0.98)	0.84 (0.67, 1.00)	0.84 (0.70, 0.98)	0.83 (0.66, 1.00)	0.84 (0.70, 0.98)	0.83 (0.66, 1.00)
Spain	1.05 (0.93, 1.17)	1.48 (1.33, 1.63)	1.05 (0.93, 1.17)	1.51 (1.35, 1.67)	1.05 (0.93, 1.18)	1.54 (1.37, 1.71)
Sweden	0.81 (0.68, 0.93)	1.26 (1.05, 1.47)	0.80 (0.67, 0.93)	1.27 (1.05, 1.49)	0.80 (0.67, 0.93)	1.27 (1.05, 1.50)
Switzerland	1.01 (0.80, 1.22)	1.56 (1.23, 1.89)	1.01 (0.80, 1.23)	1.58 (1.23, 1.92)	1.01 (0.80, 1.23)	1.59 (1.24, 1.93)
US	0.73 (0.70, 0.78)	0.79 (0.74, 0.85)	0.73 (0.68, 0.78)	0.79 (0.74, 0.85)	0.71 (0.66, 0.77)	0.78 (0.72, 0.84)
Overall	0.96 (0.93, 0.98)	1.11 (1.08, 1.14)	0.96 (0.93, 0.98)	1.12 (1.09, 1.15)	0.95 (0.93, 0.97)	1.12 (1.09, 1.15)

*Standardized to the mean gender distribution across surveys

**Standardized to the mean gender, education, and marital status distribution across surveys

Depression prevalence ratio (95% CI) by educational attainment

(reference = at least some college)

	<u>Unstandardized</u>		<u>Partially standardized*</u>		<u>Fully standardized**</u>	
	<u>Secondary school</u>	<u>Less than secondary school</u>	<u>Secondary school</u>	<u>Less than secondary school</u>	<u>Secondary school</u>	<u>Less than secondary school</u>
Austria	1.11 (0.92, 1.30)	1.58 (1.30, 1.87)	1.11 (0.91, 1.31)	1.61 (1.31, 1.90)	1.11 (0.91, 1.31)	1.61 (1.31, 1.91)
Belgium	1.03 (0.89, 1.16)	1.24 (1.10, 1.37)	1.03 (0.89, 1.17)	1.25 (1.10, 1.39)	1.03 (0.89, 1.17)	1.25 (1.10, 1.39)
Chile	1.20 (1.05, 1.35)	1.40 (1.26, 1.55)	1.21 (1.05, 1.36)	1.42 (1.27, 1.57)	1.21 (1.05, 1.36)	1.42 (1.27, 1.57)
China	1.22 (1.00, 1.44)	1.49 (1.27, 1.71)	1.22 (1.00, 1.45)	1.50 (1.28, 1.73)	1.23 (1.00, 1.46)	1.51 (1.28, 1.74)
Denmark	1.14 (0.95, 1.34)	1.20 (0.96, 1.45)	1.15 (0.95, 1.35)	1.21 (0.96, 1.46)	1.15 (0.95, 1.35)	1.21 (0.96, 1.46)
England	1.23 (1.05, 1.41)	1.68 (1.47, 1.89)	1.23 (1.05, 1.42)	1.69 (1.49, 1.90)	1.24 (1.05, 1.43)	1.73 (1.51, 1.94)
France	1.30 (1.12, 1.49)	1.52 (1.31, 1.73)	1.32 (1.12, 1.51)	1.55 (1.33, 1.77)	1.32 (1.12, 1.52)	1.55 (1.33, 1.77)
Germany	1.41 (1.22, 1.60)	1.72 (1.43, 2.01)	1.42 (1.23, 1.61)	1.75 (1.45, 2.04)	1.42 (1.23, 1.61)	1.75 (1.45, 2.05)
Greece	1.19 (0.73, 1.65)	1.76 (1.17, 2.34)	1.20 (0.71, 1.70)	1.83 (1.19, 2.47)	1.20 (0.71, 1.70)	1.84 (1.19, 2.48)
Israel	0.95 (0.75, 1.14)	1.45 (1.21, 1.69)	0.94 (0.73, 1.15)	1.52 (1.24, 1.80)	0.94 (0.72, 1.15)	1.52 (1.24, 1.81)
Italy	1.18 (0.95, 1.41)	1.49 (1.24, 1.74)	1.20 (0.94, 1.45)	1.55 (1.26, 1.83)	1.20 (0.94, 1.46)	1.55 (1.26, 1.84)
Japan	1.13 (1.01, 1.25)	1.01 (0.88, 1.14)	1.13 (1.01, 1.25)	1.01 (0.88, 1.14)	1.13 (1.01, 1.25)	1.01 (0.88, 1.14)
Korea	1.06 (0.94, 1.18)	1.18 (1.05, 1.30)	1.06 (0.94, 1.18)	1.18 (1.06, 1.31)	1.06 (0.94, 1.19)	1.19 (1.06, 1.32)
The Netherlands	1.20 (0.93, 1.46)	1.50 (1.21, 1.78)	1.20 (0.93, 1.47)	1.51 (1.22, 1.80)	1.20 (0.93, 1.48)	1.52 (1.22, 1.81)
Spain	1.13 (0.86, 1.41)	1.61 (1.33, 1.88)	1.14 (0.84, 1.44)	1.66 (1.36, 1.97)	1.15 (0.84, 1.45)	1.68 (1.37, 1.99)
Sweden	1.22 (1.01, 1.43)	1.37 (1.16, 1.57)	1.23 (1.01, 1.46)	1.39 (1.16, 1.61)	1.23 (1.01, 1.45)	1.39 (1.17, 1.61)
Switzerland	1.31 (1.03, 1.58)	1.41 (1.07, 1.75)	1.32 (1.03, 1.60)	1.42 (1.07, 1.78)	1.32 (1.03, 1.61)	1.42 (1.07, 1.78)
US	1.38 (1.27, 1.50)	2.29 (2.10, 2.48)	1.39 (1.27, 1.50)	2.31 (2.12, 2.51)	1.39 (1.28, 1.51)	2.34 (2.14, 2.55)
Overall	1.19 (1.14, 1.24)	1.50 (1.45, 1.56)	1.20 (1.15, 1.25)	1.53 (1.47, 1.59)	1.20 (1.15, 1.26)	1.53 (1.47, 1.59)

*Standardized to the mean gender and age distribution across surveys

**Standardized to the mean gender, age, and marital status distribution across surveys

Depression prevalence ratio (95% CI) by marital status

(reference = married/partnered)

	<u>Unstandardized</u>			<u>Partially standardized*</u>			<u>Fully standardized**</u>		
	<u>Divorced/ separated</u>	<u>Widowed</u>	<u>Single never married</u>	<u>Divorced/ separated</u>	<u>Widowed</u>	<u>Single never married</u>	<u>Divorced/ separated</u>	<u>Widowed</u>	<u>Single never married</u>
Austria	1.21 (0.98, 1.45)	1.24 (1.03, 1.46)	1.08 (0.79, 1.37)	1.22 (0.97, 1.47)	1.25 (1.04, 1.47)	1.08 (0.78, 1.38)	1.22 (0.97, 1.48)	1.26 (1.04, 1.48)	1.08 (0.78, 1.39)
Belgium	1.42 (1.23, 1.60)	1.28 (1.12, 1.44)	0.96 (0.72, 1.20)	1.43 (1.24, 1.63)	1.29 (1.12, 1.46)	0.96 (0.71, 1.20)	1.43 (1.24, 1.63)	1.29 (1.12, 1.46)	0.96 (0.71, 1.20)
Chile	1.11 (1.01, 1.20)	1.19 (1.11, 1.26)	1.02 (0.94, 1.11)	1.11 (1.01, 1.21)	1.19 (1.11, 1.27)	1.02 (0.94, 1.11)	1.11 (1.01, 1.21)	1.19 (1.12, 1.27)	1.03 (0.94, 1.11)
China	1.47 (1.19, 1.76)	1.19 (1.11, 1.27)	1.28 (0.99, 1.58)	1.48 (1.19, 1.78)	1.20 (1.11, 1.28)	1.29 (0.99, 1.59)	1.50 (1.19, 1.80)	1.20 (1.12, 1.29)	1.29 (0.98, 1.60)
Denmark	1.19 (0.88, 1.50)	1.33 (1.03, 1.62)	1.57 (1.07, 2.07)	1.19 (0.88, 1.51)	1.34 (1.04, 1.64)	1.59 (1.07, 2.10)	1.19 (0.88, 1.51)	1.34 (1.04, 1.64)	1.59 (1.07, 2.10)
England	1.97 (1.70, 2.24)	1.97 (1.72, 2.23)	1.70 (1.35, 2.04)	1.99 (1.71, 2.26)	1.99 (1.73, 2.25)	1.71 (1.36, 2.06)	2.01 (1.73, 2.29)	2.01 (1.75, 2.28)	1.72 (1.36, 2.08)
France	1.26 (1.08, 1.43)	1.16 (1.02, 1.29)	1.15 (0.94, 1.35)	1.27 (1.09, 1.45)	1.17 (1.02, 1.31)	1.15 (0.94, 1.37)	1.27 (1.09, 1.46)	1.17 (1.03, 1.31)	1.15 (0.94, 1.37)
Germany	1.18 (0.95, 1.41)	1.23 (1.05, 1.42)	1.18 (0.87, 1.49)	1.18 (0.95, 1.42)	1.24 (1.05, 1.43)	1.18 (0.87, 1.50)	1.18 (0.95, 1.42)	1.24 (1.05, 1.43)	1.18 (0.87, 1.50)
Greece	1.38 (0.89, 1.88)	1.35 (1.08, 1.63)	1.19 (0.72, 1.67)	1.41 (0.87, 1.96)	1.38 (1.09, 1.67)	1.21 (0.70, 1.72)	1.42 (0.87, 1.98)	1.39 (1.09, 1.69)	1.21 (0.69, 1.74)
Israel	1.33 (0.98, 1.67)	1.26 (1.00, 1.51)	1.46 (0.77, 2.14)	1.37 (0.98, 1.77)	1.29 (1.00, 1.58)	1.52 (0.73, 2.31)	1.38 (0.97, 1.79)	1.30 (1.00, 1.60)	1.54 (0.72, 2.36)
Italy	1.14 (0.86, 1.43)	1.25 (1.11, 1.40)	1.02 (0.82, 1.22)	1.15 (0.83, 1.48)	1.28 (1.12, 1.44)	1.02 (0.81, 1.24)	1.16 (0.83, 1.49)	1.29 (1.12, 1.45)	1.02 (0.80, 1.25)
Japan	1.26 (1.05, 1.47)	1.26 (1.09, 1.43)	1.40 (1.15, 1.65)	1.26 (1.05, 1.47)	1.26 (1.09, 1.43)	1.40 (1.15, 1.65)	1.26 (1.05, 1.47)	1.26 (1.09, 1.43)	1.40 (1.15, 1.66)
Korea	1.38 (1.19, 1.56)	1.18 (1.10, 1.26)	1.16 (0.77, 1.54)	1.40 (1.20, 1.59)	1.19 (1.11, 1.27)	1.16 (0.76, 1.57)	1.40 (1.20, 1.59)	1.19 (1.11, 1.28)	1.17 (0.76, 1.57)
The Netherlands	1.72 (1.33, 2.11)	1.45 (1.14, 1.75)	1.76 (1.18, 2.35)	1.73 (1.33, 2.13)	1.46 (1.14, 1.77)	1.78 (1.18, 2.38)	1.74 (1.33, 2.14)	1.46 (1.14, 1.78)	1.79 (1.18, 2.40)
Spain	1.55 (1.22, 1.87)	1.47 (1.30, 1.63)	1.00 (0.78, 1.22)	1.59 (1.24, 1.94)	1.50 (1.33, 1.68)	1.00 (0.77, 1.23)	1.61 (1.24, 1.97)	1.52 (1.34, 1.70)	1.00 (0.76, 1.24)
Sweden	1.42 (1.14, 1.70)	1.28 (1.03, 1.53)	1.22 (0.88, 1.56)	1.44 (1.15, 1.74)	1.29 (1.03, 1.56)	1.23 (0.88, 1.59)	1.45 (1.15, 1.74)	1.29 (1.03, 1.56)	1.23 (0.87, 1.59)
Switzerland	1.47 (1.12, 1.82)	0.95 (0.69, 1.21)	1.20 (0.77, 1.63)	1.49 (1.12, 1.87)	0.95 (0.68, 1.21)	1.21 (0.76, 1.66)	1.50 (1.12, 1.87)	0.95 (0.68, 1.21)	1.21 (0.76, 1.66)
US	1.52 (1.41, 1.63)	1.48 (1.37, 1.58)	1.45 (1.29, 1.60)	1.53 (1.42, 1.64)	1.48 (1.37, 1.59)	1.45 (1.29, 1.61)	1.56 (1.44, 1.68)	1.51 (1.40, 1.63)	1.48 (1.31, 1.65)
Overall	1.37 (1.31, 1.43)	1.29 (1.25, 1.32)	1.23 (1.15, 1.31)	1.39 (1.32, 1.45)	1.30 (1.26, 1.33)	1.24 (1.16, 1.32)	1.41 (1.34, 1.48)	1.32 (1.28, 1.35)	1.25 (1.17, 1.34)

*Standardized to the mean gender and age distribution across surveys

**Standardized to the mean gender, age, and educational level across surveys

References

1. Fisher GG, Ryan LH. Overview of the Health and Retirement Study and Introduction to the Special Issue. *Work Aging Retire* 2018; **4**(1): 1-9.
2. Smith JP. Wealth inequality among older Americans. *J Gerontol B Psychol Sci Soc Sci* 1997; **52 Spec No**: 74-81.
3. Gustman A, Steinmeier T. How changes in social security affect recent retirement trends. *Res Aging* 2009; **31**(2): 261-90.
4. Gustman AL, Steinmeier TL. Retirement outcomes in the Health and Retirement Study. *Soc Secur Bull* 2000; **63**(4): 57-71.
5. Rohwedder S, Willis RJ. Mental Retirement. *J Econ Perspect* 2010; **24**(1): 119-38.
6. Payne CF, Gomez-Olive FX, Kahn K, Berkman L. Physical Function in an Aging Population in Rural South Africa: Findings From HAALSI and Cross-National Comparisons With HRS Sister Studies. *J Gerontol B Psychol Sci Soc Sci* 2017; **72**(4): 665-79.
7. Berkman LF, Zheng Y, Glymour MM, Avendano M, Borsch-Supan A, Sabbath EL. Mothering alone: cross-national comparisons of later-life disability and health among women who were single mothers. *J Epidemiol Community Health* 2015; **69**(9): 865-72.
8. F. Malter and A. Börsch-Supan (Eds.). SHARE Wave 5: Innovations & Methodology. Munich: MEA, Max Planck Institute for Social Law and Social Policy, 2015.
9. Zhao Y, Hu Y, Smith JP, Strauss J, Yang G. Cohort profile: the China Health and Retirement Longitudinal Study (CHARLS). *International Journal of Epidemiology* 2014; **43**(1): 61-8.
10. Bravo D, Heeringa SG, Quijada S, Vásquez J. Encuesta de Previsión Social, 2009-2009. Documento Metodológico. Santiago: Universidad de Chile.
11. Taylor R, Conway L, Calderwood L, et al. Health, wealth and lifestyles of the older population in England: The 2002 English Longitudinal Study of Ageing. Technical Report. London: National Centre for Social Research, 2007.
12. Ichimura H, Hashimoto H, Shimizutani S. Japanese Study of Aging and Retirement. JSTAR First Results. Tokyo: The Research Institute of Economy, Trade, and Industry, 2009.
13. Korea Employment Information Service. KLoSA (Korean Longitudinal Study of Aging). 2015. <https://survey.keis.or.kr/eng/klosa/klosa01.jsp>.
14. Kyung Lee H, Hee Lee S. Depression, Diabetes, and Healthcare Utilization: Results from the Korean Longitudinal Study of Aging (KLoSA). *Iran J Public Health* 2014; **43**(1): 6-15.
15. Bergmann M, Kneip T, De Luca G, Scherpenzeel A. Survey participation in the Survey of Health, Ageing and Retirement in Europe (SHARE), Wave 1-7. Munich, Germany: SHARE-ERIC, 2019.