Category	Men						Women					
	K-IV (2007–2009)		K-V (2010–2012)		K-VI (2013–2015)		K-IV (2007–2009)		K-V (2010–2012)		K-VI (2013–2015)	
			poor		poor		poor		poor		poor	
Childhood/adoleso		5 4	22.9	1.0	20.2	2.4	25.0	2.0	21.6	25	21.1	7.4
	30.3	5.4	32.8	1.6	28.2	2.4	35.0	2.9	31.6	3.5	21.1	7.4
Middle-low	27.7	4.9	22.3	2.0	17.7	3.1	31.2	1.1	20.4	2.7	14.0	2.0
Middle-high	22.3	2.4	18.0	1.2	14.6	1.0	25.4	1.3	20.0	1.7	14.7	1.8
High	23.3	1.2	19.2	1.2	16.9	1.3	23.2	2.0	17.0	0.8	16.1	0.1
Young adults												
Low	39.6	4.9	33.0	8.5	42.4	8.5	45.2	6.0	37.2	7.1	42.8	7.2
Middle-low	38.2	8.5	37.8	8.2	31.4	8.3	41.7	9.5	35.7	6.2	33.8	8.1
Middle-high	36.6	7.6	36.4	4.8	34.4	6.1	38.4	6.4	39.6	4.5	31.8	4.8
High	36.6	5.9	37.6	5.0	31.7	5.8	36.5	4.3	32.4	4.3	28.0	3.6
Middle-old adults	5											
Low	45.4	12.3	37.3	17.9	46.2	13.7	45.5	10.2	44.1	12.7	37.5	10.2
Middle-low	44.6	11.7	41.8	14.2	39.5	17.2	46.1	9.4	39.7	13.4	37.0	11.0
Middle-high	43.5	10.8	37.7	11.7	37.0	12.1	39.7	8.1	41.0	7.9	36.7	7.9
High	38.1	7.5	35.9	9.8	32.5	9.6	42.5	5.7	33.6	9.3	29.6	7.7
Older adults												
Low	49.7	9.4	47.1	11.5	45.8	14.1	49.1	6.2	47.5	11.0	42.5	9.8
Middle-low	45.4	7.9	43.1	8.5	38.1	12.1	46.8	5.3	45.2	8.3	41.1	7.7
Middle-high	43.8	5.0	37.0	8.3	39.8	11.3	41.4	3.8	43.2	7.0	36.4	7.1
High	43.5	7.0	35.1	16.3	39.2	10.6	43.8	4.3	47.2	10.3	40.1	5.0

eTable 1. Stratified prevalence of self-reported poor and very poor oral health according to income by age, gender, and survey years

Values reported as percentages.