Table(s)

Table 1. Characteristics of patients with malignant cutaneous mucoepidermoid carcinoma.

Characteristic Valu	
Total	n = 89
Year of diagnosis, y	
Mean (SD)	2003 (9.3)
Median (range)	2004 (1978-2016)
Age, yii	
Mean (SD)	63.4 (17.5)
Median (range)	63 (23-94)
Sex, %	
Male	55.1
Female	44.9
Race, %	
White	80.0
Non-white	20.0
Residency demographic	
Urban	33.0
Metro	42.0
Non-metro	25.0
Stage at presentation, %	
Stage I (Local)	68.6
Stage II/III (Regional)	24.3
Stage IV (Distant)	7.2
Grade at presentation, %	
Low Grade	75.5
High Grade	24.5
Body site, %	
Face	84.3
Trunk or Extremities	15.7
Surgery, %	
Yes	81.8
No	18.2

^a Percentages may not total 100% because of rounding and missing indicator variables for unknown variables (not included in table).

Table 2. Survival data by tumor stage.

Sarvivar data by	toninor otte	500		
Survival			Overall	Disease-Specific
Median (SE)a, y			12.1 (1.3)	21.5 (1.1)
	Stage			
		Stage I (Local)	20.8 (1.6)	21.6 (1.3)
		Stage II/III (Regional)	9.3 (2.0)	16.4 (2.0)
		Stage IV (Distant)	3.2 (0.8)	a
	Grade			
		Low Grade	17.0 (1.6)	21.5 (1.6)
		High Grade	3.1 (0.7)	5.8 (0.8)
Proportion, %				
At 1 y			85.0%	90.4%
At 5 y			68.2%	76.0%
At 10 y			54.9%	68.4%

Abbreviation: SE, standard error.

a Unable to calculate quartile estimate and SE using a 95% CI for this cell.