

Data S1.

Full search terms

ECMO in pregnancy searches

Ovid MEDLINE search for the sentinel articles

("23268668" or "23942727" or "22922930" or "28719429" or "28195885" or "25819202" or "29739630" or "27056763" or "26758056" or "27881700" or "26942349" or "25248040" or "19019293" or "26307595" or "26825433").ui.

Ovid MEDLINE; Ovid MEDLINE In-Process & Other Non-Indexed Citations; Ovid MEDLINE Epub Ahead of Print (800 results on September 11, 2018)

(exp pregnancy/ or exp pregnancy complications/ or exp obstetric surgical procedures/ or exp maternal health services/ or postpartum period/ or (c-section* or caesarean* or cesarean* or childbirth* or labor or labors or labour* or maternal or mother* or obstetric* or peri-partum or peripartum or post-natal or post-natal or post-natal or post-natal or pregnan* or pre-natal or prenatal).tw.) and (exp extracorporeal membrane oxygenation/ or (ecmo or extra-corporeal or extracorporeal).tw.) not ((exp adolescent/ or exp child/ or exp infant/) not exp adult/)

Elsevier Embase.com (963 results on September 11, 2018)

('maternal care'/exp OR 'obstetric operation'/exp OR 'obstetrics'/exp OR 'perinatal care'/exp OR 'perinatal period'/de OR 'pregnancy'/exp OR 'pregnancy disorder'/exp OR 'prenatal care'/exp OR 'prenatal period'/de OR caesarean*:ab,ti OR 'c-section':ab,ti OR 'c-sections':ab,ti OR cesarean*:ab,ti OR childbirth*:ab,ti OR labor:ti OR labors:ti OR labors:ti OR labors*:ti OR maternal:ab,ti OR mother*:ab,ti OR obstetric*:ab,ti OR 'peri-partum':ab,ti OR peripartum:ab,ti OR 'post-natal':ab,ti OR postnatal:ab,ti OR 'post-partum':ab,ti OR postpartum:ab,ti OR pregnan*:ab,ti OR 'pre-natal':ab,ti OR prenatal:ab,ti) AND ('extracorporeal oxygenation'/exp OR ecmo:ab,ti OR (((extracorporeal OR 'extra-corporeal') NEAR/3 (support OR membrane OR oxygenation)):ab,ti)) NOT ('juvenile'/exp NOT 'adult'/exp)

Clarivate Web of Science (992 results on September 11, 2018)

TS=(ECMO OR extracorporeal OR "extra-corporeal") AND TS=("c-section" OR "c-sections" OR caesarean* OR cesarean* OR childbirth* OR labor OR labors OR labour* OR maternal OR mother* OR obstetric* OR peripartum OR "peri-partum" OR "post-natal" OR postnatal OR postpartum OR "post-partum" OR pregnan* OR "pre-natal" OR prenatal)

EBSCOhost CINAHL (325 results on September 11, 2018)

(MH "Extracorporeal Membrane Oxygenation" OR TI (ECMO OR extracorporeal OR "extra-corporeal") OR AB (ECMO OR extracorporeal OR "extra-corporeal")) AND (MH ("pregnancy+" OR "pregnancy complications+" OR "pregnancy outcomes+") OR TI ("c-section" OR "c-sections" OR caesarean* OR cesarean* OR childbirth* OR labor OR labors OR labour* OR maternal OR mother* OR obstetric* OR peripartum OR "peri-partum" OR "post-natal" OR postnatal OR postpartum OR "post-partum" OR pregnan* OR "pre-natal" OR prenatal) OR AB ("c-section" OR "c-sections" OR caesarean* OR cesarean* OR childbirth* OR labor OR labors OR labour* OR maternal OR mother* OR obstetric* OR peripartum OR "peri-partum" OR "post-natal" OR postnatal OR postpartum OR "post-partum" OR pregnan* OR "pre-natal" OR prenatal))

Table S1. Breakdown of all cases (n = 358).

Study (Author, Year)	Type of Study	Delivery Type	Indication	Disease Process/Indication	ECLS Type	ECLS Duration (days)	Maternal Complications	Maternal Mortality	Fetal Complications	Fetal Mortality
³⁴ Abbal 2014	Case report	C/S	ARDS	31 year old G2P1 at 22 weeks with ARDS due to H1N1, 3 days after delivery underwent ECLS	VV	13	None	No	Preterm delivery at 24 weeks, NICU admission	Yes
³⁵ Abid Memon 2018	Case report	C/S	PAH, cardiac arrest	20 year old at 26 weeks with PAH, Von Willebrand's, worsening PAH, post- delivery PEA s/p CPR onto VA	VA	24	Pericardial effusions, pericardial window, hemoptysis requiring bronchoscopy and cauterization, trach	No	Preterm delivery at 26 weeks, NICU	No
³⁶ Agerstran d 2016	Single center retrospective review (Columbia)	N/A	ARDS (17), cardiac arrest (3), PE (2), AFE (2), PAH (1)	ARDS in 17 (flu 6, PNA 2, aspiration 3, TRALI 6, non-pulmonary sepsis 2), ECPR in 3, PE in 2, AFE in 2, PAH in 1; Antepartum in 4 patients, Postpartum in 14	VV in 14, VA in 1, VAV in 3	Median 6 days	ECMO related bleeding complications in 6 (DIC), 4/13 c/s cases had intraabdominal bleeding, 1 limb ischemia resulting in BKA, cannula associated DVT in	2/18	1 miscarriage after cannulation at 18 weeks, 2 miscarriages prior to ECMO cannulation; median GA 32 weeks	4/18
³⁶ Agerstran d 2016	Single center retrospective review (Columbia)	C/S	РАН	Patient at 34 and 6/7 weeks with PAH requiring VV support then septic shock requiring VA, antepartum 3 days	VV then VA	24	DIC, abdominal compartment syndrome, VV 12d then VA for 12d	N/A	N/A	N/A
³⁶ Agerstran d 2016	Single center retrospective review (Columbia)	c/s	ARDS	Patient at 28 and 5/7 weeks with H1N1 ARDS, antepartum 16 days	VV		Preeclampsia, DIC, bleeding	N/A	N/A	N/A

³⁶ Agerstran d 2016	Single center retrospective review (Columbia)	C/S	ARDS	Patient at 26 and 3/7 weeks with H1N1 ARDS developed renal failure, septic shock, delivered on ECMO c/s, preeclampsia, DIC, multisite bleeding	VV		Renal failure and septic shock, delivered on ECMO c/s, preeclampsia, DIC, multisite bleeding	No	N/A	N/A
³⁶ Agerstran d 2016	Single center retrospective review (Columbia)	C/S	ARDS	Patient at 32 weeks with ARDS due to urosepsis, antepartum 7 days	VV	6	N/A	N/A	N/A	N/A
³⁷ Alamo 1995	Case series	VD	PPH, ARDS	28 year old at 32 weeks with hypertension c/b fetal distress, forceps delivery, PPH, DIC, preeclampsia and ARDS	VV	2	Renal failure, septic shock acinetobacter, died 7 days after decannulation	Yes	N/A	N/A
³⁷ Alamo 1995	Case series	C/S	ARDS	19 year at 37 weeks with hypertension, 3 weeks post-delivery necrotic pancreatitis, DIC, multiorgan failure, ARDS	VV	0.70833	DIC, renal failure, intracranial hematoma	Yes	N/A	N/A
³⁸ Alyamani 2018	Case report	C/S	ARDS	38 year old G9P8 at 30 and 3/7 weeks with sarcoidosis with ARDS, alveolar hemorrhage, cannulated antepartum	VV	14	Profuse bleeding after bronchoscopy, DVT after decannulation	No	Preterm delivery at 31 weeks, NICU	No
³⁹ Amancio 2017	Case report	C/S	ARDS	30 year old G1P0 at 27 weeks with H1N1 ARDS with hypoxemic respiratory failure cannulated antepartum	VV	9	Enterobacter PNA	No	None	No
⁹ Anselmi 2015	Case report and systematic review	C/S	ARDS	32 year old G1P0 at 28 weeks with influenza ARDS	VV	12	Transient maternal peroneal nerve paralysis, C/S after decannulation	No	None	No

⁴⁰ Arit 2009	Case report	C/S	PE, cardiac arrest	27 year old with massive PE with PEA, given tPA, ECMO transported with hand-held system, underwent emergent hysterectomy and pulmonary thrombectomy under ECMO and remained on ECMO 4 days postop	VA	4	Vaginal and endotracheal bleeding after thrombolysis, emergency hysterectomy	No	N/A	No
⁴¹ Barbalic 2016	Case report	D&E	PPH, ARDS	39 year old at 21 weeks with PPROM with miscarriage, D&E with PPH, atony, hysterectomy subsequent DIC, ARDS, hemodynamic instability, hypoxemia	N/A	8	Intraabdominal hemorrhage requiring multiple laparotomies and evacuations, hemolytic anemia	No	IUFD prior to ECLS	N/A
⁴² Barnes 2018	Case report	c/s	ILD	24 year old at 31 weeks with RA associated ILD with pulmonary vasculitis with emergent C/S requiring ECMO	N/A	6	Multiple infections, colitis, PNA, cardiac arrest in setting of refractory hypoxemia 56 days after ECLS	Yes	Preterm delivery at 31 weeks, NICU	No
⁴³ Bartlett 1974	Case series	VD	AFE, cardiac failure	29 year old at 31 weeks with IUFD IOL c/b AFE and DIC	VA	12	PNA with gram negative septicemia, necrotizing pneumonitis	Yes	IUFD prior to ECLS	N/A
⁴⁴ Bataillard 2016	Case series	C/S	PE	35 year old at 27 weeks with acute PE with RV dilation, hemodynamic instability and hypoxia	VA	10	Groin wound infection	No	Preterm delivery at 31 weeks, NICU	No
⁴⁴ Bataillard 2016	Case series	N/A	PE, cardiac arrest	26 year old at 10 weeks with PE with cardiac arrest requiring resuscitation - later delivered a healthy baby at 37 weeks	VA	4	Groin wound infection treated with antibiotics, R external iliac thrombus	No	N/A	No
⁴⁵ Bautista 2018	Case report	C/S	PAH, cardiac failure	18 year old at 24 weeks with pulmonary hypertension due to chronic venoocclusive disease	VV	10	Worsening after VV ECMO decannulation, lung transplant rejected, hemodynamic	Yes	IUFD at 24 hours	Yes

							and respiratory failure			
⁴⁶ Bellissim a 2011	Case series	N/A	ARDS	31 year old pregnant patient with H1N1 with ARDS	N/A		H1N1 with ARDS	No	N/A	N/A
⁴⁷ Benetis 2016	Case report	c/s	Septic shock, ARDS	18 year old G1PO at 26 weeks with sepsis due to endometritis from staph aureus and enterobacter, C/S at 26 weeks c/b DIC, pulmonary edema, hemodynamic instability then hysterectomy developed ARDS, cannulated on PPD# 4	VA	22	Bleeding at cannulation site, hematoma infection, hemothorax, repeat thoracotomies, sepsis, subclavian artery rupture, R hand numbness	No	Preterm delivery at 27 weeks, NICU	No
⁴⁸ Besnier 2013	Case report	c/s	PPCM, cardiac arrest, Takotsubo	32 year old at 38 weeks for urgent C/S for prolapsed cord under general anesthesia, VT then cardiac arrest s/p shock LV failure (EF 17%) requiring ECMO, Takotsubo	VA	7	Bleeding requiring surgical evacuation	No	N/A	N/A
⁴⁹ Beurther et 2013	Prospective study ECMO rescue team	N/A	PPCM	3 patients report with PPCM	VA		N/A	2/3	N/A	N/A
⁵⁰ Biderman 2017	Retrospective review	VD	Cardiac failure	36 year old with toxic shock due to GAS on PPD# 4	VA	8.5	DIC	No	N/A	No
⁵⁰ Biderman 2017	Retrospective review	C/S	AFE	41 year old with AFE	VA	4	DIC, tracheotomy	No	N/A	No
⁵⁰ Biderman 2017	Retrospective review	C/S	AFE	41 year old with AFE	VA	6	DIC, tracheotomy	No	N/A	No
⁵⁰ Biderman 2017	Retrospective review	VD	ARDS	37 year old at 13 weeks with ARDS due to H1N1	VA then VV	16	DIC, tracheotomy; VA 7 d then VV for 9	Yes	SAB	Yes
⁵⁰ Biderman 2017	Retrospective review	C/S	Cardiac failure	30 year old at 33 weeks with infectious PNA	VA	32	Tracheotomy	Yes	N/A	No

⁵⁰ Biderman 2017	Retrospective review	VD	Septic shock, ARDS	30 year old at 20 weeks with infectious PNA (h flu)	VA	3	Tracheotomy	No	Died 3 days into ECLS	Yes
⁵⁰ Biderman 2017	Retrospective review	C/S	Septic shock, ARDS	19 year old with septic shock ARDS diffuse peritonitis PPD# 2	VA	11	Tracheotomy	No	N/A	No
⁵⁰ Biderman 2017	Retrospective review	C/S	Septic shock, ARDS	22 year old with infectious PNA PPD# 7	VA	20	Tracheotomy	Yes	N/A	No
⁵⁰ Biderman 2017	Retrospective review	VD	Cardiac failure, heart disease	38 year old with critical MS c/b cardiogenic shock, LV failure, pulmonary edema on PPD# 1	VA	20	N/A	No	TAB at 12 weeks prior to ECLS	Not counted as mortality
⁵⁰ Biderman 2017	Retrospective review	VD	Cardiac failure	40 year old with cardiogenic shock, LV failure on PPD# 5	VA	6	N/A	No	N/A	No
⁵⁰ Biderman 2017	Retrospective review	C/S	AFE	31 year old woman with AFE	VA	0	Death	Yes	N/A	No
⁵¹ Bok 2014	Case report	VD	ARDS	44 year old at 23 weeks with cryptogenic organizing PNA, VV ECMO then listed for lung transplant, stillbirth at 23 weeks	VV	13	Waited for lung transplant	No	SAB at 23 weeks	Yes
⁵² Bouabdal laoui 2017	Case series	VD (7) C/S (3)	PPCM	10 patients at average GA at 38 weeks with PPCM	VA	Peripher al support (all fem- fem) median 3 days, Central support 51 days	Pulmonary edema (2), bleeding at cannulation site (1), limb ischemia (1) and infection at cannulation site c/b septic shock (1), on dialysis before ECMO in 30%	5/10	N/A	N/A
⁵³ Bowkalo w 2011	Case report	VD	ARDS	24 year old G4P2 at 20 and 6/7 weeks with H1N1 ARDS	N/A	28	Died	Yes	SAB at 21 weeks	Yes
⁵⁴ Bruch 2013	Case report	VD	PE, cardiac arrest	31 year old G1P0 at 19 weeks PE circulatory shock requiring CPR, ECLS and thrombectomy, stillbirth at 19 weeks requiring D&C	VA	5	Bleeding requiring transfusions	No	SAB on ECMO	Yes

⁵⁵ Cerene 1977	Case report	VD	Aspiration pneumoniti s, ARDS	32 year old with ARDS due to gastric aspiration during forceps delivery c/b cardiovascular collapse	VA	4.95833	Mild bleeding at insertion site	No	N/A	N/A
⁵⁶ Chamber s 2018	Case report	N/A	Sickle cell crisis	20 year old G1P0 at 25 and 3/7 weeks with sickle cell with acute chest syndrome, cannulated postpartum	VV		Blood transfusions	No	Preterm delivery	No
⁵⁷ Champio n 2017	Case report	C/S	PPCM	30 year old at 34 weeks with TTP c/b HELLP and sepsis with salmonella, PPCM day on PPD# 4	VA	18	Renal failure, discharged after 45 days	No	Preterm delivery at 34 weeks	No
⁵⁸ Chao 2016	Case series	VD	ARDS	35 year old G1P0 at 16 weeks with viral PNA with hypoxemic respiratory failure	VV	9		No	SAB at 16 weeks	Yes
⁵⁸ Chao 2016	Case series	c/s	PPCM	29 year old G1PO at 34 weeks with PPCM s/p C/S sent home on diuretics and digoxin but returned 1 month later requiring mechanical ventilation and pressors so put on ECMO found to have EF 18%	VA	8.5		No	Preterm delivery at 34 weeks	No
⁵⁹ Chehab 2015	Case report	C/S	PPCM	23 year old at 35 weeks with PPCM EF<15% within 1 week of delivery	VA		Major hemorrhage, multiorgan failure, hemothorax, cannula dislodgement	Yes	Preterm delivery at 35 weeks	N/A
⁶⁰ Chillcott 1995	Case report	VD	ARDS, sepsis	20 year old G1P0 at 26 weeks with staph aureus septicemia, hypoxemia, ARDS underwent extracorporeal CO₂ removal on PPD# 16	ECCO ₂ (VV)	47	Impaired skin integrity, pulmonary bleeding, HSV PNA, trach, hyperbilirubinemi a, proteus and enterobacter PNA, oxygenator changes	No	Preterm delivery at 26 weeks, NICU, IVH	No

⁶¹ Cho 2006	Case report	C/S	PAH, cardiac failure	24 year old at 38 weeks with PAH c/b RV failure post-C/S and aberrant pulmonary artery on PPD# 4	VV	33	HIT, thrombocytopeni a, required IVIG, massive pulmonary hemorrhage, discovered to have aberrant right PA	No	N/A	No
⁶² Choi 2016	Case report in commentary	c/s	Cardiac arrest	26 year old G1P0 at 30 weeks with HELLP c/b IUFD s/p c/s c/b seizure followed by cardiac arrest/CPR	VA		for blood transfusion, dialysis, discharged 1 month post arrest	No	Pre-ECMO fetal demise	Not counted as mortality
⁶³ Chuang 2015	Case report	c/s	PE, cardiac arrest	29 year old G1P1 with PE s/p PEA and CPR underwent PTE 2 days after admission on PPD# 2	VA	2	Burn injuries from resuscitation in ED, staph and influenza infections, discharged day 43	No	N/A	N/A
⁶⁴ Clark 1991	Case series	N/A	ARDS	33 year old at 12 weeks with varicella PNA c/b ARDS	VV	3.75	Blood transfusions	No	TAB at 15 weeks due to concern for fetal anomalies incurred from ECLS	Yes
⁶⁵ Clifford 2018	Case report	C/S	Asthma	33 year old G3P1 at 23 and 1/7 weeks with status asthmaticus, and possible PA clot on TTE	VV	6	VAP with moraxella and MSSA, influenza A	No	IUGR	No
⁶⁶ Coscia 2012	Case series	VD	ARDS, malignancy	31 year old at 24 weeks with recent M3 AML hypoxemic respiratory failure c/b ARDS, spontaneously delivered 48 hours into iLA	iLA (VV)	8	Died 53 days after admission from AML complications	No	Unclear outcome, spontaneous preterm delivery at 24 weeks, NICU admission	N/A
⁶⁷ Couroubl e 2011	Case report	VD	ARDS	21 year old G2P0 at 23 weeks with H1N1 ARDS	VV	9	Multiple transfusions, epistaxis during ECMO run, staph bacteremia after decannulation	No	None	No

⁶⁸ Crawford 2015	Case report	C/S	ARDS	37 year old G1P0 at 21 weeks with influenza A ARDS c/b HELLP with newly diagnosed LAM and DAH	VV	14	Had lung biopsy for LAM during ECMO run	No	Preterm delivery at 24 weeks, NICU, respiratory/nutriti onal support	No
⁶⁹ Creanga 2010	Case series	c/s	ARDS	26 year old at 32 weeks with H1N1 ARDS mechanically ventilated, C/S in ICU for maternal distress and hypotension, PNA and ARDS, septic shock, transferred for ECMO on PPD# 12	VV			Yes	Preterm delivery at 32 weeks, death	Yes
⁷⁰ Cunningh am 2006	Case report	VD	ARDS	33 year old at 24 weeks with ARDS requiring ECMO then post-cannulation 3 days developed HELLP	VV	3	Renal failure, 3 days after d/c ECMO vaginal bleeding and spontaneously delivered fetus at 25 weeks	No	Preterm delivery at 25 weeks, intubated to NICU and RDS	No
⁷¹ Dabas 2018	Case report	C/S	Heart disease, cardiac arrest	32 year old with d-TGA s/p Mustard with RV dysfunction s/p C/S c/b cardiac arrest, CPR and ECMO support	VA then VV	3	N/A	No	N/A	No
⁷² DiLorenz o 2016	Case report	c/s	Cardiac failure, heart disease	Patient at 33 weeks with MV regurgitation due to prosthetic valve thrombosis with NYHA Class III HF planned C/S after VA ECMO and MV replacement, ECMO in OR immediately before c/s	VA	2	None	No	N/A	No
⁷³ Ecker 2012	Case report	C/S	PPH, cardiac arrest	43 year old multiparous woman at 36 and 4/7 weeks with placenta previa with bleeding went to emergency C/S, upon closing fascia became unstable, PEA arrest underwent CPR and ECMO cannulation	VA	1	Bleeding, hysterectomy, need for HD, encephalopathy	No	N/A	N/A

⁷⁴ Ellington 2011	Case series	N/A	ARDS	2 patients with postpartum H1N1 ARDS	N/A			1/2		N/A
⁷⁵ Erb 2013	Case report	C/S	PPCM	32 year old G1PO at 37 weeks with twin pregnancy c/b preeclampsia, PPD# 6 pulmonary edema EF 15% put on BiVAD, ECMO, IABP	N/A	1.5	None	No	N/A	N/A
⁷⁶ Evans 2014	Case report	N/A	SCAD, cardiac failure	Patient with ACS on PPD# 14 diagnosed with SCAD to the LAD with EF 15-20% s/p CABG with failure to wean from CPB	VA	10	Rehab	No	None	N/A
⁷⁷ Ezri 2009	Case report	N/A	PPCM	32 year old at 7 weeks with ectopic pregnancy s/p lap salpingectomy c/b SVT, pulmonary edema, hypoxemia, severe LV dysfunction EF 10-15% on VA ECMO and IABP	VA	7	Coagulopathy, hemolysis, thrombocytopeni a, transfusions, hypertension led to discovery of pheo, resected during that admission, d/c home with mild left leg weakness	No	N/A	N/A
⁷⁸ Fabricius 2001	Case series	C/S	Aortic dissection	32 year old G1P0 at 39 weeks with C/S for fetal tachycardia, found to have type A dissection with cardiogenic shock	CPB then VA	4	None	No	None	No
⁷⁹ Faerber 2018	Case report	N/A	PPCM	23 year old with PPCM 1 month after delivery	VA	2	PPCM EF 10% and unstable s/p VA ECMO to LVAD on day 2 (HM3) explanted 1 year later	No	N/A	N/A
⁸⁰ Fang 2016	Case report	c/s	Cardiac arrest, AFE	35 year old at 36 weeks with C/S c/b PEA requiring CPR (2.5 hours) and transfer to ECMO center, likely AFE	VA	2	Cardiogenic pulmonary edema, pulmonary hemorrhage, AKI, shock liver, DIC, mild right hand motor weakness	No	N/A	N/A

⁸¹ Fayad 2007	Case report	c/s	Heart disease, cardiac failure	31 year old at 30 weeks with post-rheumatic mitral stenosis, dilated RV cannulated less than 1 week postpartum	VA	9	CPB then planned transition to ECMO for 9 days, VAP with pseudomonas then sepsis, died after ECLS decannulation	Yes	Preterm delivery at 30 weeks, NICU respiratory support	N/A
⁸² Fernande s 2015	Case report	C/S	PE, cardiac arrest	30 year old G1P0 at 37 and 5/7 weeks with cardiac arrest due to PE (got tPa) then CPR for 84 minutes until ECMO was running	VA then VV	4.75	Intraperitoneal bleeding, DIC, massive transfusion Harlequin syndrome, R arm compartment syndrome after R axillary cannulation requiring fasciotomies; VA 33 hours, VV 81 hours	No	N/A	N/A
⁸³ Fernande z 2015	Case report	N/A	Malignancy , respiratory failure	24 year old at 22 weeks with infiltrates and effusion, giant cell NSCLC with respiratory failure	N/A		Refractory hypoxemia in setting of NSCLC	Yes	TAB at 22 weks	Yes
⁸⁴ Firstenbe rg 2010	Case report	c/s	Septic shock, cardiac failure	39 year old multparous woman with necrotizing GAS soft tissue infection after c/s within 1 week of delivery with cardiomyopathy EF 5% LVAD to ECMO	VA	3	Multiple wound debridements, bleeding,	No	N/A	N/A
⁸⁵ Fuchs 2017	Case report	C/S	ARDS	18 year old G1P0 at 36 and 2/7 weeks with human metapneumovirus c/b preeclampsia cannulated PPD# 1	VV	5	None	No	Preterm delivery at 36 weeks, respiratory support, NICU	No

							Necrotizing			
⁸⁶ Futoran 1975	Case series	C/S	AFE, PPH, cardiac failure	28 year old G2P2 at 34 weeks with placental abruption s/p C/S, DIC hysterectomy massive transfusion, AFE	VA	1.125	bronchopneumon ia, renal thrombosis, hemopericardium , hemothorax, brain and adrenal hemorrhage	Yes	Stillborn	Yes
⁸⁶ Futoran 1975	Case series	VD	Trauma, ARDS	19 year old G1P0 at 32 weeks with auto accident, multiple injuries ruptured spleen, liver tear, rib fractures, PTX, ARDS, PNA, septicemia cannulated after delivery	VA	14	lliac vein thrombosis, renal failure, septicemia	Yes	Died day 2	Yes
⁸⁷ Garcia- Aranda Dominguez 2017	Retrospective review	C/S	РАН	Patient with severe PAH cannulated postpartum	VV			Yes	N/A	N/A
⁸⁸ Gattinoni 1980	Case series	C/S	ARDS	25 year old at 20 weeks with aplastic anemia, fetal demise s/p laparotomy, white out and ARDS	N/A	1.625	Pseudomonal peritonitis, septic shock 14 days after bypass	Yes	SAB at 20 weeks	Yes
⁸⁹ Gauzere 2011	Retrospective review	C/S	ARDS	2 patients with H1N1 ARDS in third trimester	N/A		Both died	2/2	N/A	N/A
⁹⁰ Gevaert 2011	Case series	C/S	PPCM	28 year old G3P1 with PPCM presented at 38 weeks, decompensated into cardiogenic shock with IABP placement c/b stillbirth via c/s, bedside ECMO cannulation and LVAD after 7 days	VA	7	VAP, bleeding at site of ECMO aortic cannula on day 1, d/c to home 37 days after admission and heart transplant 78 days post-LVAD	No	SAB at 38 weeks	Yes
⁹¹ Gijs 2018	Case report	C/S	ARDS	30 year old at 26 weeks with ARDS Influenza A c/b hypoxemia, seizure, intracerebral hemorrhage	VV	12	Microbleeds in brain, seizure	No	Preterm delivery at 26 weeks, NICU	No

⁹² Goto 2017	Case series	C/S	Cardiac arrest	29 year old G1P0 at 36 weeks arrested in ambulance, CPR, perimortem cesarean delivery after 21 min, VA ECMO	VA	9	DIC, coagulopathy, emergent hysterectomy, massive transfusion	No	Preterm delivery at 36 weeks	No
⁹³ Grasselli 2012	Case report and literature review	VD	ARDS	25 year old G1P0 at 27 weeks with H1N1 ARDS, later delivered at term after recovery from H1N1 ARDS	VV	13	None reported	No	None	No
⁹⁴ Greenber g 1995	Case report	VD	ARDS	21 year old G1P0 delivered at 26 weeks with bacterial sepsis with staph aureus c/b arrhythmia, ARDS, multiorgan dysfunction cannulated within 1 month postpartum	ECCO ₂ (VV)	28	Bacterial sepsis c/b arrhythmia, ARDS, DIC, ischemic digits	No	Preterm delivery, RDS, IVH, spastic quadriplegia, developmental delay	No
⁹⁵ Grimme 2012	Case report	VD	Pulmonary hemorrhag e, cardiac arrest	23 year old at 19 weeks with pulmonary hemorrhage c/b PEA s/p CPR 45 minutes until cannulation	VV	5	Hemothorax, tracheostomy, subsequent massive pulmonary hemorrhage	No	TAB bilateral ventriculomegaly, cerebral ischemia, counted toward fetal mortality	Yes
⁹⁶ Guenther 2015	Case report	C/S	AFE, cardiac arrest	43 year old G4P2 with AFE with cardiac arrest, PPH s/p hysterectomy, mobile ECLS called, CPR	VA	2.5	Intraperitoneal bleeding, re- laparotomy, renal failure, R hemiparesis, PEG, trach, d/c to rehab, neurologic deficits	No	N/A	No
⁹⁷ Guillaum e 2013	Retrospective study	N/A	AFE	2 patients with AFE	VV			2/2		N/A
⁹⁸ Halldorsd ottir 2016	Case report	C/S	Cardiac failure, heart disease	29 year old G3P1 delivered at 37 weeks with cardiogenic shock post C/S with severe hypoxemia, cannulated 2 hours after delivery due to MV prosthesis thrombosis subsequently repaired on PPD#3	VA	3	Weaned from CPB after MV replacement	No	None	No

⁹⁹ Hamdan 2017	Case series	N/A	PPCM	25 year old with PPCM EF 15-20%, VA ECMO to LVAD within 3 weeks postpartum	VA	4	None	No	N/A	N/A
¹⁰⁰ Hansen 2012	Case report	N/A	Heart disease, cardiac failure, sepsis	38 year old with septic shock for retained POC, D&C before IABP and then VA ECMO, then papillary muscle rupture, 2 days ECMO before MV replacement	VA	2	Severe AI went back to OR on POD9	No	N/A	N/A
¹⁰¹ Hara 2017	Case report	C/S	РАН	32 year old G2P1 delivered at 37 weeks with PAH with c/s c/b acute RV failure after delivery requiring cannulation	VA	2	None	No	Normal APGARs	No
¹⁰² Herrero 2018	Case series	C/S	РАН	30 year old G4P3 delivered at 32 and 4/7 weeks with group 1 PAH during pregnancy, worsening heart failure s/p c/s under general anesthesia c/b severe R sided failure cannulated 7 days postpartum	VA	9		Yes	Preterm delivery at 32 weeks, NICU admission	N/A
¹⁰³ Hill 1974	Case series	N/A	AFE, cardiac failure	26 year old with AFE	VA	1.125	Massive DIC, septicemia	Yes		N/A
¹⁰⁴ Ho 2009	Case report	c/s	AFE, cardiac arrest	33 year old G4P2 delivered at 38 weeks with placenta previa with bleeding went to emergency C/S for chest tightness, fetal bradycardia c/f AFE, PEA arrest underwent CPR and ECMO cannulation	VA	0.16667	Placenta previa/accreta and AFE c/b bleeding requiring hysterectomy, ECMO for 4 hours then ICU stay c/b ARDS and L sided weakness likely from ischemic event, d/c to rehab	No	None	No

¹⁰⁵ Ho 2014	Case report	C/S	PE, cardiac arrest	37 year old G2P1 delivered at 37 and 2/7 weeks with PEA arrest CPR for 10 minutes, VA ECMO found PE and underwent catheter directed thrombectomy	VA	6	Hemoperitoneum , need for UAE, no long term sequelae	No	N/A	N/A
¹⁰⁶ Holzgrae fe 2010	Observationa I study	N/A	ARDS	3 pregnant patients with H1N1 ARDS	N/A		N/A	No	1 baby died after 18 days of mom ECMO treatment	1/3
¹⁰⁷ Hou 2012	Case series	N/A		4 patients with H1N1 ARDS; 2 antepartum, 2 postpartum	VV			2/4		N/A
¹⁰⁸ Hsieh 2000	Case report	C/S	AFE, cardiac arrest	34 year old G7P3 with AFE on floor, emergency C/S, cardiac arrest with CPR, DIC, RV failure	VA	1.66667	DIC, massive transfusion, discharged home 24 days after delivery	No	N/A	N/A
¹⁰⁹ Huang 2017	Retrospective observational study	N/A		PPH (uterine atony for 4, AFE for 1), average time 32.6 +/- 18.8 hours	N/A		2 patients with official ECMO related bleeding complications		Median gestational age 37 weeks +/- 2.2 days	No
¹⁰⁹ Huang 2017	Retrospective observational study	C/S	AFE, cardiac arrest	39 year old G3P1 delivered at 34 weeks with twin pregnancy c/b previa with cesarean c/b cardiac arrest with 34 min CPR suspected AFE	VA	2	TAE, central hypothermia	No	Preterm delivery of twins at 34 weeks	No
¹⁰⁹ Huang 2017	Retrospective observational study	VD	PPH, cardiac arrest	41 year old G4P2 delivered at 39 weeks with PPH due to uterine atony, required CPR for 18 min, Postpartum 1h	VA	2.5	Subtotal hysterectomy, ex- lap internal bleeding	No	N/A	N/A
¹⁰⁹ Huang 2017	Retrospective observational study	VD	PPH	34 year old G1P1 delivered at 39 weeks with PPH due to uterine atony, DIC, Postpartum 1h	VA	0.41667	TAE	Yes	N/A	N/A
¹⁰⁹ Huang 2017	Retrospective observational study	VD	PPH, cardiac failure	33 year old G1P1 delivered at 38 weeks with PPH due to uterine atony, cardiomyopathy EF <35%. Postpartum 2h	VA	4.75	Subtotal hysterectomy, 18 hours VA ECMO then LVAD x 4 days	No	N/A	N/A

¹⁰⁹ Huang 2017	Retrospective observational study	c/s	PPH, cardiac arrest	34 year old G2P1 delivered at 39 weeks with PPH after c/s due to uterine atony, DIC, TRALI, abruption, required CPR for 1 min, Postpartum 4h	VA, VV	2	TAE, Bakri, massive transfusion, VA 10 hours, VV 33 hours	No	N/A	N/A
¹¹⁰ Huang 2017	Case report	N/A	Malignancy , respiratory failure	38 year old at 16 weeks with mediastinal mass, lymphoma c/b high airway pressures VV then PEA and VA ECMO	VV then VA		VV then PEA so VA, ECMO duration of days	No	N/A	N/A
¹¹¹ Hur 2011	Case report	N/A	ARDS	29 year old at 32 and 4/7 weeks with H1N1 ARDS	N/A		Died	Yes	N/A	N/A
¹¹² lmaeda 2016	Case report	N/A	Septic shock, cardiac failure	24 year old multiparous woman delivered at 32 weeks with septic shock due to GAS with severe cardiomyopathy EF 10%	VA	7	Renal failure	No	N/A	No
¹¹³ lsbir 2014	Case report	N/A	PPCM, cardiac arrest	29 year old delivered at 31 weeks with PPCM EF 25%, sternotomy for concert for aortic dissection, IABP, cardiac arrest, VA ECMO in OR	VA	2	None	No	Preterm delivery at 31 weeks, NICU	No
¹¹⁴ Itagaki 2014	Case report	VD	PPH, cardiac arrest, cardiac failure	25 year old G2P2 delivered at 41 weeks with PPH, DIC prior to ECMO, Vfib arrest s/p shock recovered from DIC but PPD# 2 severe LV failure with hypoxic respiratory failure	VA	3	Required transfusions but no major bleeding, discharged from ICU day 10	No	N/A	N/A
¹¹⁵ lus 2015	Single center retrospective review	c/s	ARDS	31 year old G2P2 with respiratory failure requiring urgent c/s cannulated PPD#	VV	13	Intraabdominal bleeding following c/s requiring repeat laparotomies, dialysis, tracheostomy, died 3 weeks after ECMO wean	Yes	Unclear	N/A

¹¹⁶ Jacquens 2017	Retrospective observational study	N/A	ARDS	6 patients with ARDS in national database	N/A			No		N/A
¹¹⁷ Jais 2012	Case series	N/A	РАН	Patient case within series of patients with PAH; delivered then had RV failure requiring ECLS then heart/lung transplant	VA		N/A	No	N/A	N/A
¹¹⁸ Jandhyal a 1994	Case report	VD	ARDS	20 year old G3P1 at 30 weeks with ARDS secondary to e.coli urosepsis with refractory hypoxemia for ECCO ₂ removal	ECCO ₂ (VV)	1.83333	None	No	Preterm delivery at 30 weeks, NICU	No
¹¹⁹ Janssen 2006	Case report	C/S	ARDS	36 year old G5P4 at 31 weeks with ARDS with multiorgan dysfunction from chlamydia psittaci, cannulated after delivery	PECLA (VV)		Renal failure, relaparotomy on POD2	No	Preterm delivery at 31 weeks, RDS, NICU	No
¹²⁰ Jo 2011	Case report	C/S	PPCM	37 year old G4P0 at 37 weeks with PPCM with apical ballooning within 2 hours post C/S	VA	8	None	No	N/A	N/A
¹²¹ John 2012	Case report	C/S	Cardiac failure, heart disease	Presented with SOB, hypoxemia with refractory pulmonary edema from rheumatic valvular heart disease	VV	7	None	No	None	No
¹²² Ju 2018	Case series	C/S	Septic shock, ARDS	36 year old G2P1 at 21 weeks with twin pregnancy c/b chorioamnionitis, septic shock	VV	9	Fingertip amputation due to ischemia	No	TAB, twins	2/2
¹²² Ju 2018	Case series	VD	PPH, cardiac failure	37 year old G2P1 with uterine atony, PPH, cardiac dysfunction	VA	6	Hysterectomy, ligation of internal iliacs, DIC, massive transfusion, hematoma	No	N/A	No
¹²² Ju 2018	Case series	C/S	Cardiac arrest	30 year old G2P1 at 38 weeks with cardiotoxicity due to epidural, ECPR	VA then VV	13	Intraabdominal hematoma requiring washout	No	N/A	No
¹²² Ju 2018	Case series	C/S	AFE, cardiac failure	38 year old G2P2 with cardiogenic shock due to AFE	VA then VV	10	Hematoma, cognitive dysfunction	No	N/A	No

¹²³ Kapoor 2012	Case report	D&E	PAH, cardiac failure, cardiac arrest	39 year old G2P1 at 22 weeks with PAH and RV failure, planned D&E but post-procedure decompensated, PEA and went on VA support	VA		Underwent heart- lung transplant	No	TAB at 22 weeks (prior to ECLS)	Not counted as mortality
¹²⁴ Kaliyev 2015	Case report	N/A	ARDS	28 year old at 26 weeks with severe ARDS	VV	10	Blood transfusions	No	None	No
¹²⁵ King 2000	Case report	VD	Asthma, ARDS	29 year old at 25 weeks with asthma, PNA with ARDS with severe hypoxemia	VV	2.5	None	No	Preterm delivery at 31 weeks, NICU	No
¹²⁶ Kinni 2018	Case report	N/A	Diffuse alveolar hemorrhag e	20 year old at 24 weeks with hemoptysis, diffuse alveolar hemorrhage, microscopic hemangiomas	VV		Worsening RV failure after VV, anatomical limitations to VA, pulmonary hemorrhage	Yes	N/A	N/A
¹²⁷ Knapp 2016	Case report	C/S	SCAD, cardiac failure	30 year old patient 16 days postpartum with SCAD s/p multiple stents s/p CABG SVGs to LAD and circumflex	VA	4	Post CABG BiV dysfunction EF 25% and moderate RV dysfunction	No	N/A	N/A
¹²⁸ Ko 1998	Case report	c/s	PPH, cardiac failure	37 year old G5P3 at 35 and 2/7 weeks with twins, placenta increta with bleeding and atony s/p UA ligation, methergine induced coronary vasospasm and pulmonary edema, LV EF 44% and arrhythmias on POD1 c/f postpartum MI	VA	4.16667	None	No	N/A	N/A
¹²⁹ Konstant inidis 2015	Case report	N/A	PAH, cardiac failure	35 year old at 37 weeks with idiopathic PAH with planned ECMO cannulation, unclear delivery but immediately after decompensated and was started on ECMO, BiV failure with RV pressure/volume overload	N/A	3	None	No	N/A	N/A

¹³⁰ Kuan- Ying 2017	Case series	N/A	PPH (3), AFE (1), PE (1)	5 patients; average age 36.8 +/- 3.9 years; average GA 36.98 +/- 2.6 weeks; PPH (3), AFE+PPH (1), PE (1); average 30+/-19.7 hours	VA	1.25	L hemiplegia in 1 patient	4/5	N/A	5/5
¹³¹ Kumar 2012	Case report	C/S	PPCM	32 year old G3 at 37 weeks with history of preeclampsia, mild peripartum pulmonary edema leading to C/S, progressive dyspnea, found to have EF10% and biventricular failure> IABP without improvement> BiVAD and ECMO on PPD#5	N/A	5	None	No	Twins	N/A
¹³² Krumnik I 2006	Case report	C/S	PPH, cardiac arrest, cardiac failure	39 year old woman with uterine atony and PPH treated with prostaglandins, cardiac arrest s/p CPR, EF <45%	VA	1.5	Myoclonic epilepsy, small visual field deficits	No	N/A	No
¹³³ Kunstyr 2010	Case report	VD	ARDS	28 year old at 24 weeks with H1N1 influenza A ARDS	VV	14	Hemorrhagic bronchitis, cephalic vein thrombosis, pseudomonal infection	No	Preterm delivery at 24 weeks, NICU, respiratory support	No
¹³⁴ Kutlesa 2011	Case series	VD	ARDS	23 year old at 24 weeks with H1N1 ARDS	VV	16	Fetal death, hyperbilirubinemi a, severe tracheal hemorrhage	Yes	Fetal death, ischemia	Yes
¹³⁵ Law 2013	Case series	C/S	PPCM, Takotsubo, cardiac arrest, pheo	23 year old at 32 weeks with severe HTN, cardiac arrest c/b CPR, VT, shock, LVEF of 5% to ECMO	VA	1	Myocarditis EF5% increased by day 4 to 25-30% (Takotsubo)	No	Preterm delivery at 32 weeks, NICU admission	N/A
¹³⁶ Lee 1997	Case series	VD	ARDS	26 year old woman at 17 weeks with varicella PNA c/b ARDS	VA to VV	57	Cannula dislodgment, bilateral tension hemopneumotho aces, bronchopleural fistulas, multiple explorations for	Yes	SAB at 21 weeks	Yes

							bleeding, R heart failure, hepatic abscesses			
¹³⁶ Lee 1997	Case series	VD	ARDS	33 year old woman with varicella PNA c/b ARDS, cannulated PPD#3	VV	11	Staph PNA and renal insufficiency	No	N/A	N/A
¹³⁷ Lee 2008	Case report	C/S	PPH, TRALI	22 year old G3P2 at 40 weeks with PPH requiring multiple transfusions, TRALI with pulmonary edema	VA	3	None, discharged POD 33	No	N/A	N/A
¹³⁸ Legrand 2013	Case series	VD	AFE	26 year old G2P1 with operative vaginal delivery with forceps at term, AFE	VA	1	Hemorrhage, atony, AFE c/b PEA s/p hypogastric artery embolization, hysterectomy, RV dysfunction	Yes	N/A	N/A
¹³⁹ Lemaire 2017	Case series	N/A	Hemorrhag e, cardiac arrest	30 year old at 32 weeks with splenic artery pseudoaneurysm rupture with hemoperitoneum, massive blood loss s/p coil embolization, return to OR for abdominal hemorrhage, cardiac arrest/pulmonary edema then ECMO, died hours later	N/A		Multiple organ failure, DIC	Yes	IUFD prior to ECLS - not counted in infant mortality	Not counted as mortality
¹⁴⁰ Lembrik ov 2019	Case report	VD	Cardiac failure, Takotsubo, cardiac arrest	27 year old G2P0 at 40 and 6/7 weeks with vaginal delivery c/b manual removal placenta, PPH, atony, biventricular dysfunction requiring laparotomy/hysterectomy and intermittent CPR requiring ECMO support eventually regained function and d/c	VA	5	Post-operative IABP support; no neuro or cognitive deficit	No	N/A	N/A

¹⁴¹ Li 2013	Case report	C/S	ARDS	28 year old G1P0 at 33 weeks with H1N1 ARDS c/b refractory hypoxemia, stat C/S then ECMO	VV	6	Staphylococcus hominis catheter infection	No	Preterm delivery at 33 weeks, NICU admission	No
¹⁴² Liu 2018	Case report	VD	ARDS	25 year old G2P1 at 24 weeks with H1N1 ARDS c/b fetal death on ECMO and vaginal delivery	VV	6	IUFD, vaginal bleeding, uterine contractions, IOL and VD, weaned from mechanical ventilation	No	IUFD at 24 weeks	Yes
¹⁴³ Loizos 2017	Case report	N/A	Cardiac failure, pheo, Takotsubo	21 year old woman with pheochromocytoma, went for surgical termination of pregnancy, had HTN/bradycardia and pulmonary edema and then Takotsubo	VA	7	LV dysfunction EF 10-15%, discharged 7 days later	No	TAB - not counted for fetal mortality	Not counted as mortality
¹⁴⁴ Lueck 2016	Case series	c/s	PPCM	34 year old G1P0 at 35 weeks with PPCM with hemodynamic shock, was on 10 days of ECLS prior to LVAD, eventually LVAD weaned after 612 days	VA	10	None	No	N/A	N/A
¹⁴⁵ Lund 2011	Case report	VD	PPCM	37 year old G2P2 presented in acute CHF 8 days after delivery, intubated, EF 5- 10% on ECMO for 4 days then LVAD	VA	4	N/A	No	N/A	N/A
¹⁴⁶ Lysenko 2014	Case report	C/S	ARDS	24 year old G1P0 at 39 and 3/7 weeks with H1N1 ARDS, C/S at 30w3d	VV	17	None	No	Preterm delivery at 30 week, intubated, NICU admission	No
¹⁴⁷ Marino 2018	Case report	c/s	PPH, AFE, cardiac arrest, PPCM	34 year old G2P1 at 38 weeks with cardiac arrest, uterine atony, DIC c/b PEA, AFE, LV EF 8%, VA ECMO with Impella	VA	7	PPH with DIC, bilateral UAE, abdominal hemorrhage, renal failure, multiple laparotomies for bleeding and massive transfusion	No	N/A	N/A

¹⁴⁸ McDonal d 2017	Case report	c/s	PE, cardiac arrest	22 year old at 36 weeks with PE c/b emergency C/S c/b instability with CPR for 65 min before ECMO cannulation	VA	5	Bleeding, bilateral UAE, ex-lap; arm compartment syndrome s/p fasciotomy, sepsis, re-ex-lap for bleeding, persistent R foot drop and R upper extremity flexion on discharge	No	Preterm delivery at 36 weeks, acidotic, did not survive	Yes
¹⁴⁹ McKech nie 2001	Case report	C/S	SCAD, cardiac failure	Patient at 36 weeks with SCAD, p/w chest pain developed seizure and hemodynamic collapse, emergency C/S with CPR, shocks then ECMO with EF <10%, had angioplasty with 6 stents placed	VA	3	No complications	No	None	No
¹⁵⁰ McNam ee 2010	Case report	c/s	ARDS	21 year old G2P1 at 33 weeks with H1N1 complicated by PTX, hypoxia requiring ECMO on PPD#5, pulmonary hemorrhage requiring R middle lobectomy c/b bronchopleural fistula	VA	28	Pulmonary hemorrhage, generalized myopathy, neuro- rehabilitation	No	None	No
¹⁵¹ Mendes 2012	Case report	N/A	ARDS	42 year old woman with H1N1 ARDS 2 weeks postpartum	VV	7	None	No	N/A	N/A
²³ Meng 2017	Retrospective review, 4 centers	C/S	PAH	Patient at 31 weeks with PAH due to CHD or VSD/Eisenmenger cannulated PPD#4	VA		N/A	Yes	Preterm delivery at 31 weeks, NICU admission	No
²³ Meng 2017	Retrospective review, 4 centers	C/S	РАН	Patient at 34 weeks with PAH due to CHD or VSD/Eisenmenger cannulated PPD#3	VV then VA	13	VV 2d then VA 11d	Yes	Preterm delivery at 34 weeks	No

²³ Meng 2017	Retrospective review, 4 centers	c/s	РАН	Patient at 35 weeks with PAH due to CHD or VSD/Eisenmenger, cannulated 2 days before delivery	VV then VA	21	Discharged home on PPD24 found dead at home on PPD89 - ultimately died but not while on ECMO, VV 15d then VA 6d	No	Preterm delivery at 35 weeks	No
²³ Meng 2017	Retrospective review, 4 centers	D&E	РАН	Patient at 13 weeks with idiopathic PAH	N/A		N/A	Yes		Yes
²³ Meng 2017	Retrospective review, 4 centers	D&E	PAH	Patient at 21 weeks with scleroderma, pulmonary HTN cannulated PPD#8	VA		N/A	Yes		Yes
²³ Meng 2017	Retrospective review, 4 centers	C/S	PAH, cardiac arrest, malignancy	Patient at 34 weeks with thrombotic disease from cancer, PEA arrest cannulated PPD#1	VA		N/A	Yes	Preterm delivery at 34 weeks	No
¹⁵² Meng 2018	Case report	D&E	Heart disease, cardiac failure	21 year old G1P0 at 22 weeks with Eisenmenger syndrome, VSD underwent planned D&E at 21 weeks for maternal risk c/b post- procedure respiratory decompensation	VV	3	Upper extremity DVT POD 8, discharged on POD35	No	D&E	Yes
¹⁵³ Miessau 2015	Case report	VD	PPCM	22 year old with severe cardiomyopathy EF <10% bridge to decision cannulated PPD 14	VA then VV	22	Dialysis, MARS for shock liver, severe respiratory failure after TAH, tracheostomy; underwent OHT 103 days after TAH implantation; VA unclear, VV 12 days then rescue 10 days (22 days of VV support after TAH)	No	N/A	No

¹⁵⁴ Mikami 2018	Case report	C/S	PPCM	38 year old G3P2 at 35 and 6/7 weeks with PPCM EF10% given IABP and ECMO prior to C/S	VA	8	Uterine bleeding s/p Bakri, TAE, hysterectomy	No	Preterm delivery at 35 weeks, neonatal asphyxia, therapeutic hypothermia, NICU	No
¹⁵⁵ Mita 2017	Case report	c/s	Cardiac arrest, pheo	29 year old G4P1 at 37 weeks with C/S complicated by hemodynamic collapse, concern for AFE admitted to ICU, PEA with CPR then IABP+ECMO found to have pheochromocytoma	VA	6	DIC, renal failure, rhabdomyolysis; pheo resected on POD70, left ICU and discharged 142 days postpartum no neurologic deficits	No	N/A	N/A
⁷ Moore 2016	Case report, Systematic review	N/A	ARDS, cardiac failure	25 year old G2P1 at 18 weeks with hantavirus cardiopulmonary syndrome	VA	3	Bleeding requiring transfusion	No	Preterm delivery at 35 weeks	No
¹⁵⁶ Morsolin i 2017	Case series	C/S	РАН	Patient with PAH	VA	1.08333	SVC and PA thrombosis	No	Preterm delivery	No
¹⁵⁶ Morsolin i 2017	Case series	C/S	ARDS	Patient with H1N1	VV	31	Gastrointestinal bleeding, fetal IVH	No	Preterm delivery, IVH, discharged	No
¹⁵⁶ Morsolin i 2017	Case series	C/S	Heart disease, heart failure	Patient with mitral prosthesis thrombosis	VA	1.5	PNA	No	Preterm delivery	No
¹⁵⁶ Morsolin i 2017	Case series	C/S	PAH	Patient with PAH	VA	0.91667	Uterine bleeding, discharged POD22	No	Preterm delivery	No
¹⁵⁷ Nair 201 1	Retrospective observational study	VD (5) VAVD (2) C/S (5)		5 spontaneous, 2 VAVD and 5 C/S (3 after ECMO, 1 after ECMO started, 1 prior to ECMO), all postpartum patients were within 1 week of delivery	N/A				Preterm birth average 31 weeks	
¹⁵⁷ Nair 2011	Retrospective observational study		ARDS	34 year old at 26 weeks with H1N1 ARDS cannulated antepartum	VV	18		No	N/A	No
¹⁵⁷ Nair 2011	Retrospective observational study		ARDS	22 year old at 13 weeks with H1N1 ARDS cannulated antepartum	VV	2		No	N/A	No

¹⁵⁷ Nair 2011	Retrospective observational study		ARDS	23 year old at 21 weeks with H1N1 ARDS cannulated antepartum	VV	11		No	N/A	No
¹⁵⁷ Nair 2011	Retrospective observational study		ARDS	33 year old at 23 weeks with H1N1 ARDS cannulated antepartum	VV	5	Uterine bleeding	No	Stillborn	Yes
¹⁵⁷ Nair 2011	Retrospective observational study		ARDS	42 year old at 20 weeks with H1N1 ARDS cannulated antepartum	VV	20	Pulmonary bleeding	No	Stillborn	Yes
¹⁵⁷ Nair 2011	Retrospective observational study		ARDS	39 year old at 26 weeks with H1N1 ARDS <1 day cannulated antepartum	VV		Multiple bleeding sites	Yes	N/A	No
¹⁵⁷ Nair 2011	Retrospective observational study		ARDS	29 year old at 30 weeks with H1N1 ARDS cannulated antepartum	VV	20	Intracranial bleeding	Yes	N/A	No
¹⁵⁷ Nair 2011	Retrospective observational study		ARDS	27 year old patient with H1N1 ARDS	VA to VV	17	Limb ischemia, ECMO cannula bleeding	Yes	N/A	No
¹⁵⁷ Nair 2011	Retrospective observational study		ARDS	29 year old patient with H1N1 ARDS	VV	10		No	N/A	No
¹⁵⁷ Nair 2011	Retrospective observational study		ARDS	23 year old patient with H1N1 ARDS	VV	27	Pulmonary bleeding	Yes	N/A	No
¹⁵⁷ Nair 2011	Retrospective observational study		ARDS	27 year old patient with H1N1 ARDS	VV	15	ECMO cannula bleeding	No	N/A	No
¹⁵⁷ Nair 2011	Retrospective observational study		ARDS	32 year old patient with H1N1 ARDS	VA to VV	12	Limb ischemia, fasciotomy	No	N/A	No
¹⁵⁸ Nair 2017	Case report	VD	PAH, cardiac failure	29 year old patient with PAH, hemoptysis, RV failure cannulated PPD#11	VA then VV		VA then VV ECMO after lung transplant, d/c 1 month post- transplant	No	N/A	N/A

¹⁵⁹ Naqvi 2018	Case report	VD	PPCM	32 year old patient with ALL s/p chemo with LV EF 15% and RV thrombus, IOL and delivery c/b acute DVT and PE, edema to ECMO bridge to transplant	VA	60	Multiple circuit changes, heart transplantation on day 60	No	N/A	No
¹⁶⁰ Neurath 1993	Case report	C/S	ARDS	32 year old patient at 26 weeks with ARDS due to malaria cannulated PPD# 17	ECCO ₂ (VV)	12	Tracheotomy, 11 week hospital stay	No	Preterm delivery at 26 weeks, NICU admission	No
¹⁶¹ Ngatcho u 2012	Case report	N/A	ARDS	28 year old G2P1 at 32 weeks with urosepsis with e.coli c/b ARDS	VV	2	None reported	No	N/A	N/A
¹⁶² Noah 2010	Case series	C/S	ARDS	23 year old at 32 weeks with ARDS due to s. aureus p/w hemoptysis intubated emergency c/s worsening status despite NO	VV	23	Hemothorax, PTX, CVVH, MARS	No	N/A	N/A
¹⁶³ O'Gara 2009	Case report	c/s	Malignancy , heart failure	28 year old at 32 and 4/7 weeks with mediastinal mass s/p pericardial window, depressed LV EF on ECMO day 7, later underwent sternotomy and diagnosed with lymphoma	VA	9	Sternotomy for biopsy, underwent chemo while on ECMO, later hospital course c/b seizures, candida fungemia, d/c to rehab then home; of note, she died 10 months later	No	Preterm delivery at 32 weeks, NICU	No
¹⁶⁴ Pagel 200 9	Case report	C/S	Cardiac arrest	24 year old at 24 weeks with Brugada syndrome c/b difficult to control VT episodes, multiple ICD shocks starting at 20 weeks, had arrest requiring shocks and emergency C/S	VA	3	Groin re- exploration and pseudoaneurysm	No	Preterm delivery at 24 weeks, NICU	No
¹⁶⁵ Panarell o 2010	Case series	C/S	ARDS	H1N1 ARDS, ECMO mean 16 days; 1 patient delivered on ECMO	N/A		Mean LOS 37 days			No
¹⁶⁵ Panarell o 2010	Case series	N/A	ARDS	38 year old at 25 weeks with H1N1 ARDS	N/A	16	Study mean LOS was 37 days	No	Preterm delivery at 25 weeks, NICU	No

¹⁶⁵ Panarell o 2010	Case series	N/A	ARDS	31 year old at 33 weeks with H1N1 ARDS	N/A	16	Study mean LOS was 37 days	No	Preterm delivery at 33 weeks, NICU	No
¹⁶⁵ Panarell o 2010	Case series	N/A	ARDS	23 year old at 39 weeks with H1N1 ARDS	N/A	16	Study mean LOS was 37 days	No	Preterm delivery at 33 weeks, NICU	No
¹⁶⁶ Panarell o 2011	Case report	C/S	ARDS	38 year old at 25 weeks with H1N1 ARDS cannulated antepartum	VV	35	C/S at 30 weeks to improve pulmonary mechanics, GI bleed requiring endoscopic intervention	No	Preterm delivery at 30 weeks, intracranial hemorrhage, intubation, NICU	No
¹⁶⁷ Park 2014	Case report	C/S	PPCM	34 year old G2P1 at 37 weeks with PPCM EF 39% worsening HF planned VA ECMO prior to C/S due to concern to abrupt decreased cardiac output	VA	6	None	No	NICU admission, respiratory support	No
¹⁶⁸ Parkins 2007	Case report	C/S	ARDS	16 year old G1P0 at 32 weeks with influenza ARDS	VV	13	Emergency C/S due to ineffective ECMO flow rate from uterine compression, infections, renal failure, mild anoxic brain injury, pancreatitis, polyneuropathy	No	Preterm delivery at 32 weeks, NICU admission	No
¹⁶⁹ Paruchu ri 2018	Retrospective cohort	N/A	ARDS	Limited details but reported 2 patients with no mortalities	N/A			No		N/A
¹⁷⁰ Patel 2017	Case report	C/S	Distributive shock	34 year old G1P0 with preeclampsia c/b distributive shock postpartum, laparotomy, liver dysfunction listed for liver transplant supported with VV ECMO	VV	9	Liver transplant done while on ECMO, discharged home day 43	No	N/A	N/A
¹⁷¹ Patroniti 2011	Case series	N/A	ARDS	Patient at 22 weeks with H1N1 ARDS	N/A		N/A	No		N/A

¹⁷¹ Patroniti 2011	Case series	N/A	ARDS	3 postpartum patients (<28 days) who presented with H1N1 ARDS	N/A		N/A	No		N/A
¹⁷² Patrut 2015	Case report	c/s	ARDS	32 year old woman at 26 weeks with H1N1 severe ARDS, C/S 1 day after decannulation	VA	8	Femoral artery vascular complications requiring thrombectomy, angioplasty, infected groin wound, ECMO arterial cannula dislodged	No	Preterm delivery at 27 weeks, NICU admission	Yes
¹⁷³ Pechulis 2014	Case report	N/A	ARDS	24 year old woman with H1N1 ARDS c/b prolonged ECMO	VV	72	Femoral artery repair, pelvic hematoma and ex-lap, cholecystectomy, bacteremia, pulmonary HTN, profound weakness, d/c to rehab	No	N/A	N/A
¹⁷⁴ Pekka 2013	Case report	C/S	PE, cardiac failure	Patient with massive PE 21 days postpartum, RV failure used as bridge to decision (medical management in this case)	VA	2	None	No	N/A	N/A
¹⁷⁵ Perdue 2018	Case report	N/A	ARDS, cardiac failure, septic shock	24 year old patient 2 days postpartum with septic shock from GAS c/b hypotension, ARDS, cardiomyopathy EF <10%	VA	4	Hysterectomy for endometritis, dry gangrene, asthenia, rehab, depression, using walker, chronic foot pain	No	N/A	No
¹⁷⁶ Pereira 2018	Case report	C/S	Pulmonary alveolar proteinosis	21 year old patient at 32 weeks with pulmonary alveolar proteinosis c/b hypoxia, VV ECMO done postpartum for BAL	VV		None	No	Preterm delivery at 32 weeks, NICU admission	N/A

¹⁷⁷ Pham 2013	Cohort	N/A	ARDS	18 patients with H1N1 ARDS	N/A		in one case, preterm delivery at 34 weeks and NICU admission but survived	4/18	IUFD at 21 weeks, Preterm delivery at 34 weeks and NICU admission	N/A
¹⁷⁸ Phillips 2017	Case report	C/S	Aspiration pneumoniti s, ARDS	25 year old G2P1 at 21 weeks with hyperemesis gravidarum with aspiration pneumonitis c/b acute hypoxic respiratory failure with ARDS	VV	6	C/S 5 weeks after ECMO	No	Preterm delivery at 26 weeks, NICU, RDS	No
¹⁷⁹ Piatrovic h 2018	Case report	C/S	PPH, cardiac arrest	22 year old with PPH s/p VF with CPR, pulmonary edema with IABP and ECMO	VA	10	Lamellar dural hematoma, abdominal bleeding requiring ex-lap, transfer to floor on day 13	No	N/A	N/A
¹⁸⁰ Pirsaheli 2012	Case report	N/A	Propofol infusion syndrome, cardiac arrest	20 year old woman with status epilepticus treated with propofol, developed PRIS with VT/Vfib went onto ECMO	N/A	5	Cerebral artery infarct attributed to cardiac embolism	No	N/A	N/A
¹⁸¹ Plotkin 1994	Case report	C/S	Trauma, ARDS	25 year old patient at 28 weeks with GSW to R chest, fetal bradycardia s/p c/s, lung lacerations, massive transfusion c/b ARDS	VA	1.70833	Renal failure, no ECMO complications	No	Preterm delivery at 28 weeks, NICU	Yes
¹⁸² Power 2011	Case series	N/A	ARDS	37 year old patient at 23 weeks with H1N1 ARDS	VV	6	Critical illness polyneuropathy, d/c to rehab, transfusions required	No	Stillborn	Yes
¹⁸³ Prakash 2014	Case report	C/S	Tracheal tumor	23 year old patient at 32 weeks with respiratory distress due to pedunculated tracheal tumor, underwent tumor debulking on PPD#1 with precautionary VV ECMO cannulation - lobular capillary hemangioma	VV		Bleeding during tracheal tumor resection, VV ECMO rescue	No	Preterm delivery at 32 weeks, NICU admission	No

¹⁸⁴ Rabin 2012	Case report	c/s	ARDS	22 year old patient with postpartum wound infection c/b ARDS with prolonged respiratory failure, traction bronchiectasis, lung transplant on CPB after 155 days	VV	155	None	No	N/A	N/A
¹⁸⁵ Radema cher 2010	Case report	c/s	PPCM, heart disease, heart failure	36 year old woman at 39 weeks with PPCM, severe ischemic heart disease, s/p multiple stents cannulated PPD#2	N/A	4	PNA, extubated and decannulated, however day 17 condition worsened and found to have total LV necrosis	Yes	N/A	N/A
¹⁸⁶ Radsel 2018	Case report	VD	ARDS	29 year old G1P0 at 23 weeks with H1N1 ARDS	VV	10	Decannulated on day 5 then recannulated, preterm labor, critical illness polyneuropathy, trach, rehab	No	Preterm delivery at 25 weeks, NICU, intubated, BPD, NAS from maternal sedation	No
¹⁸⁷ Raley 2015	Case report	C/S	Asthma	18 year old patient at 37 weeks with status asthmaticus, hypercarbic respiratory failure s/p C/S with elevated airway pressures for AVCO2 removal	AVCO ₂ (VV)	3	None	No	N/A	N/A
¹⁸⁸ Ramirez 2018	Case report	N/A	PPCM	29 year old G2P1 at 23 weeks with cardiomyopathy EF 25%, giant cell myocarditis c/b IUFD, IABP and ECMO	VA		Uterine bleeding requiring transfusions, ectopy	No	IUFD at 23 weeks	Yes
¹⁸⁹ Rein 2014	Case report	VD	ARDS	38 year old woman delivered at 37 weeks with postpartum ARDS due to influenza B, MRSA	N/A		ARDS, multiple organ failure, transferred for ECMO but no details of cannulation or duration	Yes	NICU	No

¹⁹⁰ Reyftma nn 2006	Case report	c/s	PPH, cardiac arrest, cardiac failure	36 year old G2P1 at 37 weeks with C/S for twins developed PPH cardiac arrest with EF<10% CPR x2 hours then ECMO	VA	6.25	Attempted B lynch, bilateral UA ligation, subtotal hysterectomy; secondary coagulopathy and need for ex-lap on POD1 for hemoperitoneum	No	One twin went to NICU for acidosis	No
¹⁹¹ Riddell 2004	Case report	c/s	ARDS	33 year old at 37 weeks with C/S for twins and HELLP c/b hypoxemia, hypotension, ARDS transfer for ECMO on PPD3	VA	21	Ascites, ischemic colon s/p ex-lap, coagulopathy, renal failure on dialysis, intracerebral hemorrhage	Yes	N/A	No
¹⁹² Riester 2015	Case series	C/S	Cardiac failure, pheo, Takotsubo	25 year old patient presented with hypertensive crisis, emergency c/s c/b Takotsubo cardiomyopathy secondary to pheo, pulmonary edema	VA		None	No	None	No
¹⁹³ Robbins 2015	Case report	C/S	Asthma	30 year old at 16 weeks with asthma, pneumococcal PNA respiratory failure	VV	9	None	No	Preterm delivery at 36 weeks	N/A
¹⁹⁴ Roberts on 2010	Case report	C/S	ARDS	27 year old G3P1 at 24 weeks with H1N1 ARDS	VV	17	Vaginal hemorrhage, trach	No	None	No
¹⁹⁵ Rodriqu ez Chaverri 2018	Case report	N/A	PPCM	33 year old woman with postpartum biventricular dysfunction	VA	7	Heart transplant after 7 days	No	N/A	N/A
¹⁹⁶ Roncon- Albuquerq ue 2012	Case series	C/S	ARDS	36 year old woman with H1N1 ARDS cannulated on PPD#13	VV	39		Yes	N/A	N/A

¹⁹⁷ Rubin 2013	Case report	c/s	PE, cardiac failure	38 year old G2P0 at 25 and 3/7 weeks with hypoxia, hypotension, seizure-like activity underwent emergent C/S found to have RV straight, PE with failed suction thrombectomy c/b DIC and shock then put on VVA ECMO	VVA	8	DIC prior to ECMO, abdominal compartment syndrome requiring bedside laparotomy and hematoma evacuation	No	Preterm delivery at 25 weeks, NICU	N/A
¹⁹⁸ Sakamot o 2018	Case report	C/S	Heart disease, cardiac arrest	36 year old G2P1 at 38 weeks with history of WPW s/p cardiac arrest, VF s/p ACLS, perimortem C/S to ECMO	N/A	3	Cardiac dysfunction, postpartum bleeding, coagulopathy	No	Hypoxic encephalopathy, NICU	No
¹⁹⁹ Sakanas hi 1994	Case report	C/S	Heart disease, cardiac failure	32 year old with postpartum dyspnea 33 days after delivery, R heart failure, hypoxemia, Eisenmenger's	VA	3.66667	None during ECLS, died 57 days after decannulation of sudden cardiac arrest	No	N/A	N/A
²⁰⁰ Salazar 2017	Retrospective review	N/A	Dengue	31 year old at 30 weeks with preeclampsia, induced labor at 30 w, postpartum c/b refractory thrombocytopenia and hypoxemic respiratory failure requiring MV and ECMO found to have dengue	VV	1.5	Bradycardia during cannulation	Yes	N/A	N/A
²⁰¹ Satoh 2002	Case report	C/S	PAH, cardiac failure	33 year old G1P0 at 18 weeks with PAH with mean 70s and worsening of symptoms, termination of pregnancy on ECMO	VA	19	Coagulation of artificial lung requiring changing	Yes	TAB, included in infant mortality	Yes
²⁰² Scherrer 2012	Case report	C/S	Heart disease, cardiac failure	24 year old at 36 weeks with tachycardia induced CM secondary to chronic SVT, ECMO on PPD1 then RFA on ECMO successfully terminated rhythm	VA	4	Confusion, amnestic disorder, Sheehan's	No	None	No
²⁰³ Scriven 2009	Case series	C/S	ARDS	31 year old at 33 weeks with H1N1 ARDS	N/A		N/A	No	Preterm delivery at 33 weeks	No

²⁰⁴ Seczynsk a 2014	Case report	C/S	ARDS	33 year old at 28 weeks with H1N1 ARDS cannulated PPD#9	VV	21	Bilateral pneumothoraces, R hemothorax	No	Preterm delivery at 28 weeks prior to ECMO, NICU admission	N/A
²⁰⁵ Seidler 2016	Case report	C/S	ARDS, malignancy	29 year old at 29 weeks with respiratory distress, metastatic choriocarcinoma after c/s on PPD#2	VV	5	None	No	Preterm delivery at 29 weeks, NICU	N/A
²⁰⁶ Sellami 2017	Case report	N/A	PPCM	29 year old with ectopic pregnancy s/p laparotomy c/b LV failure EF 20% myocarditis	VA	15	Discharged to rehab	No	Ectopic pregnancy	N/A
²⁰⁷ Seong 2018	Case report	VD	Cardiac arrest	32 year old at 39 weeks with SROM c/b seizure and hypotension then CPR, VT, LV dysfunction, DIC plan for ECMO 1 hour after arrest	VA	1	Massive transfusion, DIC (AFE)	No	None	No
²⁰⁸ Seth 2018	Case report	N/A	Asthma	32 year old G2P1 at 23 weeks with status asthmaticus, hypoxic respiratory failure	VV		N/A	No	N/A	No
²⁰⁹ Shah 2014	Case report	c/s	ARDS, cystic fibrosis	22 year old at 29 and 5/7 weeks with influenza A, cystic fibrosis, hypercapnic respiratory failure requiring ICU cannulated 3 weeks after delivery	VV	39	Multiorgan failure, worsening CF plan to bridge to lung transplant however required inotrope and multiorgan failure; awake ECMO 3 weeks into ICU stay started as bridge to salvage lung transplant for CF, died after 60 days in ICU	Yes	Preterm delivery at 32 weeks, NICU admission	No
²¹⁰ Shamsah 2017	Case report	VD	PAH, cardiac arrest	25 year old G2P1 at 26 weeks with pulmonary hypertension, heart failure s/p arrest during labor, delivered amidst CPR and ECMO cannulation	VA	14	Prepared for heart/lung transplant but abruptly decompensated and died after ECLS	Yes	Preterm delivery at 26 weeks, NICU	N/A

⁸ Sharma 2015	Case series, Systematic review	N/A	ARDS	Patient at 25 weeks with mycoplasma ARDS	VV	5	Minor bleeding at trach and ECMO catheter site	No	N/A	No
⁸ Sharma 2015	Case series, Systematic review	N/A	ARDS	Patient on PPD#1 with influenza A ARDS	VV	4	Minor vaginal bleeding	No	N/A	No
⁸ Sharma 2015	Case series, Systematic review	VD	Cardiac failure	Patient at 34 weeks with cardiogenic shock likely viral	VA	6	STEMI, vaginal bleeding, clot in circuit	No	Preterm delivery at 34 weeks, stillborn	Yes
⁸ Sharma 2015	Case series, Systematic review	N/A	PPCM, ARDS	Patient on PPD#2 with peripartum cardiomyopathy ARDS unknown	VV	6	Minor vaginal and trach site bleeding	No	N/A	No
²¹¹ Shen 2009	Case report	C/S	AFE, cardiac arrest	21 year old G2P1 at 33 weeks with AFE c/b PEA to ECMO	VA	1	None	No	Preterm delivery at 33 weeks	No
²¹² Shuang 2016	Case report	C/S	ARDS	40 year old at 35 weeks with ARDS from H5N6 cannulated PPD# 2	N/A	46	Multiorgan failure, pulmonary HTN, died on day 50	Yes	N/A	N/A
²¹³ Sim 2012	Case report	C/S	Cardiac failure, cardiac arrest	28 year old at 26 weeks with refractory SVT with cardiogenic shock crashed to ECMO, had IUFD, had RFA, later c/s	VA	7	None reported	No	SAB at 26 weeks	Yes
²¹⁴ Skolnik 2017	Multicenter, retrospective cohort	N/A	AFE	4 patients with AFE	VA		2 ECMO died within first few hours, 1 CPB died, 1 major 1 minor neurologic morbidity, not including CPB	2/4		N/A
²¹⁵ Smiecho wicz 2011	Case report	C/S	ARDS, cardiac arrest	37 year old with postpartum H1N1 ARDS (5 weeks PP) c/b PEA and hypercarbia requiring CO2 removal, required dialysis, discharged on day 24	VV	8.5	Started CO2 removal x 6 days, then off for 36 h then resumed on day 8 for another 60 h	No	N/A	N/A

²¹⁶ Smith 200 9	Case report	VD	РРН, РРСМ	19 year old G2PO at 38 weeks with PPH requiring uterotonics, emergency hysterectomy, massive transfusions, TTE with LV EF 25%, bradycardic arrests requiring CPR, TEE EF <5%, external cardiac massage then VA ECMO	VA	2.83333	None	No	N/A	N/A
²¹⁷ Stankie wicz 2011	Case report	C/S	ARDS	23 year old at 37 weeks with H1N1 ARDS cannulated 12 days postpartum	VV	26	PTX, thoracotomy, replacement of oxygenator	No	N/A	N/A
²¹⁸ Steinack 2017	Case report	N/A	Asthma	25 year old at 5 weeks with status asthmaticus with hypoxic respiratory failure despite maximal medical therapy	VV	2	Retrochorial hematoma, resolved and went on to delivery healthy boy at 38 weeks; discharged 9 days later	No	None	No
²¹⁹ Strecker 2012	Case report	VD	Cerebral venous thrombosis , ARDS	28 year old with cerebral venous thrombosis c/b R frontal lobe edema s/p craniectomy c/b ARDS cannulated 15 days postpartum	VV	110	Multiple infections	No	N/A	N/A
²²⁰ Su 2014	Retrospective review	c/s	PPCM	32 year old at 30 weeks with PPCM in 3rd trimester, emergency c/s for maternal distress represented 1 month later after collapse	VA	5	None	Yes	Preterm delivery at 30 weeks, NICU admission	N/A
²²⁰ Su 2014	Retrospective review	C/S	PPCM	27 year old at 34 weeks with PPCM in 3rd trimester, emergency c/s for maternal distress represented 1 month later after collapse	VA	8.5	None	No	Preterm delivery at 34 weeks	N/A
²²¹ Takacs 2018	Case report	VD	Cardiac arrest, ARDS	21 year old G3P2 at 24 weeks with cardiac arrest with CPR, SROM during resuscitation, pulmonary contusions and ARDS	VA	7	SAB during collapse, DIC while on ECLS, possible due to IUFD so underwent IOL,	No	IUFD prior to ECLS	Not counted in mortality

							VAVD, retained POC, subsequent D&C on ECMO			
²²² Takeda 2012	Case series	N/A	ARDS	Patient with H1N1 ARDS	VV			No		N/A
²²³ Tampo 2014	Case report	N/A	PPCM	32 year old G1P0 at 39 and 5/7 weeks with PPCM, LV EF 33% cannulated PPD#3	VA	5	None	No	N/A	N/A
²²⁴ Theodor ou 2015	Case report	N/A	Asthma	38 year old G1P0 at 16 weeks with status asthmaticus, hypercarbic respiratory failure	VV	8	Severe mucosal bleeding, small intracerebral hemorrhage	No	Ventriculomegaly	N/A
²²⁵ Tincres 2018	Case report	C/S	AFE, ARDS, cardiac arrest	35 year old G1P0 at 39 weeks with hypoxia, DIC, AFE c/b cardiac arrest, PPH, hysterectomy, ARDS, RV failure onto ECMO	VA	4	Hemorrhagic shock before ECMO from AFE	No	N/A	N/A
²²⁶ UII 2017	Case report	c/s	PPCM	26 year old multiparous woman at 34 weeks with placenta previa increta, C/S with hysterectomy cannulated immediately postpartum	VV	71	PPCM with EF <20%, need for intermittent dialysis; made full recovery by 12 months	No	Preterm delivery at 34 weeks, NICU	No
²²⁷ Unterbe rg 2017	Case report	VD	ARDS	29 year old G1P0 at 38 weeks with HELLP c/b several intracerebral hemorrhage and coagulopathy s/p EVD c/b pseudomonal PNA and ARDS with refractory hypercapnia cannulated PPD# 9	VV (iLA)	42	Severe neurological dysfunction, IVH, tracheostomy, rehab, 42 days ECMO then 10 additional days of iLA	No	NICU admission	No
²²⁸ Uribarri 2017	Case series	N/A	ARDS	Patient with ARDS due to influenza A during pregnancy	VV	2	Bleeding	Yes	N/A	N/A

²²⁹ Van Zwet 2016	Case report	c/s	Cardiac failure, cardiac arrest, pheo, Takotsubo	27 year old at 35 and 2/7 weeks who presented with respiratory distress, hypertensive crisis, fetal bradycardia -> emergency C/S with refractory hypotension, pulmonary edema and PEA x2, TEE with EF 20-25% to VA ECMO, found to have pheo removed 22 days after initial event	VA then VV	7	VA 5 days, VV 2 days	No	Preterm delivery at 35 weeks, intubated, NICU	No
²³⁰ Veld-van Wingerden 2015	Case report	VD	ARDS	22 year old G5P3 at 18 weeks with ARDS due to strep pyogenes PNA/ARDS, pregnancy loss prolonged ECMO course cannulated after spontaneous abortion	VV	108	Enterococcus septicemia, massive hemothorax, pulmonary hemorrhage, circuit changed 5 times, trach, rehab	No	SAB at 18 weeks	Yes
²³¹ Verroust 2007	Case report	VD	AFE, cardiac arrest	29 year old G3P2 at 35 weeks with termination for porencephaly so ruptured membranes, 15 minutes later had cardiac arrest TTE with RV failure, delivered fetus within 1 hour then massive bleeding, transferred hospital, EF <15% went onto ECLS	VA	20	Bleeding prior to ECLS related to AFE	No	N/A	Yes
²³² Visvesw aran 2016	Case report	c/s	Septic shock, PPCM	31 year old at 23 weeks with sepsis c/b cardiomyopathy, LV dysfunction EF 25-30% treated with IV T3	VV	6	None, discharged home on day 20	No	None	No
²³³ Vitulo 2017	Case series	C/S	PAH, cardiac arrest	31 year old at 32 weeks with pre-capillary PAH Group V, scheduled c/s c/b post-delivery cardiac arrest, RV dysfunction so went onto ECMO	VA	1	None	No	Preterm delivery at 32 weeks, NICU admission	N/A

²³³ Vitulo 2017	Case series	C/S	РАН	31 year old at 32 weeks with pre-capillary PAH Group I, scheduled c/s with planned pre-incision ECMO	VA	1	Urgent re- laparotomy for bleeding on POD3, thought not to be related to ECMO	No	Preterm delivery at 32 weeks, NICU admission	N/A
²³⁴ Wall 2010	Case report	N/A	Cardiac arrest	39 year old G2P1 at 18 weeks with acute PEA, out of hospital arrest	VA	3	Compartment syndrome of lower extremity requiring fasciotomy, planned AKA but due to neurological damage withdrew care	Yes	Maternal PE at 18 weeks	Yes
²³⁵ Wang 2015	Case report	VD	ARDS	29 year old at 27 weeks with H7N9 ARDS	VV then VA	19	AF, heart failure, sepsis due to acinetobacter, PE; VV 4 days VA 15 days	Yes	SAB delivered 4 days after loss of fetal heart tones	Yes
²³⁶ Wei 2011	Case report	C/S	PE, cardiac arrest	36 year old G1P1 delivered at 37 weeks with PE with PEA, cardiac massage to ECMO then pulmonary thrombectomy	N/A		None	No	N/A	N/A
²³⁷ Weinber g 2011	Case report	c/s	PAH, cardiac failure	27 year old G4P3 at 31 weeks with chronic pulmonary thromboembolic disease with RV dysfunction, post C/S ECMO cannulated catheter thrombolysis and suction catheter embolectomy	VA	4	Renal replacement therapy, trach	No	Preterm delivery at 31 weeks, intubated, NICU	No
²³⁸ Welch 2010	Case report	C/S	ARDS	34 year old G2P1 at 21 weeks with ARDS due to H1N1	vv	19	VAP, trach, severe weakness	No	Preterm delivery at 35 weeks	No
²³⁹ Wertasc hnigg 2017	Case series	C/S	Cardiac arrest	Patient with prolonged AVNRT emergency C/S cardiac arrest cannulated immediately postpartum	VA	10	Brain bleed	Yes	N/A	N/A

²³⁹ Wertasc hnigg 2017	Case series	C/S	PE, cardiac arrest	Patient with massive PE with cardiac arrest s/p C/S cannulated immediately postpartum	VA		Brain bleed	Yes	N/A	N/A
²³⁹ Wertasc hnigg 2017	Case series	VD	ARDS	Patient at 24 weeks with H1N1 ARDS	VV		Preterm labor at 26 weeks, NICU	No	Preterm labor at 26 weeks, NICU	No
²⁴⁰ Weyrich 2016	Case report	c/s	PPH, ARDS, cardiac arrest	36 year old G6P5 at 38 weeks with uterine rupture, PPH, ARDS c/b bradycardia s/p CPR refractory hypoxemia cannulated on PPD# 10	VV	50	Bladder bleeding s/p coagulation, bacterial contamination of circuit, trach	No	N/A	No
⁴¹ Williams 2008	Retrospective review	N/A	ARDS, cardiac failure, HELLP	17 patients included for various indications including infectious (9), cardiac (4), HELLP (3)	N/A			4/17	3 patients on ECLS with pre-viable fetus and all died, 1 before ECLS, 1 maternal death, 1 IUFD during ECLS	3/17
²⁴² Wise 2016	Case report	VD	AFE, cardiac arrest	34 year old G1P0 at 39 and 4/7 weeks with AFE, hemodynamic collapse with RDS, VAVD	VV then VA	3	Need for dialysis during hospitalization, ischemic bullae on lower extremities secondary to reperfusion injury and multiple sacral wounds; No longer required CRRT at 3 months follow up	No	None	No
²⁴³ Yang 2007	Case report	N/A	PPCM	18 year old at 40 weeks with desaturation during C/S, HTN, severe pulmonary edema, EF 18%,	VA	0.85714	Vaginal bleeding	No	N/A	N/A
²⁴⁴ Yang 2014	Case report	N/A	PE, cardiac arrest	30 year old G4P1 at 36 and 5/7 weeks with massive PE c/b PEA given tPA underwent thrombectomy under ECMO	VA	7	DIC, transfusions, intracranial hemorrhage	Yes	N/A	No

²⁴⁵ Yeh 2013	Case report	VD	Heart disease, cardiac failure	25 year old on PPD# 7 with hypoxia found to have giant PDA and Eisenmenger	N/A	30	Multiorgan failure, pulmonary HTN	Yes	N/A	N/A
²⁴⁶ Young 2016	Case report	c/s	PE, cardiac arrest	39 year old on PPD# 0 from cesarean delivery with cardiac arrest s/p CPR found to have massive PE, RV dysfunction s/p ECMO then mechanical thrombectomy	N/A	1	Abdominal compartment syndrome, uterine bleeding, laparotomy, hospitalized for 6 weeks, d/c to PT	No	N/A	N/A
²⁴⁷ Zhang 2018	Case series	C/S	PAH, heart failure	22 year old G2P0 at 37 weeks with PAH cannulated postpartum	VA		Pulmonary hypertension crisis, HF	Yes	Neonatal distress, NICU	No
²⁴⁷ Zhang 2018	Case series	C/S	PAH, heart failure	25 year old G5P1 at 32 weeks with PAH cannulated postpartum	VA		Pulmonary hypertension crisis, HF	Yes	Preterm delivery at 32 weeks, NICU admission	No
²⁴⁸ Zhang 2018	Case series	C/S	РАН	Patient on PPD# 0 with RV failure after delivery/oxytocin requiring ECMO	VA	3		Yes	Preterm delivery	No
²⁴⁸ Zhang 2018	Case series	C/S	PAH	Patient on PPD# 0 with RV failure after delivery/oxytocin requiring ECMO	VA	5		Yes	Neonatal distress (NICU admission)	No
²⁴⁹ Zingel 2012	Case report	C/S	PPCM	30 year old G1P1 with PPCM 17 days postpartum, medically treated then IABP/ECMO	N/A		None, total ICU course was 14 days	No	N/A	N/A
²⁵⁰ Zykova 2010	Retrospective review	N/A	ARDS	25 year old with H1N1 flu while pregnant	N/A			No	N/A	N/A

ECLS = extracorporeal life support; VD = vaginal delivery; VAVD = vacuum-assisted vaginal delivery; C/S = cesarean delivery, D&C = dilation and curettage; VV = venovenous; VA = venoarterial; NICU = neonatal intensive care unit; ARDS = acute respiratory distress syndrome; PAH = pulmonary arterial hypertension; PEA = pulseless electrical activity; CPR = cardiopulmonary resuscitation; PNA = pneumonia; TRALI = transfusion related acute lung injury; ECPR = extracorporeal cardiopulmonary resuscitation; PE = pulmonary embolism; AFE = amniotic fluid embolism; DIC = disseminated intravascular coagulation; BKA = below the knee amputation; DVT = deep vein thrombosis; GA = gestational age; PPH = postpartum hemorrhage; tPA = tissue plasminogen activator; D&E = dilation and evacuation; IUFD = intrauterine fetal death; ILD = interstitial lung disease; IOL = induction of labor; RV = right ventricle; PPCM = peripartum cardiomyopathy; VT = ventricular tachycardia; LV = left ventricle; EF = ejection fraction; GAS = group A streptococcus; SAB = spontaneous abortion; MS = mitral stenosis; TAB = therapeutic abortion; TTP = thrombotic thrombocytopenic purpura; HELLP = hemolysis, elevated liver enzymes, low platelets; ECCO₂ removal = extracorporeal carbon dioxide removal; HIT = heparin induced thrombocytopenia; IVIG = intravenous immunoglobulin; PA = pulmonary artery; PTE = pulmonary thrombectomy; ED = emergency department; TTE = transthoracic echocardiogram; IUGR = intrauterine growth restriction; AML = acute myeloid leukemia; iLA = interventional lung assist; LAM = lymphangioleiomyomatosis; DAH = diffuse alveolar hemorrhage; RDS = respiratory distress syndrome; d-TGA = dextro-transposition of the great arteries; MV = mitral valve; HF = heart failure; OR = operating room; HD = hemodialysis; BiVAD = biventricular assist device; IABP = intraaortic balloon pump; ACS = acute coronary syndrome; LAD = left anterior descending coronary artery; POD = post-operative day; CABG = coronary arterial bypass graft; SCAD = spontaneous coronary art

intraventricular hemorrhage; PEG = percutaneous endoscopic gastrostomy; PPD = postpartum day; POC = products of conception; POD = postoperative day; ICU = intensive care unit; UAE = uterine artery embolization; TAE = transcatheter arterial embolization; Vfib = ventricular fibrillation; SOB = shortness of breath; BiV = biventricular; SVG = saphenous vein graft; UA = umbilical artery; MI = myocardial infarction; pheo = pheochromocytoma; CHF = congestive heart failure; CHD = congenital heart disease; VSD = ventricular septal defect; MARS = molecular adsorbent recirculating system; TAH = total artificial heart; OHT = orthotopic heart transplantation; SVC = superior vena cava; ALL = acute lymphoblastic leukemia; CVVH = continuous veno-venous hemofiltration; NO = nitric oxide; ICD = implantable cardioverter defibrillator; LOS = length of stay; GI = gastrointestinal; BAL = bronchoalveolar lavage; VF.= ventricular fibrillation; PRIS = propofol infusion syndrome; BPD = bronchopulmonary dysplasia; NAS = neonatal abstinence syndrome; AVCO₂ = extracorporeal arteriovenous carbon dioxide removal; MRSA = methicillin resistant staph aureus; WPW = Wolff-Parkinson-White syndrome; CM = cardiomyopathy; RFA = radiofreqency ablation; SROM = spontaneous rupture of membranes; CF = cystic fibrosis; STEMI = ST elevation myocardial infarction; TEE = transesophageal echocardiogram; AKA = above knee amputation; CRRT = continuous renal replacement therapy; HTN = hypertension; PDA = patent ductus arteriosus

Table S2. Cases of deliveries on ECMO (n = 35).

Study (Author, Year)	Delivery Type	Case details	ECLS Type	ECLS Duration (Days)	Maternal Complications	Maternal Mortality	Cause of Maternal Death	Fetal Complications	Fetal Mortality	Anticoagulation
Agerstrand 2016 ³⁶	C/S	Patient at 34.9 weeks with PAH requiring VV support then septic shock requiring VA, on ECMO for 3 days prior to delivery	VV then VA	24	DIC, abdominal compartment syndrome, VV 12d then VA for 12d	No	N/A	N/A	Yes	N/A
Agerstrand 2016 ³⁶	C/S	Patient at 26.4 weeks with H1N1 ARDS	VV		ARDS, renal failure, septic shock, preeclampsia, DIC, multisite bleeding	No	N/A		N/A	N/A
Alyamani 2018 ³⁸	C/S	38 year old G9P8 at 30.4 weeks with sarcoidosis with ARDS, alveolar hemorrhage	VV	14	Profuse bleeding after bronchoscopy, DVT after decannulation	No	N/A	Preterm delivery at 31 weeks, NICU	No	Anticoagulated with institutional goal PTT 45-55
Bautista 2018 ⁴⁵	c/s	18 year old at 24 weeks with PAH due to chronic venoocclusive disease	VV	10	Worsening after VV ECMO decannulation, lung transplant complicated by rejection, hemodynamic and respiratory failure	Yes	Died 1 day after decannulation of cardiopulmonary failure	IUFD at 24 hours	Yes	N/A
Biderman 2017 ⁵⁰	VD	30 year old at 20 weeks with ARDS, infectious pneumonia with h. influenza and septic shock	VA	3	Tracheotomy	No	N/A	Died 3 days into ECLS	Yes	Heparin started at time of cannulation - 5000 IU bolus then gtt titrated to patient condition
Biderman 2017 ⁵⁰	VD	37 year old at 13 weeks with ARDS due to H1N1	VA then VV	16	Disseminated intravascular coagulation (DIC), tracheotomy; VA 7 days then VV for 9 days	Yes	Sepsis, died after decannulation	SAB	Yes	Heparin started at time of cannulation - 5000 IU bolus then gtt titrated to patient condition
Bowkalow 2011 ⁵³	VD	24 year old G4P2 at 20.9 weeks with H1N1 ARDS	N/A	28	Died	Yes	Multiorgan failure	SAB at 21 weeks	Yes	N/A
Bruch 2013 ⁵⁴	CD	31 year old G1P0 at 19 weeks with PE and cardiac arrest requiring CPR, ECLS and thrombectomy, stillbirth at 19 weeks requiring D&C	VA	5	Bleeding requiring transfusions	No	N/A	SAB on ECMO	Yes	N/A

Chao 2016 ⁵⁸	VD	35 year old G1PO at 16 weeks with viral PNA causing hypoxemic respiratory failure, ARDS	VV	9		No	N/A	SAB at 16 weeks	Yes	N/A
Coscia 2012 ⁶⁶	CD	31 year old at 24 weeks with recent M3 AML developed hypoxemic respiratory failure c/b ARDS, spontaneously delivered 48 hours into iLA	iLA (VV)	8	Died 53 days after admission from AML complications	No	N/A	Unclear outcome, spontaneous preterm delivery at 24 weeks, NICU admission	N/A	iLA, no anticoagulation because PTT was 2.3x normal and platelets 57K
Crawford 2015 ⁶⁸	c/s	37 year old G1P0 at 21 weeks with influenza A ARDS c/b HELLP with newly diagnosed LAM (lymphangioleiomyomatosis) and diffuse alveolar hemorrhage (DAH)	VV	14	Had lung biopsy for LAM during ECMO run, was given endobronchial recombinant factor VII during run	No	N/A	Preterm delivery at 24 weeks, NICU, respiratory/nutritional support	No	N/A
DiLorenzo 2016 ⁷²	C/S	Patient at 33 weeks with mitral valve regurgitation due to prosthetic valve thrombosis with NYHA Class III HF planned c/s after VA ECMO and MV replacement, ECMO in OR immediately before c/s	VA	2	None	No	N/A	N/A	No	Heparin continued with PTT goal 50-60
Jandhyala 1994 ¹¹⁸	VD	20 year old G3P1 at 30 weeks with ARDS secondary to e.coli urosepsis with refractory hypoxemia for ECCO ₂ removal	VV	1.833333	None	No	N/A	Preterm delivery at 30 weeks, NICU	No	Heparin with goal ACT 180-200 but reduced to 150 for delivery and first 6 hours after
Ju 2018 ¹²²	C/S	36 year old G2P1 at 21 weeks with twin pregnancy complicated by chorioamnionitis, septic shock	VV	9	Fingertip amputation due to ischemia	No	N/A	Therapeutic abortion, twins	Yes	Anticoagulated with goal ACT 130-150
Kunstyr 2010 ¹³³	VD	26 year old at 24 weeks with H1N1 ARDS	VV	14	Hemorrhagic bronchitis, cephalic vein thrombosis, pseudomonal infection	No	N/A	Preterm delivery at 24 weeks, NICU, respiratory support	No	On heparin target ACT 160-180, PTT 50-60, stopped infusion for delivery and resumed 3 hours later
Lee 1997 ¹³⁶	VD	26 year old at 17 weeks with varicella PNA ARDS	VA to VV	57	Cannula dislodgment, bilateral tension hemopneumothoaces, bronchopleural fistulas, multiple re- explorations for bleeding, right heart	Yes	Multiple organ system dysfunction	SAB at 21 weeks	Yes	N/A

					failure, hepatic abscesses					
Lysenko 2014 ¹⁴⁶	C/S	24 year old G1P0 at 39.4 weeks with H1N1 ARDS, cesarean delivery at 30 weeks 3 days	VV	17	None	No	N/A	Preterm delivery at 30 week, intubated, NICU admission	No	Discontinued heparin 5 hours before delivery and resumed 14 hours after delivery under GA - no bleeding or thrombotic complications
Meng 2017 ²³	C/S	Patient at 35 weeks with PAH due to CHD/Eisenmenger, cannulated 2 days before delivery	VV then VA	21	Discharged home on PPD24 found dead at home on PPD89, VV 15 days then VA 6 days	No	Postpartum day 89, unwitnessed cardiac arrest	Preterm delivery at 35 weeks	No	N/A
Mikami 2018 ¹⁵⁴	C/S	38 year old G3P2 at 35. weeks with PPCM EF10%, had IABP and ECMO prior to cesarean	VA	8	Uterine bleeding s/p Bakri, transcatheter arterial embolization, hysterectomy	No	N/A	Preterm delivery at 35 weeks, neonatal asphyxia, therapeutic hypothermia, NICU	No	Unfractionated heparin to maintain ACT 180-200
Morsolini 2017 ¹⁵⁶	c/s	Patient at 31 weeks with PAH	VA	1.083333	SVC and PA thrombosis	No	N/A	None	No	Low anticoagulation used with goal PTT 40-50, all had heparin gtt and it was held during c/s
Morsolini 2017 ¹⁵⁶	C/S	Patient at 31 weeks with H1N1 ARDS	VV	31	Gastrointestinal bleeding	No	N/A	IVH, discharged alive	No	Low anticoagulation used with goal PTT 40-50, all had heparin gtt and it was held during c/s
Morsolini 2017 ¹⁵⁶	C/S	Patient at 31 weeks with mitral prothesis thrombosis complicated by heart failure	VA	1.5	PNA	No	N/A	None	No	Low anticoagulation used with goal PTT 40-50, all had heparin gtt and it was held during c/s
Morsolini 2017 ¹⁵⁶	C/S	Patient at 31 weeks with PAH	VA	0.916667	Uterine bleeding	No	N/A	None	No	Low anticoagulation used with goal PTT 40-50, all had heparin gtt and it was held during c/s
Panarello 2010 ¹⁶⁵	C/S	H1N1 ARDS			None reported					N/A

Panarello 2011 ¹⁶⁶	c/s	38 year old at 25 weeks with H1N1 ARDS	VV	35	Cesarean delivery at 30 weeks to improve pulmonary mechanics, active bleeding ulcer	No	N/A	Preterm delivery at 30 weeks, intracranial hemorrhage, intubation, NICU	No	On heparin for beginning of run, held for 2 hours prior to C/S then resumed 2 hours post-op with goal PTT 40-50
Park 2014 ¹⁶⁷	C/S	34 year old G2P1 at 37 weeks with PPCM EF 39% and worsening heart failure, planned VA ECMO prior to cesarean	VA	6	None	No	N/A	NICU admission, respiratory support	No	Held of anticoagulation until 3 days postpartum, then started nafamostat mesilate
Radsel 2018 ¹⁸⁶	VD	29 year old G1P0 at 23 weeks with H1N1 ARDS	VV	10	Decannulated on day 5 then recannulated, preterm labor, critical illness polyneuropathy, tracheostomy, discharged to rehabilitation	No	N/A	Preterm delivery at 25 weeks, NICU, intubated, BPD, NAS from maternal sedation	No	Had UFH goal PTT 40-50 then anti-Xa 0.2-0.3IU/mL prior to delivery, got protamine after delivery then lovenox postpartum
Satoh 2002 ²⁰¹	C/S	33 year old G1P0 at 18 weeks with PAH with mean PA pressure in 70s and worsening of symptoms; termination of pregnancy at 18 weeks on ECMO	VA	19	Coagulation of artificial lung requiring changing	Yes	Right heart failure	Therapeutic abortion	Yes	Heparin bonding circuit, heparin bonding cannulae, ACT 140-150 and mention of use of anticoagulant but not explicitly stated
Shamsah 2017 ²¹⁰	VD	25 year old G2P1 at 26 weeks with PAH, heart failure s/p arrest during labor, delivered amidst CPR and ECMO cannulation	VA	14	Prepared for heart/lung transplant but abruptly decompensated and died	Yes	Worsening PAH after ECLS	Preterm delivery at 26 weeks, NICU	N/A	N/A
Sharma 2015 ⁸	VD	Patient at 34 weeks with cardiogenic shock, likely viral etiology	VA	6	STEMI, vaginal bleeding, clot in circuit	No	N/A	Preterm delivery at 34 weeks, stillborn	Yes	Heparin with ACT 160-180, PTT 50-80, TEG 2.5-3x normal
Sim 2012 ²¹³	C/S	28 year old at 26 weeks with refractory SVT with cardiogenic shock crashed to ECMO, had IUFD, had RFA, later cesarean delivery	VA	7	None reported	No	N/A	SAB at 26 weeks	Yes	N/A

Takacs 2018 ²²¹	VAVD	21 year old G3P2 at 24 weeks with cardiac arrest with CPR, rupture of membranes during resuscitation, pulmonary contusions and ARDS, received enoxaparin, developed IUFD and DIC	VA	7	SAB during collapse, DIC while on ECLS, possibly due to IUFD so underwent IOL, VAVD, retained POC, subsequent D&C on ECMO	No	N/A	IUFD prior to ECLS	N/A	N/A
Vitulo 2017 ²³³	C/S	31 year old at 32 weeks with PAH, scheduled cesarean delivery with planned pre-incision ECMO	VA	1	Urgent re-laparotomy for bleeding on POD3, thought not to be related to ECMO	No	N/A	Preterm delivery at 32 weeks, NICU admission	No	N/A
Wang 2015 ²³⁵	VD	29 year old at 27 year weeks with H7N9 influenza ARDS	VV then VA	19	Heart failure, sepsis due to acinetobacter, PE; VV 4 days VA 15 days	Yes	Pulmonary embolism 3 days after decannulation	SAB delivered 4 days after loss of fetal heart tones	Yes	N/A
Wertaschnigg 2017 ²³⁹	VD	Patient at 24 weeks with H1N1 ARDS	VV		None reported	No	N/A	Preterm labor at 26 weeks, NICU	No	N/A

ECLS = extracorporeal life support; VD = vaginal delivery, C/S = cesarean delivery, VV = venovenous, VA = venoarterial, iLA = interventional lung assist, SAB = spontaneous abortion, IUFD = intrauterine fetal death, NICU = neonatal intensive care unit, IVH = intraventricular hemorrhage; gtt = infusion; PTT = partial thromboplastin time; DIC = disseminated intravascular coagulation; ARDS = acute respiratory distress syndrome; DVT = deep vein thrombosis; PAH = pulmonary arterial hypertension; LAM = lymphangioleiomyomatosis; iLA = interventional lung assist; ECCO₂ removal = extracorporeal carbon dioxide removal; HELLP = hemolysis, elevated liver enzymes, low platelet syndrome; MV = mitral valve; ACT = activated clotting time; PNA = pneumonia; CHD = congenital heart disease; IABP = intra-aortic balloon pump; PPCM = peripartum cardiomyopathy; SVC = superior vena cava; PA = pulmonary artery; EF = ejection fraction; CPR = cardiopulmonary resuscitation; STEMI = ST elevation myocardial infarction; TEG = thromboelastography; SVT = supraventricular tachycardia; RFA = radiofrequency ablation; IOL = induction of labor; VAVD = vacuum assisted vaginal delivery; POC = products of conception; D&C = dilation and curettage

Table S3. Cases that included cardiopulmonary bypass (CPB) (n = 11).

Study (Author, Year)	Stage of Pregnancy	Postpartum Day	Delivery	Disease Process/Indication	ECLS Type	ECLS Duration (Days)	Maternal Complications	Maternal Mortality	Fetal Complications	Fetal Mortality
Arlt 2009 ⁴⁰	Immediately postpartum	0.166666667	C/S	27 year old with massive PE complicated by PEA given tPA, ECMO transported with hand-held system, underwent emergent hysterectomy and pulmonary thrombectomy under ECMO	VA	4	Vaginal and endotracheal bleeding after thrombolysis, emergency hysterectomy	No	N/A	No
Bruch 2013 ⁵⁴	Antepartum	N/A	VD	31 year old G1P0 at 19 weeks with PE and cardiac arrest requiring CPR, ECLS and thrombectomy, stillbirth at 19 weeks requiring D&C	VA	5	Delivered on ECMO, bleeding requiring transfusions	No	SAB on ECMO	Yes
Chuang 2015 ⁶³	Postpartum	2	C/S	29 year old G1P1 with PE s/p cardiac arrest and CPR underwent PTE 2 days after admission	VA	2	Burn injuries from resuscitation in ED, staph and influenza infections, discharged day 43	No	N/A	N/A
DiLorenzo 2016 ⁷²	Antepartum	N/A	c/s	Patient at 33 weeks with mitral valve regurgitation due to prosthetic valve thrombosis with NYHA Class III HF planned cesarean after VA ECMO and MV replacement, ECMO in OR immediately before delivery	VA	2	Delivered on ECMO	No	N/A	No
Evans 2014 ⁷⁶	Postpartum	14	Not noted	Patient with ACS diagnosed with SCAD to the LAD with EF 15-20% s/p CABG with failure to wean from CPB	VA	10	Rehab	No	None	N/A
Fabricius 2001 ⁷⁸	Immediately postpartum	0	C/S	32 year old G1P0 at 39 weeks had cesarean delivery for fetal tachycardia, found to have type A aortic dissection with cardiogenic shock	VA	4	None	No	None	No
Fayad 2007 ⁸¹	Postpartum	<7 days	C/S	31 year old delivered at 30 weeks with post-rheumatic mitral stenosis, dilated RV had CPB then planned transition to ECMO	VA	9	Ventilator associated pneumonia with pseudomonas then sepsis, pre-operative renal failure	Yes	Preterm delivery at 30 weeks, NICU respiratory support	N/A

Halldorsdottir 2016 ⁹⁸	Immediately postpartum	0	C/S	29 year old G3P1 at 37 weeks with cardiogenic shock after cesarean delivery due to MV prosthesis thrombosis with severe hypoxemia, cannulated 2 hours postpartum	VA	3	Weaned from CPB after MV replacement, on ECMO before CPB	No	None	No
Hansen 2012 ¹⁰⁰	Postpartum	6	D&C	38 year old with septic shock for retained products of conception, underwent D&C before IABP and then VA ECMO, found to have papillary muscle rupture, had 2 days ECMO before MV replacement	VA	2	Severe aortic insufficiency, went back to OR on POD9	No	N/A	N/A
Knapp 2016 ¹²⁷	Postpartum	16	C/S	30 year old with SCAD s/p multiple stents s/p CABG with saphenous vein grafts to LAD and circumflex	VA	4	Post-CABG biventricular dysfunction EF 25%	No	N/A	N/A
Wei 2011 ²³⁶	Postpartum	2	C/S	36 year old G1P1 delivered at 37 weeks with PE and cardiac arrest, cardiac massage to ECMO then pulmonary thrombectomy	N/A	<1	None	No	N/A	N/A

ECLS = extracorporeal life support; VD = vaginal delivery, C/S = cesarean delivery, D&C = dilation and curettage, VV = venovenous, VA = venoarterial, SAB = spontaneous abortion, NICU = neonatal intensive care unit; PE = pulmonary embolism; PEA = pulseless electrical activity; tPA = tissue plasminogen activator; CPR = cardiopulmonary resuscitation; PTE = pulmonary thrombectomy; ED = emergency department; OR = operating room; ACS = acute coronary syndrome; LAD = left anterior descending coronary artery; POD = post-operative day; CABG = coronary arterial bypass graft; MV = mitral valve; SCAD = spontaneous coronary artery dissection