

Questionnaires

Title: Serum interferon-gamma level is associated with drug-free major depressive disorder

1. Identification

1.1 I.D Code:

--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--

1.2 Name:

--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--

1.3 Father's/ Husband's Name:

--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--

1.4 Sex:

Male		Female	
------	--	--------	--

 1.5 Marital Status:

--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--

1.6 Date of Birth (dd/mm/yy):

--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--

 1.7 Age (yr):

--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--

1.8 Mailing address

 Ph

1.9 Permanent address

 Ph

1.10 Religion

--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--

1.11 Nationality

--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--

2. Personal History:

2.1	Area of residence	Rural	Urban	S-Urban	Others
	Where have you spent your boyhood (1-15 y)?				
	Where have you spent at least ¾th or more of your life time?				

2.2	Education Level	2.3	Occupation	2.4	Family expenses /month
	Illiterate		Professional/Managerial /Business		
	Can read only		Clerical	2.5	Impression about social class
	Can write a letter		Technical		Rich
	SSC or equivalent		Skilled worker		Upper Middle
	HSC or equivalent		Unemployed/ Pensioner		Lower Middle
	Graduate or higher		Housewife		Poor
	Other		Others		Destitute

2.3	Smoking Habit	2.7a	Current smoker
	Never		Sticks/ Day
	Ex-smoker > 6 months	2.7b	Ex-smoker
	Current smoker		Sticks /day

3. Previous history of psychiatric disorder: Y N

4. Family history of psychiatric disorder: Y N

5. Case: New Old

6. Biological Characteristics:

6.1 Height (cm): 6.2 Weight (kg):

6.3 Pulse/min: 6.4 Temperature:

7. Diagnostic criteria for major depressive disorder:

DSM-IV diagnostic criteria for major depressive disorder are as follows: Depressed mood or a loss of interest or pleasure in daily activities for more than two weeks. Mood represents a change from the person's baseline. Impaired function: social, occupational, educational. Specific symptoms, at least 5 of these 9, present nearly every day:

DSM-5 CRITERIA	Yes	No
Depressed mood or irritable most of the day, nearly every day		
Decreased interest or pleasure in most activities, most of days		
Significant weight change (5%) or change in appetite		
Change in sleep: Insomnia or hypersomnia		
Change in activity: Psychomotor agitation or retardation		
Fatigue or loss of energy		
Guilt/worthlessness: Feelings of worthlessness or inappropriate guilt		
Concentration: diminished ability to think or concentrate		
Suicidality: Thoughts of death or suicide, or has suicide plan		

Principal investigator

Name:

Signature:

Date: