

Article

Myostatin-1 Inhibits Cell Proliferation by Inhibiting the mTOR Signal Pathway and MRFs, and Activating the Ubiquitin-Proteasomal System in Skeletal Muscle Cells of Japanese Flounder *Paralichthys olivaceus*

Jiahuan Liu, Mingzhu Pan, Dong Huang, Yanlin Guo, Mengxi Yang, Wenbing Zhang * and Kangsen Mai

The Key Laboratory of Aquaculture Nutrition and Feeds (Ministry of Agriculture and Rural Affairs); the Key Laboratory of Mariculture (Ministry of Education), Ocean University of China, Qingdao 266003, China; liujiahuan@stu.ouc.edu.cn (J.L.); pmz@stu.ouc.edu.cn (M.P.); huangdong@stu.ouc.edu.cn (D.H.); guoyanlin@stu.ouc.edu.cn (Y.G.); ymx@stu.ouc.edu.cn (M.Y.); wzhang@ouc.edu.cn (W. Z.); kmai@ouc.edu.cn (K.M.)

* Correspondence: wzhang@ouc.edu.cn; Tel.: +86-532-8203-2145

Table S1. List of siRNA used for *mstn-1* interfering.

siRNA	Sense (5'-3')	Antisense (5'-3')
siRNA-162	GCGACUAAACGCGAUCAUATT	UAUGAUCGCGUUUAGUCGCTT
siRNA-315	GGAUGUGGUCAUGGAGGAUTT	AUCCUCCAUGACCACAUCCTT
siRNA-578	CCCUGAAGAUUGACGUGAATT	UUCACGUCAAUCUUCAGGGTT
siRNA-677	GCAUCGAGAUUAACGCCUUTT	AAGGCGUAAUCUCGAUGCTT
siRNA-912	GCGCUACAAGGCCAACUAUTT	AUAGUUGGCCUUGUAGCGCTT
siRNA-1070	GCAAAGAGCAGAUCAUCUATT	UAGAUGAUCUGCUCUUUGCTT
<i>Simstn-1</i> -NC	UUCUCCGAACGUGUCACGUTT	ACGUGACACGUUCGGAGAATT