Group	Count (%)	State quarterly (3-month) suicide rates per 100,000						
		Mean (std)	min	25 th	median	75 th	max	
Education								
≤High school	261,068 (58)	6.01 (2.49)	0.00	4.65	5.87	7.21	19.14	
Some college	106,959 (24)	3.32 (1.65)	0.00	2.30	3.08	4.10	13.16	
≥College	85 <i>,</i> 669 (19)	2.96 (1.94)	0.00	1.96	2.61	3.44	24.65	
Age								
18-24	58,720 (13)	3.96 (2.36)	0.00	2.56	3.48	4.68	27.07	
25-34	88 <i>,</i> 840 (19)	4.10 (1.89)	0.00	2.87	3.80	4.96	16.01	
35-44	106,661 (23)	4.62 (1.93)	0.00	3.35	4.34	5.59	17.31	
45-54	122,819 (27)	5.03 (1.97)	0.00	3.71	4.81	6.11	16.04	
55-64	85,116 (18)	4.30 (1.86)	0.00	3.09	4.09	5.27	13.83	
Gender								
Men	360,096 (78)	7.04 (2.28)	1.09	5.54	6.80	8.26	18.06	
Women	102,060 (22)	1.88 (0.82)	0.00	1.35	1.77	2.32	7.00	
Race								
Non-Hispanic White	414,562 (90)	4.86 (1.57)	0.00	3.82	4.72	5.72	14.01	
Other races	47,594 (10)	2.90 (2.99)	0.00	1.51	2.07	3.11	36.09	

Supplemental Table 1: Suicide counts and rate distributions among adults 18-64 years of age in the United States, 2000-2015

	Regular UI programs (2000-2015)		All UI pi	rograms (2008-2013)
	β	95% confidence interval	β	95% confidence interval
Adults 18-64	- 0.087	-0.120, -0.054	-0.092	-0.126, -0.059
Educational attainme	ent			
≤high school	- 0.130	-0.222, -0.038	-0.149	-0.302, 0.004
some college	- 0.157	-0.224, -0.090	-0.236	-0.367, -0.104
≥college grad	- 0.050	-0.153, 0.054	-0.099	-0.228, 0.031
Race				
Non-Hispanic White	- 0.330	-0.425, -0.234	-0.316	-0.536, -0.097
All other groups	0.020	-0.118, 0.158	0.146	-0.117, 0.409
Gender				
Men	- 0.230	-0.299, -0.160	-0.208	-0.349, -0.067
Women	- 0.029	-0.094, 0.036	-0.134	-0.265, -0.004
Age (years)				
18-24	0.033	-0.061, 0.127	0.086	-0.107, 0.279
25-34	- 0.134	-0.202, -0.065	-0.162	-0.294, -0.030
35-44	- 0.137	-0.204, -0.071	-0.192	-0.320, -0.063
45-54	- 0.226	-0.296, -0.156	-0.287	-0.425, -0.149
55-64	- 0.266	-0.347, -0.185	-0.277	-0.442, -0.114

Supplemental Table 2: Effect estimates for models without adjustment for seasonality

^aRegular Programs includes State UI, UCFE, and UCX. Estimates are expressed per 10 percentage point increase.

^bAll Programs includes Emergency programs and Extended Benefit programs in addition to regular programs. Estimates are expressed per 10 percentage point increase.

Journal Pre-proof

^c Models include terms for state and year fixed effects, state specific linear (state*year) and quadratic (state*year*year) time trends, state quarterly unemployment rate and minimum wage, state yearly gross state product, personal income, and number of Temporary Assistance for Needy Families recipients. Referent groups are strata with the largest number of suicides: high school or less for education, White for race, men for gender, and 45-54 years for age.