


Supplemental Figure: Flow Diagram



Supplemental Table 1: In-Hospital Clinical Outcomes of Study Population Stratified by Sex-Specific Median Initial hs-TnT Value

1a. Male

Variable	Overall Population (n = 130)	hs-Trop ≥ 21 ng/L (n = 63)	hs-Trop < 21 ng/L (n = 61)	p-value
Length of Stay (days)	7 (4-12)	9 (6-15)	4 (3-8)	<0.01
Discharged Home	89 (68.5)	29 (46.0)	55 (90.2)	<0.01
Discharged to Facility	25 (19.2)	21 (33.3)	3 (4.9)	<0.01
Deceased Inpatient	16 (12.3)	13 (20.6)	3 (4.9)	<0.01
Intubation	22 (16.9)	17 (27.0)	4 (6.6)	<0.01
Shock Requiring Vasoactive Medications	17 (13.1)	13 (20.6)	3 (4.9)	0.01
ICU Admission	49 (37.7)	36 (57.1)	10 (16.4)	<0.01
Cardiac Arrest	8 (6.2)	5 (7.9)	3 (4.9)	0.49 (NS)

1b. Female

Variable	Overall Population (n = 146)	hs-Trop ≥ 14 ng/L (n = 69)	hs-Trop < 14 ng/L (n = 68)	p-value
Length of Stay (days)	6 (3-11)	9 (3-14)	5 (3-7)	<0.01
Discharged Home	113 (77.4)	41 (59.4)	65 (95.6)	<0.01
Discharged to Facility	23 (15.8)	20 (29.0)	2 (2.9)	<0.01
Deceased Inpatient	10 (6.9)	8 (11.6)	1 (1.5)	0.03
Intubation	19 (13.0)	14 (20.3)	4 (5.9)	0.01
Shock Requiring Vasoactive Medications	19 (13.0)	15 (21.7)	3 (4.4)	<0.01
ICU Admission	44 (30.1)	28 (40.6)	14 (20.6)	0.01
Cardiac Arrest	1 (0.7)	1 (1.5)	0 (0.0)	1