Supplementary Table 4. Associations between duration of exclusive breastfeeding, infant weight and BMI z-score at age 11 years

Exposure			BMI z-score¹ at age 11 years					
	Breastfeeding	β crude	95% CI	p-value²	β adjusted³	95% CI	p-value²	
Weight for age at 5 months <2.5 SD	≤ 2 months	0.17	(0.11,0.23)		0.03	(-0.02, 0.09)		
	>2- <4 months	0.01	(-0.03, 0.06)		-0.01	(-0.05, 0.03)		
	≥ 4 months	0.00	-		0.00	-		
Weight for age at 5 months ≥2.5 SD	≤ 2 months	0.74	(0.45, 1.04)		0.50	(0.22, 0.77)		
	>2- <4 months	0.71	(0.53, 0.89)		0.51	(0.34, 0.68)		
	≥ 4 months	0.57	(0.32, 0.82)	0.67	0.40	(0.16, 0.63)	0.68	

¹BMI z-score was calculated according to the LMS method, ²P-values are for the between duration of exclusive breastfeeding and infant weight, ³ Adjusted for: Maternal pre-pregnancy BMI, paternal BMI, maternal smoking during pregnancy (grams of tobacco per day), maternal physical activity during pregnancy (3 levels), weekly gestational weight gain, socio-economic status of the mother (3 levels), child sex and birth weight (continuous).