Table S1.
 Adiponectin: SNPs for genetic risk score calculation

Literature SNP ¹	Used SNP	R ²	Used SNP: Effect allele (EA)	EA freq	Used SNP: Other allele	β-coefficient for literature SNP
rs3774261	rs3774261	1.00	А	0.407	G	0.354
rs3821799	rs3821799	1.00	С	0.541	Т	0.352
rs17300539	rs822387	0.83	С	0.0857	Т	0.330

Table S2. Alkaline phosphatase (ALP): SNPs for genetic risk score calculation*

Literature SNP ²	Used SNP	R ²	Used SNP: Effect allele (EA)	EA freq	Used SNP: Other allele	β-coefficient for literature SNP
rs16856332	rs10199694	1.00	А	0.0357	G	3.9
rs174601	rs174601	1.00	С	0.642	Т	1.7
rs579459	rs651007	1.00	Т	0.229	С	8.8
rs2954021	rs2980875	0.78	G	0.446	Α	1.4
rs7267979	rs6083776	0.59	G	0.516	Α	1.5

^{*}The following literature SNPs were not analyzed since there were no proxies available: rs10819937, rs1883415, rs1976403, rs2236653, rs281377, rs314253, rs6984305, rs7186908, rs7923609.

Table S3. Birthweight: SNPs for genetic risk score calculation*

Literature SNP ³	Used SNP	R ²	Used SNP: Effect allele (EA)	EA freq	Used SNP: Other allele	β-coefficient for literature SNP
rs1351394	rs1042725	0.84	Т	0.512	С	0.023
rs35261542	rs9368222	1.00	С	0.739	Α	0.044
rs7076938	rs7076938	1.00	Т	0.719	С	0.036
rs700059	rs2488597	0.80	G	0.156	Α	0.033
rs12823128	rs7309939	0.77	Т	0.519	С	0.021
rs10830963	rs10830963	1.00	G	0.276	С	0.023

^{*}The following literature SNPs were not analyzed since there were no proxies available: rs13322435, rs1171920, rs925098, rs854037, rs1374204, rs138715366, rs1101081, rs28510415, rs113086489, rs61862780, rs6537307, rs3753639, rs62240962, rs62466330, rs13266210, rs1415701, rs7575873, rs28530618, rs6016377, rs10935733, rs72851023, rs11765649, rs2473248, rs7402982, rs11096402, rs7729301, rs144843919, rs72480273, rs1819436, rs74233809, rs12543725, rs1011939, rs12942207, rs798489, rs7847628, rs2421016, rs6040076, rs2324499, rs7964361, rs12906125, rs6959887, rs7742369, rs9379832, rs2242116, rs2229742, rs2854355, rs134594, rs11055034, rs10402712, rs61154119, rs2150052, rs61830764, rs6989280, rs139975827.

Table S4. Body mass index (BMI): SNPs for genetic risk score calculation*

Literature SNP ⁴	Used SNP	R ²	Used SNP: Effect allele (EA)	EA freq	Used SNP: Other allele	β-coefficient for literature SNP
rs1558902	rs1421085	1.00	С	0.417	T	0.079
rs12566985	rs7553158	1.00	G	0.436	Α	0.027
rs3888190	rs4788099	1.00	G	0.383	Α	0.028
rs17001654	rs17001561	1.00	А	0.157	G	0.032
rs12705981	rs12705973	1.00	G	0.447	А	0.021
rs2075650	rs2075650	1.00	А	0.856	G	0.031
rs2246012	rs2246012	1.00	С	0.159	Т	0.022
rs1808579	rs2236707	0.97	С	0.577	Т	0.022
rs9880211	rs9844666	0.95	А	0.242	G	0.023
rs11030104	rs10767664	0.91	А	0.784	Т	0.038
rs12016871	rs7988412	0.78	Т	0.180	С	0.031
rs16951275	rs6494696	0.72	G	0.669	С	0.030
rs2287019	rs10423928	0.67	Т	0.789	Α	0.032
rs3817334	rs11570094	0.66	А	0.309	С	0.027
rs2112347	rs6453133	0.57	А	0.709	G	0.030

^{*}The following literature SNPs were not analyzed since there were no proxies available: rs11672550, rs13078960, rs12450239, rs17024393, rs1928295, rs11917972, rs7550169, rs29941, rs9856151, rs1830074, rs11247009, rs268073, rs2579103, rs10938353, rs6062788, rs12885454, rs1464321, rs4566392, rs38313, rs2650492, rs4984406, rs1979755, rs657452, rs9867325.

Table S5. Coronary artery disease (CAD): SNPs for genetic risk score calculation*

Literature SNP ^{5,6}	Used SNP	R²	Used SNP: Effect allele (EA)	EA freq	Used SNP: Other allele	OR for literature SNP
rs11206510	rs11206510	1.00	Т	0.816	С	1.08
rs11556924	rs11556924	1.00	С	0.632	Т	1.08
rs17514846	rs17514846	1.00	Α	0.461	С	1.05
rs2519093	rs651007	0.96	Т	0.229	С	1.08
rs2681472	rs11105354	1.00	G	0.171	Α	1.08
rs2891168	rs2891168	1.00	G	0.519	А	1.21
rs2954029	rs10808546	1.00	С	0.575	Т	1.04
rs3184504	rs3184504	1.00	Т	0.489	С	1.07
rs7528419	rs7528419	1.00	Α	0.774	G	1.12
rs2244608	rs2244608	1.00	G	0.340	Α	1.06

^{*}The following literature SNPs were not analyzed since there were no proxies available: rs10139550, rs10840293, rs11191416, rs11838776, rs12202017, rs1412444, rs16986953, rs17087335, rs17678683, rs180803, rs1870634, rs2107595, rs2128739, rs216172, rs2487928, rs28451064, rs3918226, rs4252185, rs4420638, rs4468572, rs4593108, rs515135, rs55730499, rs56062135, rs56289821, rs56336142, rs6544713, rs663129, rs6689306, rs67180937, rs6725887, rs7212798, rs72689147, rs7568458, rs8042271, rs9349379, rs9818870, rs9970807, rs11810571, rs7623687, rs142695226, rs433903, rs10857147, rs11723436, rs35879803, rs1351525, rs11170820, rs7500448, rs8108632.

Table S6. Total cholesterol: SNPs for genetic risk score calculation*

Literature SNP 7,8	Used SNP	R ²	Used SNP: Effect allele (EA)	EA freq	Used SNP: Other allele	β-coefficient for literature SNP
rs10401969	rs3794991	1.00	Т	0.0824	С	-0.137
rs12027135	rs873308	1.00	G	0.460	А	-0.027
rs1260326	rs1260326	1.00	Т	0.428	С	0.051
rs12916	rs12916	1.00	С	0.397	Т	0.068
rs1367117	rs1367117	1.00	Α	0.318	G	0.100
rs1800961	rs1800961	1.00	Т	0.0284	С	-0.106
rs1883025	rs1883025	1.00	Т	0.256	С	-0.067
rs1961456	rs1961456	1.00	G	0.278	Α	0.032
rs2000999	rs2000999	1.00	Α	0.210	G	0.062
rs2479409	rs2479409	1.00	G	0.345	Α	0.054
rs3764261	rs3764261	1.00	Α	0.317	С	0.050
rs4299376	rs4299376	1.00	G	0.320	Т	0.079
rs629301	rs646776	1.00	С	0.227	Т	-0.134
rs651007	rs651007	1.00	Т	0.229	С	0.069
rs6511720	rs6511720	1.00	Т	0.117	G	-0.185
rs174550	rs1535	0.97	Α	0.674	G	-0.048
rs3850634	rs1748197	0.97	Α	0.322	G	-0.075
rs2290159	rs9817675	0.80	Т	0.189	С	-0.037
rs964184	rs2075290	0.63	Т	0.921	С	-0.121
rs1532085	rs4775041	0.57	С	0.282	G	0.054

^{*}The following literature SNPs were not analyzed since there were no proxies available: rs10832963, rs11065987, rs11136341, rs11220463, rs1169288, rs117087731, rs12983728, rs1564348, rs1800562, rs2072183, rs2081687, rs2126259, rs2255141, rs2277862, rs2285942, rs2807834, rs2814982, rs2902940, rs2954022, rs3757354, rs4297946, rs4420638, rs492602, rs514230, rs581080, rs6759321, rs6882076, rs7206971, rs7239867, rs7515577, rs7941030, rs9488822.

Table S7. C-reactive protein (CRP): SNPs for genetic risk score calculation*

Literature SNP ⁹	Used SNP	R ²	Used SNP: Effect allele (EA)	EA freq	Used SNP: Other allele	β-coefficient for literature SNP
rs12239046	rs12239046	1.00	С	0.621	T	0.048
rs1260326	rs1260326	1.00	Т	0.428	С	0.089
rs1800961	rs1800961	1.00	С	0.972	Т	0.120
rs2794520	rs1205	1.00	С	0.666	T	0.193
rs4129267	rs4129267	1.00	С	0.581	Т	0.094
rs4420065	rs1805096	1.00	G	0.619	Α	0.111
rs1183910	rs2244608	0.96	Α	0.660	G	0.152
rs13233571	rs13232120	0.93	Α	0.880	T	0.054
rs6734238	rs4251961	0.61	С	0.382	Т	0.047

^{*}The following literature SNPs were not analyzed since there were no proxies available: rs10521222, rs10745954, rs12037222, rs2836878, rs340029, rs4420638, rs4903031, rs9987289.

Table S8. Diastolic blood pressure (DBP): SNPs for genetic risk score calculation*

Literature SNP 10	Used SNP	R ²	Used SNP: Effect allele (EA)	EA freq	Used SNP: Other allele	β-coefficient for literature SNP
rs11105354	rs11105354	1.00	Α	0.829	G	0.459
rs11556924	rs11556924	1.00	Т	0.368	С	-0.214
rs13306560	rs13306560	1.00	Т	0.0497	С	0.290
rs1450271	rs7944706	0.76	Α	0.455	G	0.199
rs1620668	rs1620668	1.00	Α	0.841	G	-0.285
rs16823124	rs16823124	1.00	Α	0.309	G	0.265
rs17037390	rs17037390	1.00	Α	0.147	G	-0.499
rs17367504	rs17367504	1.00	Α	0.855	G	0.390
rs2493134	rs2493134	1.00	Т	0.572	С	-0.275
rs3184504	rs3184504	1.00	Т	0.489	С	0.362
rs4494250	rs10786172	0.93	Α	0.652	G	0.150
rs4746172	rs3793921	1.00	Т	0.747	С	0.076
rs4846049	rs4846049	1.00	Т	0.322	G	-0.196
rs592373	rs592373	1.00	Α	0.640	G	0.282
rs6271	rs6271	1.00	Т	0.0668	С	-0.465
rs936226	rs7085	0.85	Т	0.292	С	-0.363

^{*}The following literature SNPs were not analyzed since there were no proxies available: rs10077885, rs10850411, rs10943605, rs10995311, rs10995311, rs11014166, rs110419, rs11128722, rs1126464, rs1126464, rs1126464, rs1156725, rs11953630, rs12243859, rs12521868, rs12627651, rs12656497, rs12940887, rs12958173, rs13082711, rs13107325, rs13139571, rs1327235, rs1361831, rs1371182, rs1378942, rs1401454, rs1458038, rs167479, rs17030613, rs17080093, rs17428471, rs17638167, rs1799945, rs1975487, rs2187668, rs2272007, rs2291435, rs2384550, rs2521501, rs2586886, rs2891546, rs2898290, rs2932538, rs2969070, rs35444, rs3735533, rs3752728, rs381815, rs4245739, rs4247374, rs4590817, rs4660293, rs6026748, rs6095241, rs633185, rs6442101, rs6495122, rs6779380, rs6825911, rs687621, rs689134, rs6969780, rs7076398, rs7103648, rs711737, rs7213273, rs7302981, rs7302981, rs740746, rs7515635, rs751984, rs76452347, rs772178, rs805303, rs8068318, rs8068318, rs880315, rs891511, rs900145, rs918466, rs926552, rs932764, rs943037, rs9687065.

Table S9. Estimated glomerular filtration rate from serum creatinine (eGFRCr): SNPs for genetic risk score calculation*

Literature SNP ¹¹	Used SNP	R²	Used SNP: Effect allele (EA)	EA freq	Used SNP: Other allele	β-coefficient for literature SNP
rs8091180	rs8091180	1.00	А	0.560	G	-0.006
rs12136063	rs11142	0.89	Α	0.278	G	0.0045
rs4667594	rs10490132	0.91	С	0.510	Α	-0.0044
rs1260326	rs1260326	1.00	Т	0.428	С	0.0068
rs6546838	rs6546838	1.00	Α	0.761	G	-0.0093
rs9472135	rs9369425	0.77	Α	0.705	G	-0.008
rs316009	rs316009	1.00	Т	0.0989	С	0.0131
rs7805747	rs10480300	1.00	Т	0.288	С	-0.013
rs3758086	rs3758086	1.00	Α	0.405	G	-0.0071

^{*}The following literature SNPs were not analyzed since there were no proxies available: rs3850625, rs2712184, rs9682041, rs10513801, rs10994860, rs163160, rs164748, rs2802729, rs6795744, rs228611, rs7759001, rs10277115, rs3750082, rs6459680, rs4014195, rs10491967, rs7956634, rs1106766, rs11666497, rs6088580, rs17216707, rs1800615, rs267734, rs807601, rs7422339, rs2861422, rs17319721, rs11959928, rs6420094, rs848490, rs4744712, rs1044261, rs963837, rs10774021, rs716877, rs476633, rs2467853, rs491567, rs1394125, rs13329952, rs2453580, rs9916302, rs11657044, rs12460876.

Table S10. Fibrinogen: SNPs for genetic risk score calculation*

Literature SNP 12	Used SNP	R ²	Used SNP: Effect allele (EA)	EA freq	Used SNP: Other allele	β-coefficient for literature SNP
rs3138493	rs1571536	0.91	Т	0.486	С	-0.005
rs73058052	rs2304204	0.56	Т	0.732	С	0.007
rs10157379	rs12239046	0.93	С	0.621	T	-0.010
rs59104589	rs15129	0.52	Т	0.802	С	-0.008
rs1800961	rs1800961	1.00	Т	0.0284	С	-0.017

^{*}The following literature SNPs were not analyzed since there were no proxies available: rs7588285, rs62246343, rs1976714, rs2710804, rs7012814, rs2250644, rs2420915, rs7934094, rs7310615, rs56702977, rs1035560, rs7224737, rs1892534, rs61812598, rs1558643, rs6734238, rs715, rs9840812, rs59950280, rs7439150, rs2057655, rs71520386, rs11780978, rs7916868, rs11230201, rs2731439, rs367677, rs12913259, rs11859517, rs9808651, rs75347843.

Table S11. Fasting glucose: SNPs for genetic risk score calculation*

Literature SNP ¹	Used SNP	R²	Used SNP: Effect allele (EA)	EA freq	Used SNP: Other allele	β-coefficient for literature SNP
rs10830963	rs10830963	1.00	G	0.276	С	0.067
rs4607517	rs1799884	1.00	Т	0.174	С	0.062
rs11920090	rs10513685	0.93	G	0.859	Α	0.020
rs7944584	rs11039149	0.84	Α	0.720	G	0.021
rs560887	rs569805	0.73	Т	0.656	А	0.075

^{*}The following literature SNPs were not analyzed since there were no proxies available: rs10885122, rs11071657, rs11605924, rs11708067, rs13266634, rs2191349, rs340874, rs7034200.

Table S12. Gamma-glutamyl transferase (GTT): SNPs for genetic risk score calculation*

Literature SNP ²	Used SNP	R²	Used SNP: Effect allele (EA)	EA freq	Used SNP: Other allele	β-coefficient for literature SNP
rs10513686	rs11711437	1.00	С	0.857	G	4.9
rs1260326	rs1260326	1.00	С	0.572	Т	3.2
rs17145750	rs17145750	1.00	Т	0.155	С	4.5
rs12145922	rs786918	0.82	Α	0.421	G	2.8
rs2739330	rs1006771	0.80	Т	0.657	G	3.7
rs7310409	rs2244608	0.62	G	0.340	А	6.8

^{*}The following literature SNPs were not analyzed since there were no proxies available: rs1076540, rs10908458, rs12968116, rs13030978, rs1335645, rs1497406, rs2073398, rs2140773, rs339969, rs4074793, rs4503880, rs4547811, rs4581712, rs516246, rs6888304, rs754466, rs8038465, rs9296736, rs944002, rs9913711.

Table S13. High-density lipoprotein (HDL): SNPs for genetic risk score calculation*

Literature SNP ^{7,8}	Used SNP	R²	Used SNP: Effect allele (EA)	EA freq	Used SNP: Other allele	β-coefficient for literature SNP
rs1121980	rs1121980	1.00	А	0.436	G	-0.020
rs12678919	rs10503669	1.00	Α	0.0996	С	0.155
rs13326165	rs13326165	1.00	Α	0.191	G	0.029
rs17145738	rs13232120	1.00	Т	0.120	Α	0.041
rs174601	rs174601	1.00	Т	0.358	С	-0.039
rs1800961	rs1800961	1.00	Т	0.0283	С	-0.127
rs1883025	rs1883025	1.00	Т	0.256	С	-0.070
rs3136441	rs2070850	1.00	Т	0.126	С	0.054
rs3764261	rs3764261	1.00	Α	0.317	С	0.241
rs4846914	rs4846914	1.00	G	0.409	Α	-0.048
rs6065906	rs6073952	1.00	Α	0.190	G	-0.059
rs6805251	rs6782799	1.00	Т	0.397	С	0.020
rs881844	rs881844	1.00	G	0.655	С	-0.032
rs7255436	rs2278236	0.97	G	0.486	Α	-0.032
rs838880	rs838878	0.96	Α	0.307	G	0.048
rs7241918	rs2156552	0.95	Α	0.162	Т	-0.090
rs7134594	rs7298565	0.94	Α	0.548	G	-0.035
rs2013208	rs1062633	0.90	Т	0.506	С	0.025
rs386000	rs103294	0.89	Т	0.189	С	0.048
rs2652834	rs11071721	0.85	Т	0.207	С	-0.028
rs16942887	rs20549	0.79	G	0.173	Α	0.083
rs2606736	rs347591	0.79	G	0.353	Т	0.025
rs3741414	rs11172134	0.72	Α	0.189	T	0.028

rs970548	rs1487562	0.69	T	0.193	С	0.026
rs12145743	rs928391	0.68	С	0.267	Т	0.020
rs964184	rs2075290	0.63	Т	0.921	С	0.106
rs1532085	rs4775041	0.57	С	0.282	G	0.107
rs12801636	rs3741378	0.56	Т	0.122	С	0.024

^{*}The following literature SNPs were not analyzed since there were no proxies available: rs10019888, rs1047891, rs10808546, rs11246602, rs12328675, rs12748152, rs12967135, rs13107325, rs1515100, rs1689800, rs17173637, rs17695224, rs181362, rs1936800, rs2290547, rs2293889, rs2602836, rs2923084, rs2925979, rs3822072, rs4082919, rs4142995, rs4148008, rs4420638, rs4650994, rs4660293, rs4731702, rs4759375, rs4765127, rs4917014, rs4983559, rs499974, rs605066, rs643531, rs6450176, rs702485, rs7115089, rs7134375, rs7188861, rs731839, rs737337, rs78058190, rs998584, rs9987289.

Table S14. Ischemic stroke: SNPs for genetic risk score calculation*

Literature SNP 13	Used SNP	R ²	Used SNP: Effect allele	EA freq	Used SNP: Other allele	OR for literature SNP
rs6843082	rs4611994	0.53	С	0.125	Т	1.36
rs2383207	rs944797	1.00	С	0.546	Т	1.15
rs505922	rs657152	1.00	А	0.369	С	1.13
rs660599	rs17368659	0.55	Т	0.133	G	1.18
rs10744777	rs10744777	1.00	Т	0.668	С	1.10

^{*}The following literature SNPs were not analyzed since there were no proxies available: rs556621, rs2107595, rs879324.

Table S15. Low-density lipoprotein (LDL): SNPs for genetic risk score calculation*

Literature SNP ^{7,8}	Used SNP	R ²	Used SNP: Effect allele (EA)	EA freq	Used SNP: Other allele	β-coefficient for literature SNP
rs10401969	rs3794991	1.00	Т	0.0824	С	-0.118
rs12027135	rs873308	1.00	G	0.460	Α	-0.030
rs12916	rs12916	1.00	С	0.397	Т	0.073
rs1367117	rs1367117	1.00	Α	0.318	G	0.119
rs174583	rs174576	1.00	Α	0.333	С	-0.051
rs2000999	rs2000999	1.00	Α	0.210	G	0.065
rs2479409	rs2479409	1.00	G	0.345	Α	0.064
rs4299376	rs4299376	1.00	G	0.320	Т	0.081
rs629301	rs646776	1.00	С	0.227	Т	-0.167
rs649129	rs651007	1.00	Т	0.229	С	0.077
rs3850634	rs1748197	0.97	А	0.322	G	-0.049
rs964184	rs2075290	0.63	Т	0.921	С	-0.086

^{*}The following literature SNPs were not analyzed since there were no proxies available: rs11065987, rs11136341, rs11153594, rs11220462, rs1129555, rs1169288, rs117492019, rs12670798, rs1564348, rs1800562, rs182616603, rs2081687, rs2126259, rs217386, rs247616, rs2807834, rs2902941, rs2954022, rs3177928, rs3757354, rs4420638, rs514230, rs6511720, rs6882076, rs7206971, rs79588679, rs8017377, rs909802.

Table S16. Systolic blood pressure (SBP): SNPs for genetic risk score calculation*

Literature SNP 10	Used SNP	R ²	Used SNP: Effect allele (EA)	EA freq	Used SNP: Other allele	β-coefficient for literature SNP
rs10224002	rs10224002	1.00	А	0.702	G	-0.465
rs11105354	rs11105354	1.00	Α	0.829	G	0.909
rs11229457	rs11229519	0.74	Т	0.231	С	-0.310
rs12247028	rs7080350	0.56	Α	0.600	G	-0.364
rs1450271	rs7944706	0.76	Α	0.455	G	0.413
rs1620668	rs1620668	1.00	Α	0.841	G	-0.535
rs17367504	rs17367504	1.00	Α	0.855	G	0.716
rs217727	rs217727	1.00	Α	0.196	G	0.591
rs2493134	rs2493134	1.00	Т	0.572	С	-0.431
rs3184504	rs3184504	1.00	Т	0.489	С	0.498
rs347591	rs347591	1.00	Т	0.647	G	0.244
rs3741378	rs3741378	1.00	Т	0.122	С	-0.486
rs5219	rs5215	0.94	Т	0.638	С	0.320
rs592373	rs592373	1.00	Α	0.640	G	0.484
rs6271	rs6271	1.00	Т	0.0668	С	-0.591
rs7129220	rs4403799	0.92	Α	0.883	G	-1.107
rs7297416	rs7297416	1.00	Α	0.707	С	0.090
rs757081	rs5215	0.65	Т	0.638	С	-0.085
rs936226	rs7085	0.85	Т	0.292	С	-0.549

^{*}The following literature SNPs were not analyzed since there were no proxies available: rs10077885, rs10760117, rs111245230, rs11128722, rs11556924a, rs1156725, rs11639856, rs1173766, rs11953630, rs12243859, rs12279202, rs12627651, rs12656497, rs12705390, rs12940887, rs12940887, rs12946454, rs12958173, rs13107325, rs1327235, rs13359291, rs1361831, rs1371182, rs1378942, rs1458038, rs16849225, rs16877320, rs17010957, rs17037390, rs17080093, rs17365948, rs17428471, rs17608766, rs17638167, rs1799945, rs1813353, rs1975487, rs2014912, rs2270860, rs2291435, rs2493292, rs2521501, rs2586886, rs2594992, rs2891546, rs2898290, rs2932538, rs2969070, rs35479618,

rs35529250, rs3735533, rs3752728, rs381815, rs4245739, rs4247374, rs4387287, rs4590817, rs4691707, rs4823006, rs6026748, rs61760904, rs633185, rs6442101, rs6722745, rs6779380, rs689134, rs6919440, rs7076398, rs7103648, rs711737, rs7213273, rs740746, rs7515635, rs751984, rs805303, rs880315, rs932764, rs9349379, rs943037.

Table S17. Systemic lupus erythematosus (SLE): SNPs for genetic risk score calculation*

Literature SNP 14	Used SNP	R ²	Used SNP: Effect allele (EA)	EA freq	Used SNP: Other allele	OR for literature SNP
rs10036748	rs7708392	1.00	С	0.258	G	1.33
rs10488631	rs10488631	1.00	С	0.105	Т	1.84
rs2286672	rs2286672	1.00	Т	0.0760	С	1.24
rs2476601	rs2476601	1.00	А	0.0862	G	1.37
rs3794060	rs7928249	1.00	Α	0.261	G	1.12
rs9652601	rs2041670	0.96	G	0.667	А	1.13
rs10774625	rs3184504	0.93	Т	0.489	С	1.17
rs6932056	rs2230926	0.79	G	0.0350	Т	1.70
rs34572943	rs13338069	0.69	G	0.127	Α	1.69

^{*}The following literature SNPs were not analyzed since there were no proxies available: rs10028805, rs1059312, rs11644034, rs11889341, rs1270942, rs12802200, rs1734787, rs17849501, rs1801274, rs2111485, rs2289583, rs2304256, rs2431697, rs2663052, rs2732549, rs2736340, rs2941509, rs3024505, rs3768792, rs4902562, rs4917014, rs4948496, rs564799, rs6568431, rs6740462, rs704840, rs7444, rs7726414, rs7941765, rs849142, rs887369, rs9311676, rs9462027, rs9782955.

Table S18. Type 2 diabetes mellitus (T2DM): SNPs for genetic risk score calculation*

Literature SNP 15	Used SNP	R ²	Used SNP: Effect allele (EA)	EA freq	Used SNP: Other allele	OR for literature SNP
rs6757251	rs7578597	1.00	С	0.104	Т	1.14
rs4402960	rs4402960	1.00	Т	0.326	G	1.15
rs3821943	rs3821943	1.00	Т	0.539	С	1.10
rs1635852	rs864745	0.97	Т	0.501	С	1.10
rs878521	rs2908282	0.55	Α	0.175	G	1.05
rs3802177	rs3802177	1.00	G	0.700	Α	1.12
rs10757282	rs10757282	1.00	С	0.444	T	1.04
rs635634	rs651007	1.00	Т	0.229	С	1.08
rs7903146	rs7903146	1.00	Т	0.302	С	1.34
rs233449	rs233449	1.00	G	0.718	Α	1.09
rs5219	rs5215	0.94	Т	0.638	С	1.07
rs76550717	rs613937	0.79	А	0.830	G	1.10
rs10830963	rs10830963	1.00	G	0.276	С	1.08
rs6581998	rs4760921	0.70	Т	0.329	Α	1.06
rs56348580	rs12427353	0.66	G	0.802	С	1.08
rs78761021	rs7219033	0.87	G	0.700	А	1.07
rs757209	rs4239217	0.63	G	0.393	Α	1.09
rs12454712	rs12454712	1.00	Т	0.626	С	1.05
rs58489806	rs3794991	0.64	Т	0.0824	С	1.09
rs12625671	rs4810426	0.87	С	0.872	Т	1.09
rs1800961	rs1800961	1.00	Т	0.0284	С	1.17

^{*}The following literature SNPs were not analyzed since there were no proxies available: rs3768321, rs12031920, rs406767, rs67156297, rs340874, rs145819220, rs9309245, rs1116357, rs10193447, rs6723108, rs7560163, rs1563575, rs28584669, rs2972156, rs1861612, rs11712037, rs35352848, rs79819696, rs7428936, rs11708067, rs9820223, rs6777684, rs1531583, rs7660590, rs60780116,

rs11747901, rs9687833, rs173964, rs6453287, rs78408340, rs74944275, rs6923241, rs7451008, rs115321690, rs2244020, rs9271774, rs143308245, rs139514607, rs11759026, rs6918311, rs10276674, rs10238625, rs10229583, rs73455744, rs791595, rs10954284, rs1182436, rs516946, rs4734285, rs11786613, rs10758593, rs186838848, rs10965248, rs10965223, rs1575972, rs13301067, rs9410573, rs11787792, rs11257659, rs10998572, rs810517, rs11187140, rs10886471, rs2292626, rs2334499, rs11564732, rs7107784, rs756852, rs231360, rs2237897, rs191294997, rs441613, rs1061810, rs111669836, rs11063018, rs188827514, rs4238013, rs7953190, rs147538848, rs2258238, rs2851437, rs9552911, rs7330796, rs11616380, rs10146997, rs7403531, rs67839313, rs4774420, rs952471, rs62006309, rs62023387, rs12595616, rs1558902, rs8056814, rs2925979, rs9911305, rs7224685, rs13342692, rs79349575, rs7234111, rs1942880, rs79851087, rs139990642, rs429358, rs55864746, rs2023681, rs5945326.

Table S19. Triglycerides: SNPs for genetic risk score calculation*

Literature SNP ^{7,8}	Used SNP	R ²	Used SNP: Effect allele (EA)	EA freq	Used SNP: Other allele	β-coefficient for literature SNP
rs10401969	rs3794991	1.00	Т	0.0824	С	-0.121
rs1260326	rs1260326	1.00	Т	0.428	С	0.115
rs12678919	rs10503669	1.00	Α	0.0996	С	-0.170
rs1321257	rs2281719	1.00	С	0.400	Т	0.040
rs174546	rs1535	1.00	G	0.326	Α	0.045
rs2131925	rs1748197	1.00	Α	0.322	G	-0.066
rs2954029	rs10808546	1.00	Т	0.425	С	-0.076
rs4810479	rs4810479	1.00	С	0.256	Т	0.053
rs7248104	rs7508679	1.00	Т	0.430	С	-0.022
rs2068888	rs4418728	0.97	Т	0.458	G	-0.024
rs442177	rs3775214	0.93	G	0.388	Α	-0.031
rs11613352	rs11172134	0.77	Α	0.189	Т	-0.028
rs5756931	rs4820314	0.66	Α	0.352	G	-0.020
rs964184	rs2075290	0.63	Т	0.921	С	-0.234
rs11649653	rs749767	0.62	G	0.373	Α	-0.027

^{*}The following literature SNPs were not analyzed since there were no proxies available: rs10761731, rs11776767, rs12310367, rs13238203, rs1495743, rs1553318, rs1832007, rs193042029, rs2255811, rs2412710, rs2540948, rs261342, rs2929282, rs2943645, rs3198697, rs340839, rs38855, rs645040, rs6831256, rs7205804, rs731839, rs7811265, rs8077889, rs9686661, rs998584.

Table S20. Uric acid: SNPs for genetic risk score calculation*

Literature SNP 16	Used SNP	R ²	Used SNP: Effect allele (EA)	EA freq	Used SNP: Other allele	β-coefficient for literature SNP
rs1260326	rs1260326	1.00	Т	0.428	С	0.074
rs2231142	rs2231142	1.00	Т	0.101	G	0.217
rs1178977	rs17145713	1.00	С	0.812	T	0.047
rs10480300	rs10480300	1.00	Т	0.288	С	0.035
rs6598541	rs4966021	0.96	С	0.372	Т	0.043
rs17786744	rs3758086	0.90	G	0.595	Α	-0.029
rs653178	rs3184504	0.87	С	0.511	Т	-0.035
rs7193778	rs33063	0.85	G	0.856	Α	-0.046
rs729761	rs9369425	0.75	G	0.295	А	-0.047
rs3741414	rs11172134	0.72	А	0.189	Т	-0.072
rs11264341	rs4072037	0.55	С	0.460	Т	-0.050

^{*}The following literature SNPs were not analyzed since there were no proxies available: rs1471633, rs12498742, rs675209, rs1165151, rs1171614, rs2078267, rs478607, rs17050272, rs2307394, rs6770152, rs17632159, rs2941484, rs10821905, rs642803, rs1394125, rs7188445, rs7224610, rs2079742, rs164009.

Table S21. Venous thromboembolism (VTE): SNPs for genetic risk score calculation*

Literature SNP ¹⁷	Used SNP	R ²	Used SNP: Effect allele (EA)	EA freq	Used SNP: Other allele	OR for literature SNP
rs6025	rs6025	1.00	Т	0.0262	С	3.25
rs4524	rs4524	1.00	Т	0.740	С	1.20
rs2066865	rs2066861	1.00	Т	0.231	С	1.24
rs529565	rs657152	1.00	Α	0.369	С	1.55
rs4253417	rs3756009	0.80	G	0.394	Α	1.27

^{*}The following literature SNPs were not analyzed since there were no proxies available: rs1799963, rs6087685, rs4602861, rs78707713, rs2288904.

Supplemental references noted in Tables S1-S21.

- 1. Tyrrell J, Richmond RC, Palmer TM, Feenstra B, Rangarajan J, Metrustry S, et al. Genetic Evidence for Causal Relationships Between Maternal Obesity-Related Traits and Birth Weight. JAMA. 2016 Mar 15;315(11):1129–40.
- 2. Chambers JC, Zhang W, Sehmi J, Li X, Wass MN, Van der Harst P, et al. Genome-wide association study identifies loci influencing concentrations of liver enzymes in plasma. Nat Genet. 2011 Nov;43(11):1131–8.
- 3. Horikoshi M, Beaumont RN, Day FR, Warrington NM, Kooijman MN, Fernandez-Tajes J, et al. Genome-wide associations for birth weight and correlations with adult disease. Nature. 2016 Sep 28;538(7624):248–52.
- 4. Locke AE, Kahali B, Berndt SI, Justice AE, Pers TH, Day FR, et al. Genetic studies of body mass index yield new insights for obesity biology. Nature. 2015 Feb 12;518(7538):197–206.
- 5. Nikpay M, Goel A, Won H-H, Hall LM, Willenborg C, Kanoni S, et al. A comprehensive 1,000 Genomes-based genome-wide association meta-analysis of coronary artery disease. Nat Genet. 2015 Oct;47(10):1121–30.
- 6. Verweij N, Eppinga RN, Hagemeijer Y, van der Harst P. Identification of 15 novel risk loci for coronary artery disease and genetic risk of recurrent events, atrial fibrillation and heart failure. Sci Rep. 2017 Jun 5;7(1):2761.
- 7. Willer CJ, Schmidt EM, Sengupta S, Peloso GM, Gustafsson S, Kanoni S, et al. Discovery and refinement of loci associated with lipid levels. Nat Genet. 2013 Nov;45(11):1274–83.
- 8. Surakka I, Horikoshi M, Mägi R, Sarin A-P, Mahajan A, Lagou V, et al. The impact of low-frequency and rare variants on lipid levels. Nat Genet. 2015 Jun;47(6):589–97.
- 9. Dehghan A, Dupuis J, Barbalic M, Bis JC, Eiriksdottir G, Lu C, et al. Meta-analysis of genome-wide association studies in >80 000 subjects identifies multiple loci for C-reactive protein levels. Circulation. 2011 Feb 22;123(7):731–8.
- 10. Ehret GB, Ferreira T, Chasman DI, Jackson AU, Schmidt EM, Johnson T, et al. The genetics of blood pressure regulation and its target organs from association studies in 342,415 individuals. Nat Genet. 2016 Oct;48(10):1171-1184.
- 11. Pattaro C, Teumer A, Gorski M, Chu AY, Li M, Mijatovic V, et al. Genetic associations at 53 loci highlight cell types and biological pathways relevant for kidney function. Nat Commun. 2016 Jan 21;7:10023.
- de Vries PS, Chasman DI, Sabater-Lleal M, Chen M-H, Huffman JE, Steri M, et al. A meta-analysis of 120 246 individuals identifies 18 new loci for fibrinogen concentration. Hum Mol Genet. 2016 Jan 15;25(2):358–70.
- 13. Neurology Working Group of the Cohorts for Heart and Aging Research in Genomic Epidemiology (CHARGE) Consortium, the Stroke Genetics Network (SiGN), and the International Stroke Genetics Consortium (ISGC). Identification of additional risk loci for stroke and small vessel disease: a meta-analysis of genome-wide association studies. Lancet Neurol. 2016 Jun;15(7):695–707.
- 14. Bentham J, Morris DL, Cunninghame Graham DS, Pinder CL, Tombleson P, Behrens TW, et al. Genetic association analyses implicate aberrant regulation of innate and adaptive immunity genes in the pathogenesis of systemic lupus erythematosus. Nat Genet. 2015 Dec;47(12):1457–64.

- 15. Scott RA, Scott LJ, Mägi R, Marullo L, Gaulton KJ, Kaakinen M, et al. An Expanded Genome-Wide Association Study of Type 2 Diabetes in Europeans. Diabetes. 2017 Nov;66(11):2888–902.
- 16. Köttgen A, Albrecht E, Teumer A, Vitart V, Krumsiek J, Hundertmark C, et al. Genome-wide association analyses identify 18 new loci associated with serum urate concentrations. Nat Genet. 2013 Feb;45(2):145–54.
- 17. Germain M, Chasman DI, de Haan H, Tang W, Lindström S, Weng L-C, et al. Meta-analysis of 65,734 individuals identifies TSPAN15 and SLC44A2 as two susceptibility loci for venous thromboembolism. Am J Hum Genet. 2015 Apr 2;96(4):532–42.