

**Antibiofilm and antivirulence efficacy of myrtenol enhances the antibiotic susceptibility  
of *Acinetobacter baumannii***

Anthonymuthu Selvaraj<sup>1</sup>, Alaguvel Valliammai<sup>1</sup>, Ganesh kumar Sakthivel<sup>1</sup>, Manokaran Suba<sup>1</sup>, Chandran Sivasankar<sup>1,2</sup> and Shunmugiah Karutha Pandian<sup>1\*</sup>

<sup>1</sup>Department of Biotechnology, Alagappa University, Karaikudi, Tamil Nadu, India.

<sup>2</sup>Department of Food Science and Technology, Pondicherry University, Pondicherry, India.

**\*Corresponding Author**

Dr. Shunmugiah Karutha Pandian

Senior Professor and Head

Department of Biotechnology, Alagappa University, Karaikudi - 630 003, Tamil Nadu, India.


Mail ID: pandiansk@gmail.com

**Fax:** +91 4565 225202

**Tel:** +91 4565 225215

**Supplementary Table 1: MIC of antibiotics against AB strains**

<b>Antibiotics</b>	<b>MIC (<math>\mu\text{g/mL}</math>)</b>			
	<b>AB-ATCC</b>	<b>AB-MTCC</b>	<b>AB-A10-3</b>	<b>AB-A42-4</b>
<b>Amikacin</b>	64	64	64	64
<b>Ciprofloxacin</b>	6	4	4	6
<b>Gentamicin</b>	125	32	32	64
<b>Trimethoprim</b>	125	64	64	125



**Supplementary Fig. 1:** Effect of myrtenol at MBIC (200 µg/mL) on the susceptibility of AB strains to antibiotics. Disc diffusion plates showing the increased susceptibility of AB strains to antibiotics in the presence of myrtenol.