Supplementary Material*

Nehme M, Braillard O, Alcoba G, et al. COVID-19 symptoms: longitudinal evolution and persistence in outpatient settings. Ann Intern Med. 8 December 2020. [Epub ahead of print]. doi:10.7326/M20-5926

Supplement. Survey Data Collected

^{*} This supplementary material was provided by the authors to give readers further details on their article. The material was reviewed but not copyedited.

Supplement. Survey data collected

Record ID	
Date	
Unreachable	Yes/No
Date of test	
Testing center	
Hospitalization	Yes/No
Date of hospitalization	
Date of symptoms onset	
Risk factors (Yes/No, multiple options possible)	Cardiovascular disease
	Hypertension
	Diabetes
	Chronic respiratory disease
	Cancer
	Immunosuppression
	Other chronic disease
	Pregnancy
Symptoms (Yes/No, multiple options possible)	Cough
	Dyspnea
	Fever (T >38C)
	Fatigue
	Myalgias, arthralgias
	Headache
	Rhinorrhea
	Odynodysphagia
	Anosmia/agueusia
	Abdominal pain
	Nausea/vomiting
	Diarrhea
	Other
Deteriorating clinical symptom	Yes/No
Orientation (only one option possible)	Follow-up every 2 days
	Follow-up every day
·	End of follow-up
Reason for end of follow-up (multiple options	Followed by primary care
possible)	Physician
	Patient's wish
	Death
	Out of canton
	Clinical recovery
	Lost to follow-up (unreachable for 2
D00 45	consecutive days)
D30-45 assessment	
Date of assessment	
Unreachable	Niet been italies d
Hospitalization	Not hospitalized
	Hospitalized for COVID-related reasons
	Hospitalized for non-COVID-related
Ourse of a marks are	reasons
Current symptoms	Yes/No
List symptoms (Yes/No, multiple options possible)	Fatigue
	Loss of appetite
	Myalgias

	Arthralgias
	Back pain
	Fever > 38C
	Cough
	Dyspnea
	Chest pain
	Palpitations
	Headache
	Paresthesias
	Anosmia
	Agueusia
	Odynodysphagia
	Nausea
	Vomiting
	Diarrhea
	Abdominal pain
	Rash
Current symptom intensity (one option possible)	Mild
	Moderate
	Severe
Symptom evolution (one option possible)	Never disappeared
	Recurred
	Fluctuates
Most predominant symptom (one option possible)	Fatigue
wost predominant symptom (one option possible)	Loss of appetite
	Myalgias
	Arthralgias
	Back pain
	Fever > 38C
	Cough
	Dyspnea
	Chest pain
	Palpitations
	Headache
	Paresthesias
	Anosmia
	Agueusia
	Odynodysphagia
	Nausea
	Vomiting
	Diarrhea
	Abdominal pain
	Rash
Most worrisome symptom (one option possible)	Fatigue
wost wornsome symptom (one option possible)	
	Loss of appetite
	Myalgias
	Arthralgias
	Back pain
	Fever > 38C
	Cough
	Dyspnea
	Chest pain
	Palpitations
	i aipitatiulia
	Headache Paresthesias

	Anosmia
	Agueusia
	Odynodysphagia
	Nausea
	Vomiting
	Diarrhea
	Abdominal pain
	Rash
If back pain, specify:	Few days
	Most days
	All days
If fatigue, specify:	Normal activity, no limitations in daily
	activity
	Limited activity but capable to do light
	work (office work, cleaning)
	Limited activity but <50% in bed during
	the day
	>50% in bed, but not bedbound
	Bedbound
If dyspnea, specify	Dyspnea only with strenuous exercise
	Dyspnea when hurrying or walking up a
	slight hill
	Has to stop for breath when walking at
	own pace on flat surface
	Stops for breath after walking 90
	meters or after a few minutes
	Too breathless to leave house or
	breathless when dressing