

Table S1: Correlation of MAFG-AS1 expression in tissue with patients' clinicopathological variables in 102 cases of BUC.

Variables	Cases	MAFG-AS1 expression		P- value ^a
		Low(%)	High(%)	
Age (years)				0.541
≤65 ^b	53	27(50.9)	26(49.1)	
>65	49	22(44.9)	27(55.1)	
Sex				0.657
Male	87	41(47.1)	46(52.9)	
Female	15	8(53.3)	7(46.7)	
Tumor size (cm)				0.16
≤3.4 ^c	53	29(54.7)	24(45.3)	
>3.4	49	20(40.8)	29(59.2)	
Tumor multiplicity				0.086
Unifocal	22	7(31.8)	15(68.2)	
Multifocal	80	42(52.5)	38(47.5)	
Tumor grade				0.616
G1	15	7(46.7)	8(53.3)	
G2	45	24(53.3)	21(46.7)	
G3	42	18(42.9)	24(57.1)	
pT category				0.009
pTa/pT1	28	18(64.3)	10(35.7)	
pT2	40	18(45.0)	22(55.0)	
pT3	25	13(52.0)	12(48.0)	
pT4	9	0(0.0)	9(100.0)	
pN category				0.002
pN-	80	45(56.3)	35(43.8)	
pN+	22	4(18.2)	18(81.8)	

^aChi-square test; ^bmedian age; ^cmedian size; BUC: bladder urothelial carcinom.