ISONIAZID PREVENTIVE THERAPY

ADOLESCENT QUESTIONAIRE

You have been asked to participate in this survey, because you are eligible for Isoniazid Preventive Therapy, which is also called IPT. IPT will decrease the chance of TB disease development. We would like to understand what you know and think about IPT. Please answer the questions as well as you can. The interviewer will ask you the following questions. If you don't understand a question, please let the interviewer know.

Uyacelwa kutsi ubeyincenye yelucwaningo lwesilwentako lwe Isoniazid Preventive Therapy pheceleti i IPT . I IPT iyasita kwehlisa ematfuba ekundlondlobala kwesifuba sengati i TB. Siyafuna kwati kabanti ngelwati lonalo nalokucabangako nge IPT ngakoke sicela uphendvule imibuto lelandzelako kahle. Umbuti wetfu utokubuta lemibuto lelandzelako nangabe ukhona umbuto longawuvisisi kahle yatisa umbuti.

IPT Adolescent Questionnaire

A. **This section asks about you and your family.**
Lencenye lelandzelako ibuta ngawe nemndeni wakho/wakini

1. How old are you?
Mingakhi iminyaka yakho

	Age in years Iminyaka

2. What is you gender?
Bulili bakho

(1) Male Silisa	(2) Female Sifazane

3. What is your race?
Libala lakho

(1)Black Mnyama	(2)Coloured Likhalatsi	(3) White Mhlophe	(4) Other Lokunye

4. What is your religion?
Inkholo yakho

(1) Anglicans/Catholic	(2) Evangelical/Charismatic	(3) Jehovah's Witnesses	(4) Zionist	(5) Other

5. How do you get to clinic?
Usebentisa ini kufika emtfolamphilo

(1) Walk Tinyawo	(2) Kombi Ikhumbi/Ibhasi	(3) Personal car Imoto yakho

6. How long does it take you to get to clinic?
Kukutsatsa sikhatsi lesinganani kufika emtfolamphilo

	Number of minutes Imizuzu

7. What is the highest grade of education that you have completed?
Ngemfundvo wagcina kuliphi libanga

	Grade level Libanga

8. Do you participate in any of the following activities?
Ngabe kukhona yini kuloku lukulandzelako loyincenye yako

(1) Attend school Uyafundza	(2) Work in regular context Uyasebenta sonkhe sikhatsi	(3) Work in irregular context Uhle usebenta	(4) Not attending school or working Awufundzi futsi awusebenti

9. What kind of housing do you live in?
Hlobo luni lwendlu lohlala kulo

(1) Brick Yesitini	(2) Stick and mud Yeludzaka	(3) Other Lokunye

10. How many people are living with you in the household in which you spend the majority of your time?
Bangaki bantfu lohlala nabo endlini nome ekhaya lapho ucitsa sikhatsi sakho lesiningi khona

	Number of people Bantfu

11. How many rooms are in the household in which you spend the majority of your time?
    Mangakhi emakamelo endlu locitsa sikhatsi sakho lesiningi kuyo

	Number of rooms Emakamelo

12. Have you been in contact with someone just diagnosed with TB within the last year?
    Ukewaba madvutane nemuntfu lonesifuba sengati iTB kulomnyaka

(1)Yes Yebo	(2)No Cha	(3) Don't know Angati

13. If yes, how are you related to the person who was diagnosed with TB within the last year?
    Nangabe kunjalo, uhlobana njani naye

(1) Parent Ngumtali wami	(2)Relative Sihlobo sami	(3)Friend of family Ngumngani wemndeni	(4)Neighbor Ngumakhelwane	(5) Other Lokunye

14. Are you currently taking IPT?
    Ngabe sewucalile yini kunatsa emaphilisi lavikela sifuba sengati i IPT

(1) No, not taking IPT Cha, angiwanatsi	(2)Yes, taking IPT Yebo, ngiyawanatsa

15. If you are currently taking IPT, how many months have you been taking IPT?
    Nangabe uyawanatsa,unesikhatsi lesinganani uwanatsa

	Number of months Tinyanga

16. Were you aware of IPT prior to this meeting?
    Bewuke weva nge IPT

(1)Yes Yebo	(2)No Cha

B. **The next section makes statements regarding adolescents, TB and IPT. Please tell me your opinion. There are no right or wrong answers.**
Lencenye lelandzelako ikhuluma ngebantfu labasha, sifuba sengati-TB ne IPT, kute umbuto longaba kahle noma ube kabi

(Interviewer: please record response by marking an "x")

17. I am prepared to take IPT. This means that I would take a pill every day for six months to reduce the risk of developing TB.
    Sengilungele kunatsa emaphilisi lavikela iTB. Loko kusho kutsi sekumele nginatse emaphilisi onkhe emalanga kute kube tinyanga letisitfupha kute kunciphe ematfuba ekutsi ngitfole sifuba sengati i TB

(1)Agree Strongly Ngiyavuma	(2)Agree Ngiyavuma	(3)Not sure Angati kahle	(4)Disagree Angivumi	(5)Disagree Strongly Angivumi nhlobo

kakhulu				

18. Taking IPT would be:
    Kunatsa emaphilisi lavikela sifuba sengati i TB kungaba:

(1)Very Good Kuhle kakhulu	(2)Good Kuhle	(3)Not sure Angati kahle	(4)Bad Kubi	(5)Very Bad Kubi kakhulu

(1)Very Necessary Mcoka kakhulu	(2)Necessary Mcoka	(3)Not sure Angati kahle	(4)Unnecessary Akusiko mcoka	(5)Very Unnecessary Akusiko mcoka nhlobo

(1)Very Important Kubaluleke kakhulu	(2)Important Kubalulekile	(3)Not sure Angati kahle	(4)Unimportant Akukabaluleki	(5)Very Unimportant Akukabaluleki nhlobo

C. **This section asks questions about adolescents, TB, IPT, and HIV. Please tell me what you think is the best answer. Lencenye lelandzelako ikhuluma ngensha,sifuba sengati i TB , emaphilisi lavikela sifuba sengati i IPT ne HIV**

19. What is the chance that adolescents can catch TB **from adults**?
    Anganani ematfuba ekutsi umuntfu lomusha atfole i TB kumuntfu lomdzala

(1)None Kute	(2)Low Mancane	(3)Moderate Asemkhatsini	(4)High Makhulu	(5)Very high Makhulu kakhulu

20. What is the chance that adolescents can catch TB **from someone who visits their house**?
    Anganani ematfuba ekutsi umuntfu lomusha atfole i TB kumutfu lamvakashele lonayo

(1)None Kute	(2)Low Mancane	(3)Moderate Asemkhatsini	(4)High Makhulu	(5)Very high Makhulu kakhulu

21. What is the chance that adolescents can catch TB **from someone who lives in their house**?
    Anganani ematfuba ekutsi umuntfu lomusha atfole i TB kumuntfu lahlala naye endlini lonayo

(1)None Kute	(2)Low Mancane	(3)Moderate Asemkhatsini	(4)High Makhulu	(5)Very high Makhulu kakhulu

22. What is the chance that adolescents can catch TB **from someone who sleeps in the same room**?
    Anganani ematfuba ekutsi umuntfu lomusha atfole i TB kumuntfu lalala naye ekamelweni lonayo

(1)None Kute	(2)Low Mancane	(3)Moderate Asemkhatsini	(4)High Makhulu	(5)Very high Makhulu kakhulu

23. What is the chance that adolescents **become sicker than adults when they have TB disease**?
Anganani ematfuba ekutsi umuntfu lomusha agule kakhulu kwengca lomdzala nakane TB

(1)None Kute	(2)Low Mancane	(3)Moderate Asemkhatsini	(4)High Makhulu	(5)Very high Makhulu kakhulu

24. What is the chance that adolescents **can die from TB disease**?
Anganani ematfuba ekutsi umuntfu lomusha abulawe yi TB

(1)None Kute	(2)Low Mancane	(3)Moderate Asemkhatsini	(4)High Makhulu	(5)Very high Makhulu kakhulu

25. What is the chance that adolescents living with HIV develop TB disease when **exposed to someone diagnosed with TB***? Anganani ematfuba ekutsi umuntfu lomusha lophila ne HIV atfole i TB nangabe ake waba dvutane nalone TB*

(1)None Kute	(2)Low Mancane	(3)Moderate Asemkhatsini	(4)High Makhulu	(5)Very high Makhulu kakhulu

26. If you take 1 pill a day for 6 months, what is the chance that you will **become ill with TB**?
Nawunatsa liphilisi linye ngelilanga tinyanga letisitfupha,anganani ematfuba ekutsi ugule nge TB

(1)None Kute	(2)Low Mancane	(3)Moderate Asemkhatsini	(4)High Makhulu	(5)Very high Makhulu kakhulu

27. If you take 1 pill a day for 6 months, what is the chance that you will **die from TB**?
Nawunatsa liphilisi linye ngelilanga tinyanga letisitfupha, anganani ematfuba ekutsi ubulawe yi TB

(1)None Kute	(2)Low Mancane	(3)Moderate Asemkhatsini	(4)High Makhulu	(5)Very high Makhulu kakhulu

28. If you take 1 pill a day for 6 months, what is the chance that you **might become sick from the medicine**? *Nanginatsa liphilisi linye ngelilanga tinyanga letisitfupha anganani ematfuba ekutsi uguliswe kunatsa emaphilisi ekuvikela i TB*

(1)None Kute	(2)Low Mancane	(3)Moderate Asemkhatsini	(4)High Makhulu	(5)Very high Makhulu kakhulu

D. **We would like to know how you think people around you feel about TB, IPT, and HIV. Please tell me if you agree with the following statements. There are no right or wrong answers.** ***Sicela kwati kutsi bantfu lohlala nabo itsini imivo yabo mayelana ne TB, IPT ne HIV. Satise nawuvumelana naloku lokulandzelako,kute imphendvulo lengaba kabi noma ibe kahle***

29. Most of the people important to me would support me in taking a pill every day for 6 months as part of the IPT program. *Bantfu labamcoka kimi bangangisekela ekunatseni emaphilisi lavikela I TB lengiwanatsa onkhe emalanga kute kube tinyanga letisitfupha njenge ncenye yeluhlelo lwe IPT.*

(1) Absolutely agree	(2)Agree	(3)Not sure	(4)Disagree	(5)Absolutely

Ngiyavuma impela	Ngiyavuma	Angati kahle	Angivumi	disagree Angivumi nhlobo

30. My **family** would support me if I took a pill every day for 6 months as part of IPT.
Umndeni wami ungangesekela kunatsa emaphilisi onkhe emalanga tinyanga letisitfupha lokuyincenye yeluhlelo lwe IPT

(1) Absolutely agree Ngiyavuma impela	(2)Agree Ngiyavuma	(3)Not sure Angati kahle	(4)Disagree Angivumi	(5)Absolutely disagree Angivumi nhlobo

31. My **neighbors** would support me if I took a pill everyday for 6 months as part of IPT.
Bomakhelwane bangangesekela nanginganatsa emaphilisi onkhe emalanga kute kube tinyanga letisitfupha lokuyincenye yeluhlelo lwe IPT

(1) Absolutely agree Ngiyavuma impela	(2)Agree Ngiyavuma	(3)Not sure Angati kahle	(4)Disagree Angivumi	(5)Absolutely disagree Angivumi nhlobo

32. If I take an IPT pill every day, **my family may think that I am sick.**
Nanginganatsa emaphilisi ekuvikela i TB , umndeni wakitsi ungacabanga kutsi ngiphatsekile

(1) Absolutely agree Ngiyavuma impela	(2)Agree Ngiyavuma	(3)Not sure Angati kahle	(4)Disagree Angivumi	(5)Absolutely disagree Angivumi nhlobo

33. If I take an IPT pill every day, **my family may think that I have TB.**
Nanginganatsa emaphilisi ekuvikela i TB onkhe malanga, umndeni wakitsi ungacabanga kutsi nginesifuba sengati i TB

(1) Absolutely agree Ngiyavuma impela	(2)Agree Ngiyavuma	(3)Not sure Angati kahle	(4)Disagree Angivumi	(5)Absolutely disagree Angivumi nhlobo

34. If I take an IPT pill every day, **my family may think I have HIV.**
Nanginganatsa emaphilisi ekuvikela i TB onkhe malanga, umndeni wakitsi ungacabanga kusti ngine HIV

(1) Absolutely agree Ngiyavuma impela	(2)Agree Ngiyavuma	(3)Not sure Angati kahle	(4)Disagree Angivumi	(5)Absolutely disagree Angivumi nhlobo

35. If I take an IPT pill every day, **my family may think that I am a good person.**
Nanginganatsa emaphilisi ekuvikela i TB onkhe emalanga,umndeni wakitsi ungacabanga kutsi ngingumuntfu lokahle

(1) Absolutely agree Ngiyavuma impela	(2)Agree Ngiyavuma	(3)Not sure Angati kahle	(4)Disagree Angivumi	(5)Absolutely disagree Angivumi nhlobo

36. If I take an IPT pill every day, **my neighbors may think that I am sick**.
Nanginganatsa emaphilisi ekuvikela i TB onkhe malanga, bomakhelwane bangacabanga kutsi ngiphatsekile

(1) Absolutely agree Ngiyavuma impela	(2)Agree Ngiyavuma	(3)Not sure Angati kahle	(4)Disagree Angivumi	(5)Absolutely disagree Angivumi nhlobo

37. If I take an IPT pill every day, my **neighbors may think that I have TB.**
Nanginganatsa emaphilisi emaphilisi ekuvikela i TB onkhe malanga, bomakhelwane bangacabanga kutsi ngine TB

(1) Absolutely agree Ngiyavuma impela	(2)Agree Ngiyavuma	(3)Not sure Angati kahle	(4)Disagree Angivumi	(5)Absolutely disagree Angivumi nhlobo

38. If I take an IPT pill every day, **my neighbors may think I have HIV.**
Nanginganatsa emaphilisi ekuvikela i TB onkhe malanga, bomakhelwane bangacabanga kutsi ngine HIV

(1) Absolutely agree Ngiyavuma impela	(2)Agree Ngiyavuma	(3)Not sure Angati kahle	(4)Disagree Angivumi	(5)Absolutely disagree Angivumi nhlobo

39. If I take an IPT pill every day, **my neighbors may think that I am a good person.**
Nanginganatsa emaphilisi emaphilisi ekuvikela i TB onkhe malanga, bomakhelwane bangacanga kutsi ngingumuntfu lokahle

(1) Absolutely agree Ngiyavuma impela	(2)Agree Ngiyavuma	(3)Not sure Angati kahle	(4)Disagree Angivumi	(5)Absolutely disagree Angivumi nhlobo

40. If I take an IPT pill every day, I will be stigmatized, either by being teased, verbally abused or avoided. *Nanginganatsa emaphilisi ekuvikela i TB ngingabandlululwa ngekutsi bangeye, bangetfuke noma bangecwaye*

(1) Absolutely agree Ngiyavuma impela	(2)Agree Ngiyavuma	(3)Not sure Angati kahle	(4)Disagree Angivumi	(5)Absolutely disagree Angivumi nhlobo

41. If I take an IPT pill every day, **I will be treated as different.**
Nanginganatsa emaphilisi emaphilisi ekuvikela i TB onkhe malanga, ngitawuphatseka ngendlela lehlukile

(1) Absolutely agree Ngiyavuma impela	(2)Agree Ngiyavuma	(3)Not sure Angati kahle	(4)Disagree Angivumi	(5)Absolutely disagree Angivumi nhlobo

42. If I take an IPT pill every day, the Center of Excellence staff will be kind to me.
Nanginganatsa emaphilisi emaphilisi ekuvikela i TB onkhe malanga tisebenti tesibhedlela sebantfwana titoba nesihe kimi

(1) Absolutely agree Ngiyavuma impela	(2)Agree Ngiyavuma	(3)Not sure Angati kahle	(4)Disagree Angivumi	(5)Absolutely disagree Angivumi nhlobo

E. **This section asks about reasons that might make it difficult to take IPT. There are no right or wrong answers.** ***Lencenye lelandzelako ibuta ngetizatfu letenta kunatsa emaphilisi lavikela sifuba sengati i IPT kubelukhuni.***

43. Taking a pill every day for 6 months as part of IPT would be:
Nanginganatsa emaphilisi ekuvikela i TB onkhe malanga tinyanga tibe sitfupha njengeluhlelo lwe IPT kungaba:

(1)Very Easy Melula kakhulu	(2)Easy Melula	(3)Not sure Angati kahle	(4)Difficult Lukhuni	(5)Very Difficult Lukhuni kakhulu

44. I can remember to take the IPT every day.
Ngingakhumbula kunatsa emaphilisi ekuvikela sifuba sengati onkhe emalanga

(1)Impossible Ngeke	(2)Unlikely Kungenteka ngingakhumbuli	(3)Maybe Kungenteka ngikhumbule	(4)Probably Kungenteka	(5)Definitely Ngingakhumbula

45. The cost of coming to clinic prevents me from coming when I need to for care.
Tindleko tekuta emtfolamphilo tiyangivimbela kutsi ngivele emtfolamphilo nakudzingekile

(1) Absolutely agree Ngiyavuma impela	(2)Agree Ngiyavuma	(3)Not sure Angati kahle	(4)Disagree Angivumi	(5)Absolutely disagree Angivumi nhlobo

46. I am able to keep the medicine safely stored for myself.
Ngingakhona kugcina kahle emaphilisi ekuvikela sifuba sengati

(1)Impossible Ngeke ngikhone	(2)Unlikely Kungenteka ngingakhoni	(3)Maybe Mhlawumbe ngikhone	(4)Probably Mhlawumbe	(5)Definitely Ngingakhona

47. I am able to go to the TB clinic to pick up my own medicine once a month.
Ngingakhona kuya emtfolamphilo wesifuba sengati kulandza emaphilisi ami njalo ngenyanga

(1)Impossible Ngeke ngikhone	(2)Unlikely Kungenteka ngingakhoni	(3)Maybe Mhlawumbe ngikhone	(4)Probably Mhlawumbe	(5)Definitely Ngingakhona

48. I am able to go to the clinic once a month to be examined by the TB sister.
Ngingakhona kuya emtfolamphilo njalo ngenyanga kucwaningwa ngunesi wesifuba sengati

(1)Impossible Ngeke ngikhone	(2)Unlikely Kungenteka ngingakhoni	(3)Maybe Mhlawumbe ngikhone	(4)Probably Mhlawumbe	(5)Definitely Ngingakhona

49. If I were instructed to do so today, would I be able to obtain a chest X-ray?
Nangingacelwa namuhla kutsi kutsatfwe sitfombe sesifuba ngingavuma

(1)Yes Yebo	(2)No Chake

50. If no, why? *Ngala nganasi sizatfu*

_____
_____
_____

51. IPT can be given in different ways. One requires taking two types of medicines once a week for 3 months while a clinic or community health worker observes you taking the medicine each time. The other would require you taking one type of medicine once daily at home, but it has to be taken for six months. *Emaphilisi lavikela sifuba sengati angatsatfwa ngetindlela letehlukene. Yekucala unatsa imitsi lemibili leyehlukene liviki linye tinyanga tibe tintsatfu ngekusitwa tisebenti temtfolamphilo noma tisebenti tetemphilo emmangweni sonkhe sikhatsi. Lenye indlela kungaba kutsi unatse umutsi munye ekhaya onkhe emalanga kanye ngelilanga, kepha umehluko kutsi kulendlela uwunatsa lomutsi tinyanga tibe sitfupha.*

Taking two types of medicine **once a week for 3 months** while a non-family member observes would be preferable to taking one type of medicine daily for 6 months. *Kunatsa imitsi lemibili leyehlukene kanye ngeliviki tinyanga tibe tintsatfu ngekusitwa ngumuntfu longasiso sihlobo semndeni kuncono kunekunatsa luhlobo lunye lwemutsi onkhe emalanga tinyanga tibe sitfupha*

(1) Absolutely agree Ngiyavuma impela	(2)Agree Ngiyavuma	(3)Not sure Angati kahle	(4)Disagree Angivumi	(5)Absolutely disagree Angivumi nhlobo

52. There are two other options for giving IPT we would like you to consider. One requires taking one medicine twice a week for 6 months while a clinic or community health worker observes you taking the medicine each time. The other would require you taking one medicine once daily at home. *Timbili tinhlelo tekunatsa emaphilisi lavikela sifuba sengati lesitsandza kutisebentisa. Yekucala idzinga kutsi lonatsa lamaphilisi anatse luhlobo lunye kabili ngeliviki tinyanga tibe sitfupha ngekusitwa sisebenti setempilo sasemmangweni noma emntfolamphilo lekufuneka sinake kutsi lonatsako unatsile onkhe emalanga. Indlela yesibili idzinga kutsi lonatsako anatse luhlobo lwemutsi munye njalo kanye ngelilanga ekhaya.*

Taking medicine **twice a week for 6 months** while a non-family member observes would be preferable to taking medicine daily for 6 months*. Kunatsa imitsi kabili ngeliviki tinyanga tibe sitfupha ngekusitwa ngumuntfu longasiso sihlobo semndeni wami kuncono kunekunatsa imitsi njalo ngelilanga tinyanga tibe sitfupha*

(1) Absolutely agree Ngiyavuma impela	(2)Agree Ngiyavuma	(3)Not sure Angati kahle	(4)Disagree Angivumi	(5)Absolutely disagree

				Angivumi nhlobo

F. **We would like to know how you feel about the services at the Center of Excellence and IPT. There are no right or wrong answers.** ***Sicela kwati kutsi itsini umuvo wakho mayelana netinhlelo tetfu telusito emtfolamphilo wetfu webantfwana ne IPT, kute imphendvulo lengaba kahle noma ibe kabi***

53. I am more likely to attend clinic for examination if the wait time is an hour or less.
Ngingeta emtfolamphilo kutewucwanigwa nangabe sikhatsi lengitosicitsa khona singaba sigamu noma ngaphansi

(1)Impossible Ngeke ngikhone	(2)Unlikely Kungenteka ngingakhoni	(3)Maybe Mhlawumbe ngikhone	(4)Probably Mhlawumbe	(5)Definitely Ngingakhona

54. I am more likely to attend clinic for examination if I could go before or after my own work hours.
Ngingeta emtfolamphilo kutewucwanigwa nangingeta singakashayi sikhatsi sami semsebenti noma emvakwemsebenti

(1)Impossible Ngeke ngikhone	(2)Unlikely Kungenteka ngingakhoni	(3)Maybe Mhlawumbe ngikhone	(4)Probably Mhlawumbe	(5)Definitely Ngingakhona

55. I am more likely to attend clinic for examination if I do not have to pay for the recommended chest x-ray. *Ngingeta emtfolamphilo kutewucwanigwa nakungeke kudzingeke kutsi ngibhadale tindleko tesitfombe sesifuba*

(1)Impossible Ngeke ngikhone	(2)Unlikely Kungenteka ngingakhoni	(3)Maybe Mhlawumbe ngikhone	(4)Probably Mhlawumbe	(5)Definitely Ngingakhona

G. **We would like to know how you feel about Community Health Workers (CHW) and IPT. There are no right or wrong answers.** ***Sicela kwati kabanti ngemivo yakho mayelana nebagcugcuteli ne IPT***

56. I prefer if a CHW came to my home once a month to check on me and deliver my pills instead of going to the clinic once a month. *Ngingatsandza kutsi umgcugcuteli angivakashele kanye ngenyanga aletse emaphilisi ami ekhaya kunekutsi ngitilandzele emntfolamphilo njalo ngenyanga*

(1) Absolutely agree Ngiyavuma impela	(2)Agree Ngiyavuma	(3)Not sure Angati kahle	(4)Disagree Angivumi	(5)Absolutely disagree Angivumi nhlobo

57. Why did you give that answer? Please give me two or three reasons why.
Tizatfu tami letimbili nome ngetulu tekutsi ngikhetse kuletselwa ngumgcugcuteli ngunati

_____
_____
_____
_____

58. I prefer meeting a CHW once a month to check on me and deliver my pills at a place I choose instead of going to the clinic once a month. *Ngitsandza kutsi umgcugcuteli angiletsele kanye ngenyanga emaphilisi endzaweni lekhetfwe ngimi kunekuya emtfolamphilo njalo ngenyanga*

(1) Absolutely agree Ngiyavuma impela	(2)Agree Ngiyavuma	(3)Not sure Angati kahle	(4)Disagree Angivumi	(5)Absolutely disagree Angivumi nhlobo

59. Why did you give that answer? Please give me two or three reasons why. *Tizatfu tami letimbili nome ngetulu tekutsi ngikhetse kuletselwa ngumgcugcuteli endzaweni lefunwa ngimi kunekuya emtfolaphilo ngunati*

_____
_____
_____
_____

60. If you were to meet with a CHW, what places would you be comfortable meeting a CHW? Please choose all that apply. *Nawungafuna kubona umgcugcuteli, ngutiphi tindzawo longakhululeka kuto kuhlangana naye*

(1)Church Esontfweni	(2)School Esikolweni	(3)Workplace Emsebentini	(4)Neighbor's home Kamakhelwane	(5)CHW's home Kamgcugcuteli	(6)Market Emakethe
(7) Other: Please specify: _____					

61. If you were to meet with a CHW, what times of the day would be most convenient for you to meet the CHW at your home (or place near your home that you choose)? *Nawungafuna kubona umgcugcuteli ngutiphi tikhatsi telilanga letingakulungela kutsi ete ngato ekhaya noma endzaweni lekhetfwe nguwe*

(1)Morning (before 1200) Ekuseni	(2)Afternoon (1200-1600) Entsambama	(3)Evening (1600-1900) Kusihlwa	(4)It depends Kungaya ngesimo	(5)Doesn't matter Nome nini

62. I worry that my **family** would find out that I am taking pills if a CHW came to my home or met with me outside of my home. *Ngikhatsatekile kutsi umndeni wakitsi utokwati kutsi nginatsa emaphilisi lavikela sifuba sengati nakuta umgcugcuteli ekhaya noma sihlangana ngephandle kwelikhaya*

(1) Absolutely agree Ngiyavuma impela	(2)Agree Ngiyavuma	(3)Not sure Angati kahle	(4)Disagree Angivumi	(5)Absolutely disagree Angivumi nhlobo

63. I worry that my **neighbors** would find out that I am taking pills if a CHW came to my home or met with me outside of my home. *Ngikhatsatekile kutsi Bomakhelwane bangati kutsi nginatsa emaphilisi lavikela sifuba sengati nakuta umgcugcuteli ekhaya noma sihlangana ngephandle kwelikhaya*

(1) Absolutely agree Ngiyavuma impela	(2)Agree Ngiyavuma	(3)Not sure Angati kahle	(4)Disagree Angivumi	(5)Absolutely disagree Angivumi nhlobo

64. I worry that the CHW would tell others that I am taking pills.
Ngikhatsatekile kutsi umgcugcuteli angatjela labanye bantfu kutsi nginatsa emaphilisi ekuvikela sifuba sengati

(1) Absolutely agree Ngiyavuma impela	(2)Agree Ngiyavuma	(3)Not sure Angati kahle	(4)Disagree Angivumi	(5)Absolutely disagree Angivumi nhlobo