ISONIAZID PREVENTIVE THERAPY

PRIMARY CARE GIVER (PCG) QUESTIONAIRE

You have been asked to participate in this survey, because you are eligible for Isoniazid Preventive Therapy, which is also called IPT. IPT will decrease the chance of TB disease development. We would like to understand what you know and think about IPT. Please answer the questions as well as you can. The interviewer will ask you the following questions. If you don't understand a question, please let the interviewer know.

Uyacelwa kutsi ubeyincenye yelucwaningo lwesilwentako lwe Isoniazid Preventive Therapy pheceleti i IPT . I IPT iyasita kwehlisa ematfuba ekundlondlobala kwesifuba sengati i TB. Siyafuna kwati kabanti ngelwati lonalo nalokucabangako nge IPT ngakoke sicela uphendvule imibuto lelandzelako kahle. Umbuti wetfu utokubuta lemibuto lelandzelako nangabe ukhona umbuto longawuvisisi kahle yatisa umbuti.

IPT Primary Care Giver Questionnaire

A. **This section asks about you and your family.**
Lencenye lelandzelako ibuta ngawe nemndeni wakho/wakini

1. How old are you?
Mingakhi iminyaka yakho

	Age in years Iminyaka

2. What is you gender?
Bulili bakho

(1) Male Silisa	(2) Female Sifazane

3. What is your race?
Libala lakho

(1)Black Mnyama	(2)Coloured Likhalatsi	(3) White Mhlophe	(4) Other Lokunye

4. What is your religion?
Inkholo yakho

(1) Anglicans/Catholic	(2) Evangelical/Charismatic	(3) Jehovah's Witnesses	(4) Zionist	(5) Other

5. How do you get to clinic?
Usebentisa ini kufika emtfolamphilo

(1) Walk Tinyawo	(2) Kombi Ikhumbi/Ibhasi	(3) Personal car Imoto yakho

6. How long does it take you to get to clinic?
Kukutsatsa sikhatsi lesinganani kufika emtfolamphilo

	Number of minutes Imizuzu

7. What is the highest grade of education that you have completed?
Ngemfundvo wagcina kuliphi libanga

	Grade level Libanga

8. Do you participate in any of the following activities?
Ngabe kukhona yini kuloku lukulandzelako loyincenye yako

(1) Attend school Uyafundza	(2) Work in regular context Uyasebenta sonkhe sikhatsi	(3) Work in irregular context Uhle usebenta	(4) Not attending school or working Awufundzi futsi awusebenti

9. What kind of housing do you live in?
Hlobo luni lwendlu lohlala kulo

(1) Brick Yesitini	(2) Stick and mud Yeludzaka	(3) Other Lokunye

10. How many people are living with you in the household in which you spend the majority of your time?
Bangaki bantfu lohlala nabo endlini nome ekhaya lapho ucitsa sikhatsi sakho lesiningi khona

	Number of people Bantfu

11. How many rooms are in the household in which you spend the majority of your time?
Mangakhi emakamelo endlu locitsa sikhatsi sakho lesiningi kuyo

	Number of rooms Emakamelo

12. What is the age of your child who is receiving care?
Mingakhi iminyaka yemntfwanakho lotfola lusito lwekuvikela i TB

	Age in years Iminyaka

13. Has the child been in contact with someone just diagnosed with TB within the last year?
Umntfwanakho ukewaba madvutane nemuntfu lonesifuba sengati iTB kulomnyaka

(1)Yes Yebo	(2)No Cha	(3) Don't know Angati

14. If yes, how is the child related to the person who was diagnosed with TB within the last year?
Nangabe kunjalo, umntfwana uhlobana njani naye

(1) Parent Ngumtali wami	(2)Relative Sihlobo sami	(3)Friend of family Ngumngani wemndeni	(4)Neighbor Ngumakhelwane	(5) Other Lokunye

15. Is the child currently taking IPT?
Umntfwana ngabe uyawanatsa yini emaphilisi kavikela i TB

(1) No, not taking IPT Cha, angiwanatsi	(2)Yes, taking IPT Yebo, ngiyawanatsa

16. If the child is currently taking IPT, how many months has he/she been taking IPT?
Nangabe umntfwana awanatsa emaphilisi lavikela iTB, sowanatse sikhatsi lesinganani

	Number of months Tinyanga

17. Were you aware of IPT prior to this meeting?
Bowuke weva ngemaphilisi lavikela i TB

(1)Yes Yebo	(2)No Cha

B. The next section makes statements regarding children, TB and IPT. Please tell me your opinion. There are no right or wrong answers. Lencenye lelandzelako ibuta ngebantfwana,I TB kanye ne IPT

(Interviewer: please record response by marking an "x")

18. I am prepared to give IPT to my child. This means that I would give my child a pill every day for six months to reduce the risk of developing TB. *Ngilungele kunatsisa umntfwanami i IPT , Loko kusho kutsi umntfwana utonatsa emaphilisi onkhe emalanga kute kube tinyanga letisitfupha kwehlisa ematfuba ekutsi atfole i TB*

(1)Agree Strongly Ngiyavuma kakhulu	(2)Agree Ngiyavuma	(3)Not sure Angati kahle	(4)Disagree Angivumi	(5)Disagree Strongly Angivumi nhlobo

19. Giving my child IPT would be
    Kunatsisa umntfwana I IPT kutoba:

(1)Very Good Kuhle kakhulu	(2)Good Kuhle	(3)Not sure Angati kahle	(4)Bad Kubi	(5)Very Bad Kubi kakhulu

(1)Very Necessary Mcoka kakhulu	(2)Necessary Mcoka	(3)Not sure Angati kahle	(4)Unnecessary Akusiko mcoka	(5)Very Unnecessary Akusiko mcoka nhlobo

(1)Very Important Kubaluleke kakhulu	(2)Important Kubalulekile	(3)Not sure Angati kahle	(4)Unimportant Akukabaluleki	(5)Very Unimportant Akukabaluleki nhlobo

C. **This section asks questions about children, TB, IPT, and HIV. Please tell me what you think is the best answer.Lencenye lelandzelako ibuta ngebantfwana, i TB kanye ne HIV. *Sicela kwati imivo yakho***

20. What is the chance that children can catch TB **from adults**?
    Anganani ematfuba ekutsi umuntfwana atfole i TB kumuntfu lomdzala

(1)None Kute	(2)Low Mancane	(3)Moderate Asemkhatsini	(4)High Makhulu	(5)Very high Makhulu kakhulu

21. What is the chance that children can catch TB **from someone who visits their house**?
    Anganani ematfuba ekutsi umuntfwana atfole i TB kumutfu lamvakashele lonayo

(1)None Kute	(2)Low Mancane	(3)Moderate Asemkhatsini	(4)High Makhulu	(5)Very high Makhulu kakhulu

22. What is the chance that children can catch TB **from someone who lives in their house**?
    Anganani ematfuba ekutsi umntfwana atfole i TB kumuntfu lahlala naye endlini yinye

(1)None Kute	(2)Low Mancane	(3)Moderate Asemkhatsini	(4)High Makhulu	(5)Very high Makhulu kakhulu

23. What is the chance that children can catch TB **from someone who sleeps in the same room**? *Anganani ematfuba ekutsi umuntfwana atfole i TB kumuntfu lalala naye ekamelweni lonayo*

(1)None Kute	(2)Low Mancane	(3)Moderate Asemkhatsini	(4)High Makhulu	(5)Very high Makhulu kakhulu

24. What is the chance that children younger than 5 years of age **become sicker than adults when they have TB disease**? *Anganani ematfuba ekutsi umuntfwana longephansi kweminyaka lesihlanu agule kwengca umuntfu lomdzala nakatfole sifo se TB*

(1)None Kute	(2)Low Mancane	(3)Moderate Asemkhatsini	(4)High Makhulu	(5)Very high Makhulu kakhulu

25. What is the chance that children younger than 5 years of age **can die from TB disease**? *Anganani ematfuba ekutsi umuntfwana longephansi kweminyaka lesihlanu abulawe sifo se TB*

(1)None Kute	(2)Low Mancane	(3)Moderate Asemkhatsini	(4)High Makhulu	(5)Very high Makhulu kakhulu

26. What is the chance that children living with HIV develop TB disease when **exposed to someone diagnosed with TB**? *Anganani ematfuba ekutsi umuntfwana loneHIV atfole i TB nakabedvutane nalonayo*

(1)None Kute	(2)Low Mancane	(3)Moderate Asemkhatsini	(4)High Makhulu	(5)Very high Makhulu kakhulu

27. If you give your child 1 pill a day for 6 months, what is the chance that your child will **become ill with TB**? *Nawunatsisa umntfwana liphilisi onkhe malanga tinyanga letisitfupha, anganani ematfuba ekutsi agule nge TB*

(1)None Kute	(2)Low Mancane	(3)Moderate Asemkhatsini	(4)High Makhulu	(5)Very high Makhulu kakhulu

28. If you give your child 1 pill a day for 6 months, what is the chance that your child will **die from TB**?

Nawunatsisa umntfwana liphilisi onkhe malanga tinyanga letisitfupha,anganani ematfuba ekutsi abulawe yi TB

(1)None Kute	(2)Low Mancane	(3)Moderate Asemkhatsini	(4)High Makhulu	(5)Very high Makhulu kakhulu

29. If you give your child 1 pill a day for 6 months, what is the chance that your child **might become sick from the medicine** *Nawunatsisa umntfwana liphilisi onkhe malanga tinyanga letisitfupha,anganani ematfuba ekutsi aguliswe ngiwo emaphilisi lawanatsako*

(1)None Kute	(2)Low Mancane	(3)Moderate Asemkhatsini	(4)High Makhulu	(5)Very high Makhulu kakhulu

D. **We would like to know how you think people around you feel about TB, IPT, and HIV. Please tell me if you agree with the following statements. There are no right or wrong answers.** ***Sicela kwati ngemuvo yakho ngebantfu lohlala nabo kutsi bacangani nge TB, IPT ne HIV. Kute imphendvulo lekahle noma lekabi***

30. Most of the people important to me would support me in giving my child a pill every day for 6 months as part of the IPT program. . *Bantfu labamcoka kimi bangangisekela ekunatsiseni umntfwanami emaphilisi lavikela I TB onkhe emalanga kute kube tinyanga letisitfupha njenge ncenye yeluhlelo lwe IPT*

(1) Absolutely agree Ngiyavuma impela	(2)Agree Ngiyavuma	(3)Not sure Angati kahle	(4)Disagree Angivumi	(5)Absolutely disagree Angivumi nhlobo

31. My **family** would support me if I gave my child a pill every day for 6 months as part of IPT. *Umndeni wami ungangesekela ekunatsiseni umntfwanami emaphilisi lavikela I TB onkhe emalanga kute kube tinyanga letisitfupha njenge ncenye yeluhlelo lwe IPT*

(1) Absolutely agree Ngiyavuma impela	(2)Agree Ngiyavuma	(3)Not sure Angati kahle	(4)Disagree Angivumi	(5)Absolutely disagree Angivumi nhlobo

32. My **neighbors** would support me if I gave my child a pill everyday for 6 months as part of IPT.

Bomakhelwane bami bangangesekela ekunatsiseni umntfwanami emaphilisi lavikela I TB onkhe emalanga kute kube tinyanga letisitfupha njenge ncenye yeluhlelo lwe IPT

(1) Absolutely agree Ngiyavuma impela	(2)Agree Ngiyavuma	(3)Not sure Angati kahle	(4)Disagree Angivumi	(5)Absolutely disagree Angivumi nhlobo

33. If my child takes an IPT pill every day, **my family may think that my child is sick.**
Umntfwanami nakanganatsa emaphilisi ekuvikela i TB , umndeni wakitsi ungacabanga kutsi uphatsekile

(1) Absolutely agree Ngiyavuma impela	(2)Agree Ngiyavuma	(3)Not sure Angati kahle	(4)Disagree Angivumi	(5)Absolutely disagree Angivumi nhlobo

34. If my child takes an IPT pill every day, **my family may think that my child has TB.**
Umntfwanami nakanganatsa emaphilisi ekuvikela i TB , umndeni wakitsi ungacabanga kutsi une TB

(1) Absolutely agree Ngiyavuma impela	(2)Agree Ngiyavuma	(3)Not sure Angati kahle	(4)Disagree Angivumi	(5)Absolutely disagree Angivumi nhlobo

35. If I give my child an IPT pill every day, **my family may think my child has HIV.**
Umntfwanami nakanganatsa emaphilisi ekuvikela i TB , umndeni wakitsi ungacabanga kutsi une HIV

(1) Absolutely agree Ngiyavuma impela	(2)Agree Ngiyavuma	(3)Not sure Angati kahle	(4)Disagree Angivumi	(5)Absolutely disagree Angivumi nhlobo

36. If I give my child an IPT pill every day, **my family may think that I am a good parent.**
Nanginganatsisa umntfwanami emaphilisi ekuvikela i TB onkhe malanga,umndeni wakitsi ungacabanga kutsi ngingumtali lokahle

(1) Absolutely agree Ngiyavuma impela	(2)Agree Ngiyavuma	(3)Not sure Angati kahle	(4)Disagree Angivumi	(5)Absolutely disagree Angivumi nhlobo

37. If my child takes an IPT pill every day, **my neighbors may think that my child is sick**.
Nanginganatsisa umntfwanami emaphilisi ekuvikela i TB onkhe malanga,bomakhelwane bangacabanga kutsi uphatsekile

(1) Absolutely agree Ngiyavuma impela	(2)Agree Ngiyavuma	(3)Not sure Angati kahle	(4)Disagree Angivumi	(5)Absolutely disagree Angivumi nhlobo

38. If my child takes an IPT pill every day, my **neighbors may think that my child has TB.**
Nanginganatsisa umntfwanami emaphilisi ekuvikela i TB onkhe malanga,bomakhelwane bangacabanga kutsi une TB

(1) Absolutely agree Ngiyavuma impela	(2)Agree Ngiyavuma	(3)Not sure Angati kahle	(4)Disagree Angivumi	(5)Absolutely disagree Angivumi nhlobo

39. If I give my child an IPT pill every day, my **neighbors may think my child has HIV.**
Nanginganatsisa umntfwanami emaphilisi ekuvikela i TB onkhe malanga,bomakhelwane bangacabanga kutsi une HIV

(1) Absolutely agree Ngiyavuma impela	(2)Agree Ngiyavuma	(3)Not sure Angati kahle	(4)Disagree Angivumi	(5)Absolutely disagree Angivumi nhlobo

40. If I give my child an IPT pill every day, **my neighbors may think that I am a good parent.**
Nanginganatsisa umntfwanami emaphilisi ekuvikela i TB onkhe malanga,bomakhelwane bangacabanga kutsi ngingumtali lokahle

(1) Absolutely	(2)Agree	(3)Not	(4)Disagree	(5)Absolutely

agree Ngiyavuma impela	Ngiyavuma	sure Angati kahle	Angivumi	disagree Angivumi nhlobo

41. If I give my child and IPT pill every day, my child will be stigmatized, by being teased, verbally abused or avoided. *Nanginganatsisa umntfwana emaphilisi ekuvikela i TB onkhe emalanga angabandlululwa ngekutsi bameye,bametfuke noma bamecwaye*

(1) Absolutely agree Ngiyavuma impela	(2)Agree Ngiyavuma	(3)Not sure Angati kahle	(4)Disagree Angivumi	(5)Absolutely disagree Angivumi nhlobo

42. If I give my child an IPT pill every day, **my child will be treated as different.**

    Nanginganatsisa umntfwanami emaphilisi ekuvikela i TB onkhe malanga, utawuphatseka ngendlela lehlukile kubantfu

(1) Absolutely agree Ngiyavuma impela	(2)Agree Ngiyavuma	(3)Not sure Angati kahle	(4)Disagree Angivumi	(5)Absolutely disagree Angivumi nhlobo

43. If I give my child an IPT pill every day, **my family may think that I have TB.**
    Nanginganatsisa umntfwanami emaphilisi ekuvikela i TB onkhe malanga,bemndeni bangacabanga kutsi ngine TB

(1) Absolutely agree Ngiyavuma impela	(2)Agree Ngiyavuma	(3)Not sure Angati kahle	(4)Disagree Angivumi	(5)Absolutely disagree Angivumi nhlobo

44. If I give my child an IPT pill every day, **my neighbors may think that I have TB**.
    Nanginganatsisa umntfwanami emaphilisi ekuvikela i TB onkhe malanga,bomakhelwane bangacabanga kutsi ngineTB

(1) Absolutely agree Ngiyavuma impela	(2)Agree Ngiyavuma	(3)Not sure Angati kahle	(4)Disagree Angivumi	(5)Absolutely disagree Angivumi nhlobo

45. If I give my child an IPT pill every day, **I will be stigmatized, by being teased, verbally abused, or avoided.** *Nanginganatsisa umntfwana emaphilisi ekuvikela i TB onkhe emalanga ngingabandlululwa ngekutsi bangeye,bangetfuke noma bangecwaye*

(1) Absolutely agree Ngiyavuma impela	(2)Agree Ngiyavuma	(3)Not sure Angati kahle	(4)Disagree Angivumi	(5)Absolutely disagree Angivumi nhlobo

46. If I give my child an IPT pill every day, **I will be treated as different.**

Nanginganatsisa umntfwana emaphilisi ekuvikela i TB onkhe malanga, ngitawuphatseka ngendlela lehlukile

(1) Absolutely agree Ngiyavuma impela	(2)Agree Ngiyavuma	(3)Not sure Angati kahle	(4)Disagree Angivumi	(5)Absolutely disagree Angivumi nhlobo

47. If you found out a child is taking IPT, you would be worried about letting your child spend time with him/her. *Nangabe utfola kutsi umntfwana tsite unatsa I IPT ungakhatseka kutsi bantfwana bakho badlale naye*

(1) Absolutely agree Ngiyavuma impela	(2)Agree Ngiyavuma	(3)Not sure Angati kahle	(4)Disagree Angivumi	(5)Absolutely disagree Angivumi nhlobo

48. If I give my child an IPT pill every day, the Center of Excellence staff will be kind to me. *Nanginatsisa umntfwanami emaphilisi e IPT onkhe emalanga tisebenti tesibhedlela sebantfwana titoba nesihe kimi*

(1) Absolutely agree Ngiyavuma impela	(2)Agree Ngiyavuma	(3)Not sure Angati kahle	(4)Disagree Angivumi	(5)Absolutely disagree Angivumi nhlobo

E. **This section asks about reasons that might make it difficult to give your child IPT. There are no right or wrong answers.** ***Lencenye lelandzelako ibuta ngetizatfu letenta kunatsa emaphilisi lavikela sifuba sengati i IPT kubelukhuni. Kute imphendvulo lekahle nome lekabi.***

49. Giving my child a pill every day for 6 months as part of IPT would be:

Kunatsisa umntfwana emaphilisi ekuvikela i TB onkhe malanga tinyanga tibe sitfupha njengeluhlelo lwe IPT kungaba:

(1)Very Easy Melula kakhulu	(2)Easy Melula	(3)Not sure Angati kahle	(4)Difficult Lukhuni	(5)Very Difficult Lukhuni kakhulu

(1)Very Possible Kungenteka ngesiciniseko	(2)Possible Kungenteka	(3)Not sure Angati kahle	(4)Impossible Angeke kwenteke	(5)Very Impossible Angeke kwenteke ngesiciniseko

50. I am able to see my child every day and give him/her IPT.
Ngiyambona umntfwanami onkhe emalanga kumnatsisa i IPT

(1)Impossible Ngeke	(2)Unlikely Kungahle kungenteki	(3)Maybe Mhlayimbe	(4)Probably Kungenteka	(5)Definitely Yebo

51. I can remember to give my child IPT every day.
Ngingakhumbula kunatsisa umntfwanami i IPT onkhe emalanga

(1)Impossible Ngeke	(2)Unlikely Kungahle kungenteki	(3)Maybe Mhlayimbe	(4)Probably Kungenteka	(5)Definitely Yebo

52. The cost of coming to clinic prevents me from bringing my child to clinic when I need to for care.
Tindleko tekuta emtfolamphilo tiyangivimbela kutsi ngivele emtfolamphilo nakudzingekile kuletsa umntfwana

(1) Absolutely agree Ngiyavuma impela	(2)Agree Ngiyavuma	(3)Not sure Angati kahle	(4)Disagree Angivumi	(5)Absolutely disagree Angivumi nhlobo

53. I am able to keep the medicine safely stored for my child.
Ngingakhona kugcinela umntfwanami kahle emaphilisi ekuvikela sifuba sengati

(1)Impossible	(2)Unlikely	(3)Maybe	(4)Probably	(5)Definitely

Ngeke	Kungahle kungenteki	Mhlayimbe	Kungenteka	Yebo

54. I am able to go to the TB clinic to pick up my child's medicine once a month.
Ngingakhona kuya emtfolamphilo wesifuba sengati kulandzela umntfwanami emaphilisi njalo ngenyanga

(1)Impossible Ngeke	(2)Unlikely Kungahle kungenteki	(3)Maybe Mhlayimbe	(4)Probably Kungenteka	(5)Definitely Yebo

55. I am able to bring my child to the clinic once a month to be examined by the TB sister.
Ngingakhona kuya emtfolamphilo ngiletse umntfwana njalo ngenyanga kucwaningwa ngunesi wesifuba sengati

(1)Impossible Ngeke	(2)Unlikely Kungahle kungenteki	(3)Maybe Mhlayimbe	(4)Probably Kungenteka	(5)Definitely Yebo

56. My child will agree to swallow the medicine every day.
Umntfwanami utovuma kunatsa lemitsi onkhe emalanga

(1)Impossible Ngeke	(2)Unlikely Kungahle kungenteki	(3)Maybe Mhlayimbe	(4)Probably Kungenteka	(5)Definitely Yebo

57. If I were instructed to do so today, would I be able to obtain a chest X-ray?
Nangingacelwa namuhla kutsi kutsatfwe sitfombe sesifuba semntfwana ngingavuma

(1)Yes Yebo	(2)No Chake

58. If no, why? *Ngala nganasi sizatfu*

_____
_____
_____

59. IPT can be given in different ways. One requires taking two types of medicines once a week for 3 months while a clinic or community health workers observes the child taking the medicine each time. The other would require the child taking one type of medicine once daily at home, but it has to be taken for six months. *Emaphilisi lavikela sifuba sengati angatsatfwa ngetindlela letehlukene. Yekucala umntfwana unatsa imitsi lemibili leyehlukene liviki linye tinyanga tibe tintsatfu ngekusitwa tisebenti temtfolamphilo noma tisebenti tetemphilo emmangweni sonkhe sikhatsi.*

Lenye indlela kutsi unatsise umutsi umntfwana ekhaya onkhe emalanga kanye ngelilanga tinyanga tibe sitfupha

Taking two types of medicine **once a week for 3 months** while a non-family member observes would be preferable to taking one type of medicine daily for 6 months. .*Kunatsa imitsi leyehlukene kabili kanye ngeliviki tinyanga tibe tintsatfu,ngekusitwa ngumuntfu longasiso sihlobo semndeni kuncono kunekunatsa luhlobo lunye lwemutsi onkhe emalanga tinyanga tibe sitfupha*

(1) Strongly agree Ngiyavuma impela	(2)Agree Ngiyavuma	(3)Not sure Angati kahle	(4)Disagree Angivumi	(5)Strongly disagree Angivumi nhlobo

60. There are two other options for giving IPT we would like you to consider. One requires taking one medicine twice a week for 6 months while a clinic or community health workers observes the child taking the medicine each time. The other would require the child taking one medicine once daily at home. *Timbili tinhlelo tekunatsa emaphilisi lavikela sifuba sengati lesitsandza kutisebentisa. Yekucala idzinga kutsi umntfwana anatsiswe luhlobo lwemitsi munye kabili ngeliviki tinyanga tibe sitfupha ngekusitwa sisebenti setempilo sasemmangweni noma emntfolamphilo lekufuneka sinake kutsi lonatsako unatsile onkhe emalanga. Indlela yesibili idzinga kutsi umntfwana anatse luhlobo lwemutsi munye njalo kanye ngelilanga ekhaya.*

    Taking medicine **twice a week for 6 months** while a non-family member observes would be preferable to taking medicine daily for 6 months. .*Kunatsa imitsi kabili ngeliviki tinyanga tibe sitfupha ngekusitwa ngumuntfu longasiso sihlobo semndeni wami kuncono kunekunatsa imitsi njalo ngelilanga tinyanga tibe sitfupha)*

(1) Strongly agree Ngiyavuma impela	(2)Agree Ngiyavuma	(3)Not sure Angati kahle	(4)Disagree Angivumi	(5)Strongly disagree Angivumi nhlobo

F. **We would like to know how you feel about the services at the Center of Excellence and IPT. There are no right or wrong answers. .*Sicela kwati kutsi itsini umuvo wakho mayelana netinhlelo tetfu telusito emtfolamphilo wetfu webantfwana ne IPT, kute imphendvulo lengaba kahle noma ibe kabi***

61. I am more likely to bring my child to clinic for examination if the wait time is an hour or less. *Ngingeta kuletsa umntfwana emtfolamphilo kutewucwanigwa nangabe sikhatsi lengitosicitsa khona singaba sigamu noma ngaphansi*

(1)Impossible Ngeke	(2)Unlikely Kungahle kungenteki	(3)Maybe Mhlayimbe	(4)Probably Kungenteka	(5)Definitely Yebo

62. I am more likely to bring my child to clinic for examination if I could go before or after my own work hours. *Ngingeta kuletsa umntfwana emtfolamphilo kutewucwanigwa nangingeta singakashayi sikhatsi sami semsebenti noma emvakwemsebenti*

(1)Impossible Ngeke	(2)Unlikely Kungahle kungenteki	(3)Maybe Mhlayimbe	(4)Probably Kungenteka	(5)Definitely Yebo

63. I am more likely to bring my child to clinic for examination if I do not have to pay for the recommended chest x-ray. *Ngingeta kuletsa umntfwana emtfolamphilo kutewucwanigwa nakungeke kudzingeke kutsi ngibhadale tindleko tesitfombe sesifuba*

(1)Impossible Ngeke	(2)Unlikely Kungahle kungenteki	(3)Maybe Mhlayimbe	(4)Probably Kungenteka	(5)Definitely Yebo

G. **We would like to know how you feel about support groups, which can help people take medicine for a long time. There are no right or wrong answers.** ***Sicela kwati umuvo wakho ngetinhlangano tekucinisana letingakusita kukusekela kunatsa imitsi sikhatsi lesidze)***

64. Would you be interested in forming and meeting monthly with a group of 4 to 6 other parents whose children are taking IPT? *Unaso yini sifiso sekuba yincenye yebantfu labangakusita kunatsa kahle imitsi,mhlawumbe batali labane noma labasitfupha labanebantfwana labanatsa i IPT*

(1)Yes Yebo	(2)No Chake	(3)Not sure Angati kahle

65. Maybe you would prefer not to have to go to the clinic every month to get your child's medicine. If you were in a support group, would you prefer to take turns where each parent gets the medicines for the rest of the group? *Mhlawumbe ngalesinye sikhatsi kungeteka ungakhoni kuvela emntfolamphilo kulandza imitsi yemntfwana,nangabe uyincenye yelibandla lelisitana kusekelana kunatsa imitsi ungatsandza yini kutsi nishintjane ngekutsatsa imitsi yebantfwana benu*

(1)Yes Yebo	(2)No Chake	(3)Not sure Angati kahle

H. **We would like to know how you feel about Community Health Workers (CHW) and IPT. There are no right or wrong answers. .** ***Sicela kwati kabanti ngemuvu yakho mayelana nebagcugcuteli ne IPT***

66. I prefer if a CHW came to my home once a month to check on my child and deliver my child's pills instead of going to the clinic once a month. *Ngingatsandza kutsi umgcugcuteli angivakashele*

kanye ngenyanga aletsele umntfwanami emaphilisi ekhaya kunekutsi ngitilandzele emntfolamphilo njalo ngenyanga

(1) Strongly agree Ngiyavuma impela	(2)Agree Ngiyavuma	(3)Not sure Angati kahle	(4)Disagree Angivumi	(5)Strongly disagree Angivumi nhlobo

67. Why did you give that answer? Please give me two or three reasons why.
Tizatfu tami tekutsi ngikhetse kuletselwa ngumgcugcuteli ngunati

_____
_____
_____
_____

68. I prefer meeting a CHW once a month to check on my child and deliver my child's pills at a place I choose instead of going to the clinic once a month. *Ngitsandza kutsi umgcugcuteli avakashele umntfwanami phindze amletsele emaphilisi kanye ngenyanga endzaweni lekhetfwe ngimi kunekuya emtfolamphilo njalo ngenyanga*

(1) Strongly agree Ngiyavuma impela	(2)Agree Ngiyavuma	(3)Not sure Angati kahle	(4)Disagree Angivumi	(5)Strongly disagree Angivumi nhlobo

69. Why did you give that answer? Please give me two or three reasons why.
Tizatfu sami tekutsi ngifune kuletselwa ngumgcugcuteli endzaweni lefunwa ngimi kunekuya emtfolaphilo ngunati

_____
_____
_____
_____

70. If you were to meet a CHW, what places would you be comfortable meeting a CHW? Please choose all that apply. *Nawungafuna kubona umgcugcuteli,ngutiphi tindzawo longakhululeka kuto kuhlangana naye*

(1)Church Esontfweni	(2)School Esikolweni	(3)Workplace Emsebentini	(4)Neighbor's home Kamakhelwane	(5)CHW's home Kamgcugcuteli	(6)Market Emakethe
(7) Other: Please specify: _____					

71. If you were to meet a CHW, what times of the day would be most convenient for you to meet the CHW at your home (or place near your home that you choose)?)*Nawungafuna kubona umgcugcuteli ngutiphi tikhatsi telilanga letingakulungela kutsi ete ngato ekhaya noma endzaweni lekhetfwe nguwe*

(1)Morning (before 1200) Ekuseni	(2)Afternoon (1200-1600) Entsambama	(3)Evening (1600-1900) Kusihlwa	(4)It depends Kungaya ngesimo	(5)Doesn't matter Nome nini

72. I worry that my **family** would find out that my child is taking pills if a CHW came to my home or met with me outside of my home. .*Ngikhatsatekile kutsi umndeni wakitsi utokwati kutsi umntfwanami unatsa emaphilisi lavikela sifuba sengati nakuta nemgcugcuteli ekhaya noma sihlangana ngephandle kwelikhaya*

(1) Strongly agree Ngiyavuma impela	(2)Agree Ngiyavuma	(3)Not sure Angati kahle	(4)Disagree Angivumi	(5)Strongly disagree Angivumi nhlobo

73. I worry that my **neighbors** would find out that my child is taking pills if a CHW came to my home or met with me outside of my home. *Ngikhatsatekile kutsi Bomakhelwane batokwati kutsi umntfwanami unatsa emaphilisi lavikela sifuba sengati nakuta nemgcugcuteli ekhaya noma sihlangana ngephandle kwelikhaya*

(1) Strongly agree Ngiyavuma impela	(2)Agree Ngiyavuma	(3)Not sure Angati kahle	(4)Disagree Angivumi	(5)Strongly disagree Angivumi nhlobo

74. I worry that the CHW would tell others that my child is taking pills.
Ngikhatsatekile kutsi umgcugcuteli angatjela labanye bantfu kutsi umntfwanami unatsa emaphilisi ekuvikela sifuba sengati

(1) Strongly agree Ngiyavuma impela	(2)Agree Ngiyavuma	(3)Not sure Angati kahle	(4)Disagree Angivumi	(5)Strongly disagree Angivumi nhlobo