

Supplemental table. Relative Hazards from fitting a Cox regression model with endpoint Fib4 elevation >1.45

| | Unadjusted and adjusted relative hazards of Fib4>1.45 | | | | | |
|--------------------------------|---|---------|--------------------------|---------|---------------------------|---------|
| | Unadjusted RH (95% CI) | p-value | Adjusted* RH (95% CI) | p-value | Adjusted** RH (95% CI) | p-value |
| Exposure group | | | | | | |
| Group A (HCVAb-/HBsAg-/HBcAb-) | 1 | | 1 | | 1 | |
| Group B (HCVAb+/HBsAg-/HBcAb-) | 3.09 (2.42, 3.93) | <.001 | 2.57 (1.90, 3.47) | <.001 | 2.56 (1.90, 3.46) | <.001 |
| Group C (HBcAb+/HCVAb+/HBsAg) | 1.78 (1.32, 2.40) | <.001 | 1.28 (0.95, 1.73) | 0.110 | 1.30 (0.96, 1.76) | 0.088 |
| Group D (HCVAb+/HBcAb-/HBsAg-) | 4.04 (3.07, 5.33) | <.001 | 2.46 (1.68, 3.60) | <.001 | 2.47 (1.69, 3.61) | <.001 |
| Group E (HBsAg+/HBcAb+/HCV-) | 2.76 (2.00, 3.80) | <.001 | 2.34 (1.70, 3.23) | <.001 | 2.31 (1.67, 3.19) | <.001 |

*adjusted for age, mode of HIV transmission and nation of birth; **adjusted for age, mode of HIV transmission, nation of birth and level of alcohol consumption