

Figure S1 Funnel plot and Egger test for clinically significant bleeding in the subgroup of (Sex: Male)




Figure S2 Funnel plot and Egger test for clinically significant bleeding in the subgroup of (Sex: Female)




Figure S3 Funnel plot and Egger test for clinically significant bleeding in the subgroup of (Age: <75years)




Figure S4 Funnel plot and Egger test for clinically significant bleeding in the subgroup of (Age: ≥ 75 years)




Figure S5 Funnel plot and Egger test for clinically significant bleeding in the subgroup of (Race: White)




Figure S6 Funnel plot and Egger test for clinically significant bleeding in the subgroup of (Race: Black)




Figure S7 Funnel plot and Egger test for clinically significant bleeding in the subgroup of (Race: Asian)




Figure S8 Funnel plot and Egger test for clinically significant bleeding in the subgroup of (History of diabetes: No)




Figure S9 Funnel plot and Egger test for clinically significant bleeding in the subgroup of (History of diabetes: Yes)




Figure S10 Funnel plot and Egger test for clinically significant bleeding in the subgroup of (P2Y12 inhibitor: Clopidogrel)




Figure S11 Funnel plot and Egger test for clinically significant bleeding in the subgroup of (P2Y12 inhibitor: Prasugrel)




Figure S12 Funnel plot and Egger test for clinically significant bleeding in the subgroup of (P2Y12 inhibitor: Ticagrelor)




Figure S13 Funnel plot and Egger test for major adverse cardiovascular events in the subgroup of (Sex: Male)




Figure S14 Funnel plot and Egger test for major adverse cardiovascular events in the subgroup of (Sex: Female)




Figure S15 Funnel plot and Egger test for major adverse cardiovascular events in the subgroup of (Age: <75years)




Figure S16 Funnel plot and Egger test for major adverse cardiovascular events in the subgroup of (Age: ≥ 75 years)




Figure S17 Funnel plot and Egger test for major adverse cardiovascular events in the subgroup of (Race: White)




Figure S18 Funnel plot and Egger test for major adverse cardiovascular events in the subgroup of (Race: Black)




Figure S19 Funnel plot and Egger test for major adverse cardiovascular events in the subgroup of (Race: Asian)




Figure S20 Funnel plot and Egger test for major adverse cardiovascular events in the subgroup of (History of diabetes: No)




Figure S21 Funnel plot and Egger test for major adverse cardiovascular events in the subgroup of (History of diabetes: Yes)




Figure S22 Funnel plot and Egger test for major adverse cardiovascular events in the subgroup of (P2Y12 inhibitor: Clopidogrel)




Figure S23 Funnel plot and Egger test for major adverse cardiovascular events in the subgroup of (P2Y12 inhibitor: Prasugrel)




Figure S24 Funnel plot and Egger test for major adverse cardiovascular events in the subgroup of (P2Y12 inhibitor: Ticagrelor)

