

Dietary capsaicin rescues CGRP peptidergic DRG Neurons in experimental diabetic peripheral neuropathy

Authors: Xiao-Yi Zhang¹, Zheng Guo^{1,2,3,*} Tu-Ping Li², Tao Sun²

1. Department of Anesthesiology, Shanxi Medical University, 86 Xinjiannan Road, Taiyuan 030001, Shanxi, China
2. Department of Anesthesiology, Second Hospital of Shanxi Medical University, 382 Wuyi Road, Taiyuan 030001, Shanxi, China
3. Key Laboratory of Cellular Physiology (Shanxi Medical University), National Education Commission, Shanxi Medical University, 86 Xinjiannan Road, Taiyuan 030001, Shanxi, China

Emails of the authors:

Xiao-Yi Zhang, zhangxiaoyi229@163.com


Zheng Guo, guozheng713@yahoo.com

Tu-Ping Li, litutu001@163.com

Tao Sun, 572462311@qq.com



*Corresponding author: Prof. Zheng Guo, Email: guozheng713@yahoo.com

Western blot in the in vitro experiment 1



-, not added; +, added; The blots in the red box are used in Fig. 5B.


Western blot in the in vitro experiment 2



STZ	-	+	+	+
LV-GFP	-	-	+	-
LV-CGRP	-	-	-	+

-, not added; +, added

Western blot in the in vitro experiment 3



-, not added; +, added