Supplementary

Table S1 Summary of baseline characteristics of all patients

Characteristics	Туре	Before weighting		After weighting	
		Standard Mean Diff.	Variance Ratio	Standard Mean Diff.	Variance Ratio
Age	Contin	0.184	1.246	0.000	1.247
Sex					
Male	Binary	-0.023		0.000	
Female	Binary	0.023		0.000	
Histology					
Squamous	Binary	-0.087		0.000	
Non-squamous	Binary	0.087		0.000	
Smoking history					
Yes	Binary	0.015		0.000	
No	Binary	-0.015		0.000	
ECOG PS					
0-1	Binary	-0.121		0.000	
≥2	Binary	0.121		0.000	
Liver metastases					
Yes	Binary	0.081		0.000	
No	Binary	-0.081		0.000	
Brain metastases					
Yes	Binary	0.069		0.000	
No	Binary	-0.069		0.000	
Gene mutation					
Yes	Binary	0.062		0.000	
No	Binary	-0.215		0.000	
Unknown	Binary	0.153		0.000	
Tumor stage					
IIIB	Binary	0.095		0.000	
IV	Binary	-0.095		0.000	
Previous lines of therapy					
1	Binary	-0.064		0.00	
2	Binary	0.144		0.00	
≥3	Binary	-0.080		0.000	
Best response to previous line					
PR	Binary	-0.168		0.000	
SD	Binary	0.048		0.000	
PD	Binary	0.120		0.000	
Initial immunotherapy regimen					
Monotherapy	Binary	0.192		0.000	
Combination	Binary	-0.192		0.000	

Table S2 Summary of the baseline characteristics of patients in the initial immune monotherapy subgroup

Characteristics	Type	Before bala	ancing	After balancing		
	Type -	Standard Mean Diff.	Variance Ratio	Standard Mean Diff.	Variance Ratio	
Age	Contin	-0.287	1.812	-0.094	1.607	
Sex						
Male	Binary	0.019		0.006		
Female	Binary	-0.019		-0.006		
Histology						
Squamous	Binary	-0.285		-0.094		
Non-squamous	Binary	0.285		0.094		
Smoking history						
Yes	Binary	-0.198		-0.065		
No	Binary	0.198		0.065		
ECOG PS						
0-1	Binary	0.172		0.056		
≥ 2	Binary	-0.172		-0.056		
Liver metastases						
Yes	Binary	0.004		0.002		
No	Binary	-0.004		-0.002		
Brain metastases						
Yes	Binary	-0.182		-0.059		
No	Binary	0182		0.059		
Gene mutation						
Yes	Binary	-0.019		-0.006		
No	Binary	0.411		0.133		
Unknown	Binary	-0.391		-0.127		
Tumor stages						
IIIB	Binary	-0.279		-0.092		
IV	Binary	0.279		0.092		
Previous lines of therapy						
1	Binary	-0.033		-0.010		
2	Binary	-0.072		-0.024		
≥3	Binary	0.105		0.034		
Best response to previous line						
PR	Binary	0.157		0.050		
SD	Binary	-0.112		-0.038		
PD	Binary	-0.045		-0.013		

Table S3 Summary of the baseline characteristics of patients in the initial immune combination therapy subgroup

Characteristics	Туре	Before ba	alancing	After balancing		
		Standard Mean Diff.	Variance Ratio	Standard Mean Diff.	Variance Ratio	
Age	Contin	0.073	0.997	0.031	0.765	
Sex						
Male	Binary	-0.076		-0.030		
Female	Binary	0.076		0.030		
Histology						
Squamous	Binary	-0.356		-0.143		
Non-squamous	Binary	0.356		0.143		
Smoking history						
Yes	Binary	-0.118		-0.046		
No	Binary	0.118		0.046		
ECOG PS						
0-1	Binary	-0.065		-0.026		
≥2	Binary	0.065		0.026		
Liver metastases						
Yes	Binary	0.145		0.057		
No	Binary	-0.145		-0.057		
Brain metastases						
Yes	Binary	0.006		0.002		
No	Binary	-0.006		-0.002		
Gene mutation						
Yes	Binary	0.127		0.050		
No	Binary	-0.077		-0.031		
Unknown	Binary	-0.050		-0.019		
Tumor stages						
IIIB	Binary	-0.032		-0.012		
IV	Binary	0.032		0.012		
Previous lines of therapy						
1	Binary	-0.035		-0.012		
2	Binary	0.098		0.039		
≥3	Binary	-0.063		-0.027		
Best response to previous line						
PR	Binary	-0.147		-0.059		
SD	Binary	0.090		0.036		
PD	Binary	0.057		0.023		

Table S4 Summary of the baseline characteristics of patients who had non-PR (SD/PD) as their best response to previous line

Characteristics	Туре	Before ba	alancing	After balancing		
		Standard Mean Diff.	Variance Ratio	Standard Mean Diff.	Variance Ratio	
Age	Contin	0.148	1.569	0.032	1.409	
Sex						
Male	Binary	-0.048		-0.009		
Female	Binary	0.048		0.009		
Histology						
Squamous	Binary	-0.029		-0.006		
Non-squamous	Binary	0.029		0.006		
Smoking history						
Yes	Binary	-0.022		-0.004		
No	Binary	0.022		0.004		
ECOG PS						
0-1	Binary	-0.115		-0.024		
≥2	Binary	0.115		0.024		
Liver metastases						
Yes	Binary	0.092		0.018		
No	Binary	-0.092		-0.018		
Brain metastases						
Yes	Binary	-0.023		-0.005		
No	Binary	0.023		0.005		
Gene mutation						
Yes	Binary	0.021		0.006		
No	Binary	0.197		0.041		
Unknown	Binary	-0.218		-0.047		
Tumor stages						
IIIB	Binary	0.156		0.032		
IV	Binary	-0.156		-0.032		
Previous lines of therapy						
1	Binary	0.058		0.013		
2	Binary	0.193		0.040		
≥3	Binary	-0.251		-0.053		
Initial immunotherapy regimen						
Monotherapy	Binary	0.194		0.040		
Combination	Binary	-0.194		-0.040		




Figure S1 Forest plots of PFS (A) and OS (B) in the IBP and non-IBP groups.




Figure S2 Kaplan-Meier curves of OS (A) and PFS (B) from original data in the subgroup of patients who had PR as their best response to previous line.