Supplementary file

The keywords that were searched in the 2019 AtoZdatabases Healthcare Professionals database: "Allopathic & Osteopathic Physicians", "Ambulatory Health Care Facilities # Clinic/Center # Medically Fragile Infants and Children Day Care", "Clinic/Center # Ambulatory Family Planning Facility", "Clinic/Center #Birthing", "General Acute Care Hospital # Rural", "Midwife", "Nurse Practitioner #Family #Neonatal #Obstetrics & Gynecology #Women's Health #Lactation Consultant #Neonatal Intensive Care", "Registered Nurse #Lactation Consultant #Neonatal Intensive Care #Women's Health Care", and "Respiratory, Rehabilitative & Restorative Service Providers # Res # Neonatal/Pediatrics".

Table S1 Changes in perinatal outcomes after Hurricane Michael by maternity care availability within Area A& (sensitivity analysis)

		Univariate model			Multivariate model*		
		Both clinic and hospital available	Either clinic or hospital available RR (95%CI)#	None	Both clinic and hospital available	Either clinic or hospital available RR (95%CI)#	None
		1.114	1.214	1.167	1.094	1.213	1.138
Low birth	After vs before	(0.956,	(1.023,	(0.942,	(0.935,	(1.031,	(0.932,
weight (LBW)	Aitel vs before	1.298)	1.441)	1.445)	1.280)	1.428)	1.391)
	p-value for interaction	-	-	0.783	-	-	0.710
Spontaneous preterm birth (SPTB)		1.135	0.973	0.847	1.136	0.956	0.834
	After vs before	(0.881,	(0.780,	(0.677,	(0.865,	(0.787,	(0.663,
		1.436)	1.185)	1.059)	1.492)	1.161)	1.049)
	p-value for interaction	-	-	0.549	-	-	0.461
		0.865	1.129	0.816	0.839	1.112	0.810
Induced preterm birth (IPTB)	After vs before	(0.618,	(0.920,	(0.643,	(0.608,	(0.897,	(0.634,
		1.210)	1.384)	1.034)	1.159)	1.378)	1.036)
	p-value for interaction	-	-	0.147	-	-	0.168
		1.351	1.037	1.225	1.339	1.030	1.175
Small for gestational age (SGA)	After vs before	(1.142,	(0.913,	(1.019,	(1.085,	(0.923,	(0.993,
		1.597)	1.177)	1.473)	1.653)	1.151)	1.391)
	p-value for interaction	-	-	0.103	-	-	0.140
		1.012	1.012	1.015	1.015	1.013	1.014
	After vs before	(0.912,	(0.949,	(0.906,	(0.907,	(0.947,	(0.903,
C-section		1.124)	1.079)	1.137)	1.135)	1.084)	1.138)
	p-value for interaction	-	-	0.999	-	-	0.999
No Breast- feeding		1.024	0.953	1.065	1.045	0.935	1.001
	After vs before	(0.986,	(0.872,	(0.959,	(0.977,	(0.840,	(0.885,
		1.064)	1.042)	1.184)	1.118)	1.040)	1.132)
	p-value for interaction	-	-	0.289	-	-	0.307

^{*}RR: cumulative risk ratio, CI: confidence interval

^{*}LBW adjusting for: mother's education, age, ethnicity, whether in WIC program, and each zip-code area's total population, health insurance coverage, poverty percentage, urban/rural percentage, race and ethnicity percentage; PTB, SPTB, IPTB, SGA, C-section, breastfeeding adjusting for: mother's age, education, ethnicity, pre-pregnancy BMI, whether in WIC program, and each zip-code area's total population, health insurance coverage, poverty percentage, urban/rural percentage, race and ethnicity percentage

&Area A=FEMA individual; FEMA, Federal Emergency Management Agency