



Supplementary Material

Antibacterial Properties of Plasma-Activated Perfluorinated Substrates with Silver Nanoclusters Deposition

Petr Slepíčka ^{1,*}, Silvie Rimpelová ^{2,*}, Nikola Slepíčková Kasálková ¹, Dominik Fajstavr ¹, Petr Sajdl ³, Zdeňka Kolská ⁴ and Václav Švorčík ¹


¹ Department of Solid State Engineering, University of Chemistry and Technology Prague, 166 28 Prague, Czech Republic; nikola.kasalkova@vscht.cz (N.S.K.); dominik.fajstavr@vscht.cz (D.F.)
vaclav.svorcik@vscht.cz (V.Š)

² Department of Biochemistry and Microbiology, University of Chemistry and Technology Prague, 166 28 Prague, Czech Republic

³ Department of Power Engineering, University of Chemistry and Technology Prague, 166 28 Prague, Czech Republic; petr.sajdl@vscht.cz

⁴ Faculty of Science, J. E. Purkyně University in Ústí nad Labem, 400 96 Ústí nad Labem, Czech Republic; zdenka.kolska@ujep.cz

* Correspondence: petr.slepicka@vscht.cz (P.S.); silvie.rimpelova@vscht.cz (S.R.)






Figure S1. XPS spectra of a pristine PTFE and plasma-treated PTFE sample at 8 W for 240 s.