IMBUMBA EDUCATION COUNSELLING SESSION



WHAT IS THIS PROGRAM ABOUT?

20 MIN. OF HEALTH INFORMATION

GETTING THE FACTS ANSWERING YOUR QUESTIONS

AUDIO RECORD SESSION TODAY


EVERYTHING IS CONFIDENTIAL

TELL ME ABOUT YOURSELF

DO YOU HAVE ANY QUESTIONS?

HOW DO YOU FEEL RIGHT NOW?

WHAT DO YOU KNOW ABOUT STIS?



AN STI CAN HAVE NO SIGNS OR SYMPTOMS











WHEN NOT TREATED STIS ARE NOT PRETTY

Common Sexually Transmitted Infections









Syphilis (STIs) (Gcushuwa) Rash, open sore, Discharge, Curable

Gonorrhea (Drop) Discharge, pain/burning Curable

Genital herpes (Blisters) Open sores, Painful blisters Treatable

Genital warts Painful bumps, Can be removed Treatable

HIV/AIDS No signs Treatable











WHAT HAVE YOU HEARD ABOUT HIV /AIDS?

You can only get HIV from...



UNPROTECTED SEX



INFECTED BLOOD-INCLUDING MENSTRUAL BLOOD



INFECTED MOTHER – TO -CHILD You cannot get HIV from...





TOUCHING



TOILETS



INSECTS





SHARING UTENSILS

Mathews C, et al. Sex Transm Infect 2021; 97:38-44. doi: 10.1136/sextrans-2020-054499

HOW CAN YOU TELL IF SOMEONE IS LIVING WITH HIV?



PEOPLE WHO HAVE HIV-AIDS





YOU AND ME



THE ONLY WAY TO KNOW IF SOMEONE HAS HIV-AIDS IS TO HAVE A HIV TEST



DISCUSS WITH A COUNSELLOR





BLOOD OR SALIVA IS TAKEN

3



BLOOD OR SALIVA IS TESTED



WAIT A LITTLE





GET RESULTS... HIV+ OR HIV-?

THE FACTS

12YOU CANNOT GET AIDS FROM TOUCHING, KISSING OR SHARING A KITCHEN/BATHROOM WITH A PERSON WHO HAS HIV/AIDS.

MEN CAN GIVE HIV/AIDS TO WOMEN AND WOMEN CAN GIVE HIV/AIDS TO MEN.

☑PREGNANT WOMEN CAN GIVE HIV/AIDS TO THEIR UNBORN CHILD.

☑HIV/AIDS ATTACKS THE BODY'S ABILITY TO FIGHT DISEASES.

ECONDOMS PROTECT YOU FROM GETTING HIV/AIDS.

■CONDOMS BREAK IF THEY ARE USED MORE THAN ONE TIME.

ECOMING INTO CONTACT WITH BLOOD, INCLUDING MENSTRUAL BLOOD, CAN EXPOSE YOU TO HIV/AIDS.

☑HAVING SEX WITH A VIRGIN WILL NOT CURE HIV/AIDS.

2YOU CAN GET HIV/AIDS EVEN IF YOU ONLY HAVE ONE SEX PARTNER.

DWASHING AFTER SEX DOES NOT PROTECT YOU FROM HIV/AIDS.

22HIV/AIDS IS NOT CAUSED BY SPIRITS OR SUPERNATURAL FORCES.

MALE CIRCUMCISION REDUCES A MAN'S RISK OF GETTING HIV, BUT HE STILL NEEDS TO USE A CONDOM TO BE COMPLETELY PROTECTED..

ANY QUESTIONS?

THANK YOU FOR PARTICIPATING !

Mathews C, et al. Sex Transm Infect 2021; 97:38-44. doi: 10.1136/sextrans-2020-054499