Study Group	Ν	Mortality Events	Discharge Events	28-Day Mortality Cum. Inc. (95% CI)	Gray's P-Value	Pairwise (1)	Pairwise (2)	Pairwise (3)
No	403	20	376	5.0% (3.1%, 7.4%)	<0.001	(1)	(2)	(3)
Any	288	35	247	12.2% (8.7%, 16.2%)				
Mild	132	6	123	4.6% (1.8%, 9.2%)	<0.001			
Severe	156	29	124	18.6% (12.9%, 25.0%)				
Transient	159	20	136	12.6% (8.0%, 18.2%)	0.981			
Persistent	99	13	83	13.1% (7.4%, 20.6%)				
Mild Transient	88	4	82	4.6% (1.4%, 10.6%)	0.007	***		
Severe Transient	71	16	54	22.5% (13.8%, 32.7%)		0.001	***	
Mild Persistent	29	3	25	10.3% (2.4%, 25.1%)		0.271	0.132	***
Severe Persistent	70	10	58	14.3% (7.3%, 23.6%)		0.038	0.140	0.540

Online Resource 9: 28-Day Mortality Cumulative Incidence of Septic Patients

 $AKI_{MT} = MILD TRANSIENT AKI, AKI_{MP} = MILD PERSISTENT AKI, AKI_{ST} = SEVERE TRANSIENT AKI, AKI_{SP} = SEVERE PERSISTENT AKI ^{1}Pairwise p-values considered at the Bonferroni threshold (0.05 / 6 = 0.008)$

²Censored events were alive in the ICU at Day 28