

Supplemental Digital Content 1: List of RCTs Sub-analysed from JPRAS

List of Abbreviations

APS.....	Annals of Plastic Surgery
JPRAS.....	Journal of Plastic, Reconstructive and Aesthetic Surgery
PRS.....	Plastic and Reconstructive Surgery
RCTs.....	Randomised Control Trials

Gupta D, Sharma U, Chauhan S, Sahu SA. Improved outcomes of scar revision with the use of polydioxanone suture in comparison to polyglactin 910: A randomized controlled trial. *J Plast Reconstr Aesthet Surg.* 2018 Aug;71(8):1159-1163.

Shim HS, Kwon BY, Seo BF, Kwon H, Jung SN. A prospective randomised comparison of fixation methods in Tamai's zone I amputation. *J Plast Reconstr Aesthet Surg.* 2018 Jul;71(7):997-1003.

Mendes DA, Veiga DF, Veiga-Filho J, Loyola ABAT, Paiva LF, Novo NF, Sabino-Neto M, Ferreira LM. Influence of dressing application time after breast augmentation on cutaneous colonization: A randomized clinical trial. *J Plast Reconstr Aesthet Surg.* 2018 Jun;71(6):906-912.

Bijlard E, Timman R, Verduijn GM, Niessen FB, Hovius SER, Mureau MAM. Intralesional cryotherapy versus excision with corticosteroid injections or brachytherapy for keloid treatment: Randomised controlled trials. *J Plast Reconstr Aesthet Surg.* 2018 Jun;71(6):847-856.

Sarfati I, van la Parra RFD, Terem-Rapoport CA, Benyahi D, Nos C, Clough KB. A prospective randomized study comparing centrifugation and sedimentation for fat grafting in breast reconstruction. *J Plast Reconstr Aesthet Surg.* 2017 Sep;70(9):1218-1228.

Hinchcliff KM, Orbay H, Busse BK, Charvet H, Kaur M, Sahar DE. Comparison of two cadaveric acellular dermal matrices for immediate breast reconstruction: A prospective randomized trial. *J Plast Reconstr Aesthet Surg.* 2017 May;70(5):568-576.

Malik MM, Hachach-Haram N, Tahir M, Al-Musabi M, Masud D, Mohanna PN. Acquisition of basic microsurgery skills using home-based simulation training: A randomised control study. *J Plast Reconstr Aesthet Surg.* 2017 Apr;70(4):478-486.

Ensaf F, Heinrich K, Kholosy HM, Wimbauer J, Hladik M, Wechselberger G. A double-blind randomized prospective study comparing prilocaine versus ropivacaine in upper blepharoplasty. *J Plast Reconstr Aesthet Surg.* 2017 Mar;70(3):375-379.

Sharma PR, Rosich-Medina A, Swan MC, Gillespie PH, Skepper JN, Price RD. A randomised comparison of neurotmesis using scissors or a razor blade for sural nerve graft harvest. *J Plast Reconstr Aesthet Surg.* 2016 Dec;69(12):1711-1713.

Juhl AA, Karlsson P, Damsgaard TE. Fat grafting for alleviating persistent pain after breast cancer treatment: A randomized controlled trial. *J Plast Reconstr Aesthet Surg.* 2016 Sep;69(9):1192-202.

Woo KJ, Kang BY, Min JJ, Park JW, Kim A, Oh KS. Postoperative pain control by preventive intercostal nerve block under direct vision followed by catheter-based infusion of local analgesics in rib cartilage harvest for auricular reconstruction in children with microtia: A randomized controlled trial. *J Plast Reconstr Aesthet Surg.* 2016 Sep;69(9):1203-10.

Tremp M, Delko T, Kraljević M, Zingg U, Rieger UM, Haug M, Kalbermatten DF. Outcome in body-contouring surgery after massive weight loss: A prospective matched single-blind study. *J Plast Reconstr Aesthet Surg.* 2015 Oct;68(10):1410-6.

Pool SM, Struys MM, van der Lei B. A randomised double-blinded crossover study comparing pain during anaesthetising the eyelids in upper blepharoplasty: First versus second eyelid and lidocaine versus prilocaine. *J Plast Reconstr Aesthet Surg.* 2015 Sep;68(9):1242-7.

Collins AM, Quinlan CS, Dolan RT, O'Neill SP, Tierney P, Cronin KJ, Ridgway PF. Audiovisual preconditioning enhances the efficacy of an anatomical dissection course: A randomised study. *J Plast Reconstr Aesthet Surg.* 2015 Jul;68(7):1010-5.

Koide S, Smoll NR, Liew J, Smith K, Rizzitelli A, Findlay MW, Hunter-Smith DJ. A randomized 'N-of-1' single blinded clinical trial of barbed dermal sutures vs. smooth sutures in elective plastic surgery shows differences in scar appearance two-years post-operatively. *J Plast Reconstr Aesthet Surg.* 2015 Jul;68(7):1003-9.

Klasson S, Svensson H, Malm K, Wassélius J, Velandar P. Preoperative CT angiography versus Doppler ultrasound mapping of abdominal perforator in DIEP breast reconstructions: A randomized prospective study. *J Plast Reconstr Aesthet Surg.* 2015 Jun;68(6):782-6.

Marsh DJ, Fox A, Grobbelaar AO, Chana JS. Abdominoplasty and seroma: a prospective randomised study comparing scalpel and handheld electrocautery dissection. *J Plast Reconstr Aesthet Surg.* 2015 Feb;68(2):192-6.

Kääriäinen M, Giordano S, Kauhanen S, Helminen M, Kuokkanen H. No need to cut the nerve in LD reconstruction to avoid jumping of the breast: a prospective randomized study. *J Plast Reconstr Aesthet Surg.* 2014 Aug;67(8):1106-10.