

Supplemental Digital Content 2. Volume of Fat Injected to the Face and Hand.

Patient no.	Fat Grafting Session	Donor Site	Volume Injected into the Face (cc) per session					Volume injected into Bilateral Hand (cc)	No. of Treatments	Follow Up (months)
			Total	Lips	Naso-labial Folds	Malar Regions	Marionette Lines			
1	1	Abdomen	36	6	-	30	-	-	1	3
2	1	Abdomen	17.5	8.5	3	6	-	-	1	4
3	1	Thighs	7.5	7.5	-	-	-	48	4	1
	2	Abdomen	8.5	8.5	-	-	-	62		
	3	Abdomen, Thighs	27	9	-	18	-	78		
	4	Thighs	21 ^a	8	-	10	-	40		
4	1	Abdomen	9	9	-	-	-	1	35	
5	1	Thighs	34	6	-	24	4	70	2	10
	2	Thighs	35	7	-	18	10	50		
6	1	Thighs	18	6	-	10	2	30	1	2
7	1	Thighs	71	20	-	40	11	-	4	2
	2	Abdomen, Thighs	30	10	-	20	-	-		
	3	Thighs	39	9	6	19	6	-		
	4	Abdomen	17	3	6	8	-	-		
8	1	Abdomen	10 ^b	-	-	-	-	-	1	4
9	1	Abdomen	45	8	8	6	23 ^c	41	1	0.5
10	1	Abdomen	18	6	-	12	1	60	1	0.5
<i>Avg</i>			<i>26.1</i>	<i>8.2</i>	<i>5.2</i>	<i>17.0</i>	<i>8.1</i>	<i>53.2</i>	<i>1.7</i>	<i>6.2</i>

^a3 cc to chin

^b7 cc to central forehead, 3cc to scalp

^c23 cc to marionette and chin (volume not identified separately)