| INCORPAGNATION IN A | | |
|--|--|---------------------------|
| INSTRUMENT - ID_1: IDI Patients | SLATE II UID | |
| Instrument ID: ID_1 Improved simplified clinical algorithm for ider antiretroviral therapy for HIV (SLATE II) – qual Patient In-Depth Interview Guide | | te initiation of |
| Target Audiences: IDIs to be conducted among the | following at all three SLATE sites | |
| Patients who have consented to and are current have consented to the qualitative sub-study | - | or standard arm) and |
| Instructions for the Interviewer | | |
| Step 1: Introduction: Interviewer: Greet the patient. Briefly introduce yo "Thank you for agreeing to speak with me about podiscussing your experience with ART initiation incluimproved. Would you like to proceed with the information." | otentially participating in an interview. As iding what you found useful and what yo | s a reminder, we are |
| Does the patient wish to proceed? | | |
| YES (Proceed with step 2, in | nformed consent process) | |
| NO (STOP! Thank the parti | cipant for their time. Do NOT proceed | with informed consent) |
| Step 2: Informed consent: | | |
| Interviewer: Begin the informed consent process as information sheet with the participant. Confirm that consent and audio consent forms. | | |
| Was informed consent obtained and documented recording)? | in writing or a thumb print (including a | greement for audio |
| YES (Proceed with step 3, in | troduction and interview) | |
| NO (STOP! Thank the partic | ipant for their time. Do NOT proceed wi | ith the interview) |
| Step 3: | | |
| Please fill in the details below and begin the intervieur please double check that all the required questions and time and complete the time that the intervieur appropriately to gain as much depth on the topics of | have been answered. Thank the participo finished below. As you ask the questions, | ant for the participation |
| Interviewer Initials Interview date (DD/MM/YYYY) Time start Supervisor initials | _ _ _ | |

6. Study Arm (confirm with study staff): __(in) ___ (out)____ Intervention arm; _____Standard arm

5. Re-confirm participant study ID___

IDI Patients

STEP 4: Interviewer: Start the audio recorder. Read the following statement. Please repeat the statement translated into the local language based on primary languages.

"This is the audio-recording for participant [SAY BARCODE UID NUMBER OUT LOUD] being conducted on [DAY, MONTH, YEAR]. Thank you for agreeing to participate in this interview. My name is _______. I will be asking you the questions about your experience with ART initiation. We will discuss what you found useful, what you think might be improved in the future, and your views on barriers or facilitators to the ART initiation process. Please feel free to tell me whatever you are comfortable sharing. You should also remember that you do not have to share anything that you are not comfortable sharing. We will not write down your name, only the study ID that you have from SLATE II. There are no right or wrong answers, so please be honest and tell me what is true for you. Are you ready to begin?"

Interviewer: "I'm going to start by asking you some basic questions about your ART initiation. In these questions, I will tell you whether I am asking about your experience with the study team (SLATE nurse and assistants) or with the clinic staff. Please try to tell me exactly who you are describing when you answer (clinic nurse, study nurse, etc.).

Think back to when you first started the ART initiation process. Do you remember that day at the clinic? Okay, let's begin..."

| Q# | Question | Code | Skip |
|----|---|---|-------------------------------|
| 1 | How well do you feel today? | 1= Very poor (very bad) 2= Poor (bad) 3= Ok 4= Good 5= Very good | |
| 2 | How well did you feel on the day of ART initiation? | 1= Very poor (very bad) 2= Poor (bad) 3= Ok 4= Good 5= Very good | |
| 3 | On average how long do you wait in the clinic queue/waiting room for your appointment(s) for all the services you receive in a visit? | 1= Less than one hour 2= 1-2 hours 3= 3 hours or more | |
| 4 | Overall how would you rate the care that you receive at this facility? (Note that this is about the clinic, not the study.) | 1= Very poor (very bad) 2= Poor (bad) 3= Ok 4= Good 5= Very good | |
| 5 | When did you first test for HIV? | Month/year | |
| 6 | Where did you first test for HIV? | 1= At this facility 2= At other facility in district 3= At other facility in province 4= Mobile clinic 5= At other facility in SA 6= Outside of SA 7= Campaign testing 8= Home testing 9= Other (specify) | |
| 7 | Have you started treatment for HIV (ART) yet? | 0=No 1=Yes | If no, skip to question 11 |
| 8 | If yes, how many months ago did you start? | Number of months | |

IDI Patients

| SLATE II UID | |
|--------------|--|

| 9 | When you enrolled in the SLATE II study, how many times had you already come to this clinic for HIV-related care, including having an HIV test or any other services? Are you a participant in the SLATE II intervention arm or standard arm? Interviewer: confirm response is consistent with "Step 3, question 6". If inconsistent, | 1 = Day I enrolled in the study was the first time 2 = Day I enrolled in the study was the second time 3 = Day I enrolled in the study was the third time 4 = Day I enrolled in the study was the fourth time 5 = Day I enrolled in the study was the fifth time 6 = I have been to the clinic more than five times before enrolling in SLATE II 1 = Intervention arm 2 = Standard arm | If 1, proceed to question 11. If 2, skip to question |
|--------|---|--|---|
| | resolve with study staff before proceeding. | | 17. |
| Interv | vention Participants only: | | |
| 11 | In addition to the study staff (our study assistants and nurse), which clinic staff did you see at the time of initiating HIV treatment? (Tick all that apply) | 1= Clinic nurse (not study staff) 2= Clinic counsellor 3= Doctor 4= Pharmacist or PA 5= Other (specify) | |
| 12 | How friendly/welcoming/respectful were the study staff that you saw at the time of initiating ARV treatment? | 1= Very poor (very bad) 2= Poor (bad) 3= Ok 4= Good 5= Very good | |
| 13 | How friendly/welcoming/respectful were the health care professionals that you saw at the time of initiating ARV treatment? | 1= Very poor (very bad) 2= Poor (bad) 3= Ok 4= Good 5= Very good | |
| 14 | After being enrolled in SLATE, overall, how comfortable were you with the privacy you've had during the study visits? Interviewer: note this does not include consenting and enrolment into study | 1= Extremely comfortable 2= Not comfortable 3= Neither comfortable nor uncomfortable 4= Comfortable 5= Very comfortable | |
| 15 | Overall, how well did the study staff help you understand the process of ART initiation? | 1= Very poor (very bad) 2= Poor (bad) 3= Ok 4= Good 5= Very good | |
| 16 | Overall how satisfied were you with the care you received from the study staff on day began the process of initiating ART? | 1= Extremely dissatisfied 2= Not satisfied 3= Neither satisfied nor dissatisfied 4= Satisfied 5= Very satisfied | |
| Stand | dard arm participants only: | | |
| 17 | In addition to the study staff (our study assistants and nurse) you saw for enrolling into SLATE II, which clinic staff did you see at the time of initiating ARV treatment? (Tick all that apply) | 1= Clinic Nurse (not study staff) 2= Lay counsellor 3= Doctor 4= Pharmacist or PA 5= Other (specify) | |

IDI Patients

| CL AME IL LUD | |
|---------------|--|
| SLATE II UID | |

| 18 | How friendly/welcoming/respectful were the study staff that you saw at the time of initiating ARV treatment? | 1= Very poor (very bad) 2= Poor (bad) 3= Ok 4= Good 5= Very good |
|----|---|---|
| 19 | How friendly/welcoming/respectful were the health care professionals that you saw at the time of initiating ARV treatment? | 1= Very poor (very bad) 2= Poor (bad) 3= Ok 4= Good 5= Very good |
| 20 | After being enrolled in SLATE II, when you went to the clinic, overall how comfortable were you with the privacy you've had during your visits? Interviewer: note this does not include consenting and enrolment into study. | 1= Extremely comfortable 2= Not comfortable 3= Neither comfortable nor uncomfortable 4= Comfortable 5= Very comfortable |
| 21 | Overall, how well did your clinic health care provider (counselor, nurse, or other clinic staff) help you understand the process of ART initiation? | 1= Very poor (very bad) 2= Poor (bad) 3= Ok 4= Good 5= Very good |
| 22 | Overall how satisfied were you with the care you received from the clinic staff on day began the process of initiating ART? | 1= Extremely dissatisfied 2= Not satisfied 3= Neither satisfied nor dissatisfied 4= Satisfied 5= Very satisfied |

Theme 1: Quality and acceptability of the ART initiation process

Remind the participant that their input is very valuable and EMPHASISE ON THEM BEING EXPECTS

1.1 Pretend you're back at the day that you enrolled in SLATE II. Can you describe for me, as best you remember, the details of what happened after you consented to be in the study?

| Pro | bes for intervention arm | Probes for standard care arm | |
|-----|--|------------------------------|---|
| 1. | Providers they saw (study staff, clinic staff) | 1. | Providers they saw (clinic staff) |
| 2. | General experience: process, wait time, steps | 2. | Experience at the clinic: process, wait time, |
| 3. | Algorithm components: Symptom report, | | steps |
| | medical history, physical exam, readiness | 3. | Services provided –medical history, |
| | assessment, TB | | physical exam, counseling, TB symptom |
| 4. | Referred for further care before starting ART | | screen ,other? |
| | (screened out)? If yes, go to standard arm | 4. | Referred for additional care? If so, what? |
| | probes. | | |

1.2 Did process to start ART meet your expectations and needs? Why or why not?

| Pro | Probes for intervention arm | | Probes for standard care arm | |
|-----|--|----|--|--|
| 1. | Did you (or will you) start ART when you | 1. | Did you (or will you) start ART when you | |
| | thought you would? Why or why not? | | thought you would? Why or why not? | |
| 2. | How did you find the quality of the services you | 2. | How did you find the quality of the services | |
| | received on the day you started the process of | | you received on the day you started the | |
| | ART initiation? What was the best part? Why? | | process of ART initiation? What was the | |
| | What was the worst part? Why? | | best part? Why? What was the worst part? | |
| 3. | Did you find the study/ SLATE process easy or | | Why? | |
| | complicated? What specifically made it easy? | 3. | Did you find the clinic process easy or | |
| | What things specifically made it complicated? | | complicated? What specifically made it | |
| | | | easy? What things specifically made it | |

IDI Patients

| SLATE II UID | |
|--------------|--|

| (Interviewer: remind them of the process they | complicated? (Interviewer: remind them of |
|---|---|
| described above) | the process they described above) |

1.3 Would you hope that other people in your community who are HIV positive but have not yet started ART have the same experience as you? Please explain.

| Probes for intervention arm | | Probes for standard care arm | |
|-----------------------------|---|------------------------------|---|
| 1. | Is the SLATE II algorithm doing the right thing | 1. | Are the health facilities doing the right |
| | to support ART initiation in your community? | | thing to support ART initiation in your |
| | Why or why not? | | community? Why or why not? |
| 2. | What would you change about your | 2. | What would you change about your |
| | experience to make it better for someone | | experience to make it better for someone |
| | else? | | else? |
| 3. | Is the SLATE II algorithm an acceptable | 3. | Is the standard of care an acceptable |
| | approach for people in your community? Why | | approach for people in your community? |
| | or why not? | | Why or why not? |

Theme 2: Barriers and facilitators to initiation and adherence

1.4 What are some of the things that make it easy for people in your community to initiate ART treatment? To adhere? What are some of the things that make it difficult to initiate? To adhere? (Interviewer: List them, then probe for time, cost, support, drug collection options, adherence options)

| Easy | Challenges |
|-----------|------------|
| Initiate: | Initiate: |
| | |
| | |
| | |
| Adhere: | Adhere: |
| Adilete. | Adhere. |
| | |
| | |
| | |
| | |

1.5 Tell me a story about something specific that you felt made it easy for you to initiate treatment? To adhere to your medications?

| Probes for intervention arm | | Probes for standard care arm | | |
|-----------------------------|--|------------------------------|--|--|
| 1. | Understanding the process through | 1. | Understanding the process through | |
| | counseling, job aids, etc | | counseling, job aids, etc | |
| 2. | Time, cost, efficiency of the SLATE II process | 2. | Time, cost, efficiency of the standard care | |
| 3. | Support of family, friends or support groups | 3. | Support of family, friends or support groups | |
| 4. | Drug collection options, support groups | 4. | Drug collection options, support groups | |
| | (adherence question) | | (adherence question) | |

IDI Patients

| SLATE II UID | |
|--------------|--|

1.6 Tell me a story about something specific that you felt made it difficult for you to initiate treatment? To adhere to your medications?

Probe for:

| Probes for intervention arm | | Probes for standard care arm | | |
|-----------------------------|--|------------------------------|--|--|
| 5. | Understanding the process through | 5. | Understanding the process through | |
| | counseling, job aids, etc | | counseling, job aids, etc | |
| 6. | Time, cost, efficiency of the SLATE II process | 6. | Time, cost, efficiency of the standard care | |
| 7. | Support of family, friends or support groups | 7. | Support of family, friends or support groups | |
| 8. | Drug collection options, support groups | 8. | Drug collection options, support groups | |
| | (adherence question) | | (adherence question) | |

| 1.7 In your opinion, why do some people who should start ART not start? Probe for: |
|--|
| Personal issues: don't know, stigma, time, money |
| System issues: process not easy, |
| Theme 3: Suggestions for improving the ART initiation process and adherence |
| 1.8 Think about your experience with the ART initiation process. What do you suggest would improve your experience? Tell me three specific ways the process could have been easier for you? If you haven't yet initiated, imagine what might make it easy for you. 1. 2. 3. |
| 1.9 Think about your experience with adherence to your ART medications. What do you suggest would improve your experience? Tell me three specific ways adhering could be easier for you? If you haven't yet initiated, imagine what might make it easy for you. 1. 2. 3. |
| 1.10 We've come to the end of our interview. Is there anything else that you'd like to tell me about your experience? |
| Thank the participant for their time and contribution. Close the interview, turn off the recorder and complete the time the interview finished. |
| Time finish |