

Supplementary Material

Minimal residual disease by next-generation flow cytometry hinders organ response in AL amyloidosis patients

Giovanni Palladini,^{1, 2, 3} Bruno Paiva,⁴ Ashutosh Wechalekar,⁵ Margherita Massa,² Paolo Milani,^{1, 2} Marta Lasa,⁴ Marco Basset,^{1, 2, 3} Leire Burgos,⁴ Mario Nuvolone,^{1, 2, 3} Ramón Lecumberri,⁴ Andrea Foli,^{1, 2} Noemi Puig,⁶ Melania Sesta,^{1, 2, 3} Margherita Bozzola,^{1, 2, 3} Pasquale Cascino,^{1, 2, 3} Alice Nevone,^{1, 2, 3} Jessica Ripepi,^{1, 2, 3} Pierpaolo Berti,⁷ Simona Casarini,^{1, 2} Ombretta Annibali,⁷ Alberto Orfao,⁶ Jesus San Miguel,⁴ Giampaolo Merlini^{1, 2, 3}

¹Amyloidosis Research and Treatment Center, “Fondazione Istituto di Ricovero e Cura a Carattere Scientifico (IRCCS) Policlinico San Matteo”, Pavia, Italy

²Biochemistry, Biotechnology and Advanced Diagnostics Laboratory, “Fondazione Istituto di Ricovero e Cura a Carattere Scientifico (IRCCS) Policlinico San Matteo”, Pavia, Italy

³Department of Molecular Medicine, University of Pavia, Pavia, Italy

⁴Clinica Universidad de Navarra, Centro de Investigacion Medica Aplicada (CIMA), IDISNA, CIBERONC Pamplona, Pamplona, Spain

⁵National Amyloidosis Centre, University College London Medical School, United Kingdom

⁶Servicio General de Citometría, Universidad de Salamanca, IBSAL, and IBMCC CSIC-USAL, CIBERONC, Salamanca, Spain

⁷Hematology and Stem Cell Transplantation Unit, University Campus Bio-medico, Rome, Italy.

Corresponding author:

Prof. Giovanni Palladini, MD, PhD

Amyloidosis Research and Treatment Center

Fondazione IRCCS Policlinico San Matteo

Viale Golgi, 19 – 27100 Pavia, Italy

telephone: +39-0382-502994

fax: +39-0382-502990

e-mail: giovanni.palladini@unipv.it

Supplementary Table 1.

Center	Number (%) of patients evaluated
Pavia Amyloidosis Center (Italy)	45 (49)
National Amyloidosis Center (London)	15 (17)
Hospital Universitario Puerta del Hierro (Spain)	11 (12)
Salamanca Hospital (Spain)	4 (4)
Hospital Universitario Dr Peset (Spain)	4 (4)
Hospital Universitario Son Espases (Spain)	2 (2)
Hospital de Cabuenes (Spain)	2 (2)
Hospital de Galdakao (Spain)	2 (2)
Hospital Son Llatzer (Spain)	2 (2)
Clinical Universidad de Navarra (Spain)	1 (1)
Complejo Hospitalario de Ourense (Spain)	1 (1)
Burgos Hospital (Spain)	1 (1)
Costa del Sol Hospital (Spain)	1 (1)
Valladolid Hospital (Spain)	1 (1)

Supplementary Table 2. Logistic regression for organ response.

Variable	OR (95% CI)	P
Time to MRD assessment from aCR		
Cardiac response	1.03 (0.96, 1.10)	P=0.157
Renal response	0.99 (0.97, 1.01)	P=0.653
Time to aCR assessment from diagnosis		
Cardiac response	0.97 (0.86, 1.08)	P=0.154
Renal response	0.95 (0.84, 1.08)	P=0.420

aCR, amyloid complete response; CI, confidence interval; MRD, minimal residual disease; OR, odds ratio.