



Supplementary Materials


**A**




**B**




**Figure S1.** 637 Correlations between *TLR2* expression and *MYD88* expression in PBMC (**A**) and BMMC (**B**) in CLL.



**Figure S2.** 638 Correlations between *TLR4* splice variants expression and *MYD88* expression in PBMC (A, C, E), and BMMC (B,D,F) in CLL.



**Figure S3.** 639 Correlations between *TLR7* expression and *MYD88* expression in PBMC (A) and BMMC (B) in CLL.



**Figure S4.** 640 Correlations between *TLR9* expression and *MYD88* expression in PBMC (A) and BMMC (B) in CLL.

**Table S1.** Expression of *TLRs* in A, B, C clinical stage of disease according to Binet scale.

<b>Binet`s stage</b>				
<i>TLR</i>	<b>A</b>	<b>B</b>	<b>C</b>	<b>Statistical significance (<i>p</i>)</b>
<i>TLR2</i> (PBMC)	0.225	0.1995	0.263	0.068
<i>TLR2</i> (BMMC)	0.2010	0.1995	0.2070	0.96
<i>TLR4(1)</i> (PBMC)	0.1340	0.1360	0.1430	0.94
<i>TLR4(1)</i> (BMMC)	0.130	0.1270	0.1380	0.7123
<i>TLR4(3)</i> (PBMC)	0.1755	0.1570	0.1660	0.5377
<i>TLR4(3)</i> (BMMC)	0.1575	0.1520	0.1390	0.4459
<i>TLR4(4)</i> (PBMC)	0.2055	0.1830	0.1670	0.4907
<i>TLR4(4)</i> (BMMC)	0.1705	0.1760	0.1530	0.9505
<i>TLR7</i> (PBMC)	0.4430	0.6415	0.4510	0.2273
<i>TLR7</i> (BMMC)	0.4980	0.4365	0.3950	0.9978
<i>TLR9</i> (PBMC)	0.3900	0.3660	0.5330	0.3733
<i>TLR9</i> (BMMC)	0.3870	0.4135	0.290	0.1216

PBMC- peripheral blood mononuclear cells, BMMC- bone marrow mononuclear cells.