

Supplementary Table S 1 C statistics, AICs and p values for the H-L test for clinical model through 5-fold cross-validation

	1	2	3	4	5	Average
C statistics						
Training cohort	0.5424	0.7043	0.5447	0.6917	0.6488	0.62638
Internal validation cohort	0.5975	0.6279	0.5685	0.6251	0.6381	0.61142
AIC						
Training cohort	656.0846	669.4681	660.6336	673.6844	668.3239	665.63892
Internal validation cohort	175.931	164.9479	164.9241	164.0962	166.5837	167.29658
P value of the H-L test						
Training cohort	0.0701	0.5044	0.4457	0.2735	0.2801	0.31476
Internal validation cohort	0.3479	0.7054	0.9527	0.2606	0.3551	0.52434

Supplementary Table S 2 C statistics, AICs and p values for the H-L test for laboratory model through 5-fold cross-validation

	1	2	3	4	5	Average
C statistics						
Training cohort	0.9814	0.9935	0.9803	0.9887	0.9863	0.98604
Internal validation cohort	0.9842	0.9836	0.9832	0.987	0.9785	0.9833
AIC						
Training cohort	147.0635	160.5374	141.4085	151.8645	153.4615	150.86708
Internal validation cohort	48.91191	36.3329	50.04142	45.67093	39.29448	44.050328
P value of the H-L test						
Training cohort	0.584	0.9909	0.5546	0.651	0.9935	0.7548
Internal validation cohort	0.61	0.9906	0.9783	0.8909	0.6168	0.81732

Supplementary Table S 3 C statistics, AICs and p values for the H-L test for lab-medication model through 5-fold cross-validation

	1	2	3	4	5	Average
C statistics						
Training cohort	0.9816	0.9928	0.9788	0.9905	0.9863	0.986
Internal validation cohort	0.9833	0.9834	0.9837	0.9844	0.9779	0.98254
AIC						
Training cohort	147.3495	158.1786	138.6844	152.8755	149.8149	149.38058
Internal validation cohort	47.39587	38.32457	51.8203	42.0026	41.26346	44.16136

P value of the H-L test						
Training cohort	0.5103	0.5702	0.4368	0.1563	0.5183	0.43838
Internal validation cohort	0.2564	0.9918	0.9792	0.723	0.6136	0.7128

Supplementary Table S 4 C statistics, AICs and p values for the H-L test for full model through 5-fold cross-validation

	1	2	3	4	5	Average
C statistics						
Training cohort	0.9764	0.9921	0.9831	0.9917	0.9856	0.98578
Internal validation cohort	0.982	0.9749	0.9519	0.9834	0.9834	0.97512
AIC						
Training cohort	131.7514	152.3792	138.5493	148.0614	142.499	142.64806
Internal validation cohort	50.99661	33.43646	34.62429	43.13019	42.4558	40.92867
P value of the H-L test						
Training cohort	0.9816	0.2225	0.9966	0.1319	0.3671	0.53994
Internal validation cohort	0.2389	1	0.3155	0.9931	0.002302	0.5099604