Appendix 1. ICD-9-CM and ICD-10-CM cannabis and psychodysleptics discharge codes with descriptions

ICD-9-CM Code	Description	Note					
	P · ·						
Cannabis dependence, 304.3							
304.30	Cannabis dependence – unspecified						
304.31	Cannabis dependence – continuous						
304.32	Cannabis dependence – episodic						
304.33	Cannabis dependence – in remission						
Cannabis abuse, 30							
305.20	Cannabis abuse – unspecified						
305.21	Cannabis abuse – continuous						
305.22	Cannabis abuse – episodic						
305.23	Cannabis abuse – in remission						
	dysleptics [hallucinogens], 969.6	No sub-codes					
	ng by psychodysleptics [hallucinogens], E854.1	No sub-codes					
	nallucinogens] causing adverse effects in therapeutic use, E939.6	No sub-codes					
ICD-10-CM Code	Description	Note					
Cannabis abuse, F1	12.1						
F12.10	Cannabis abuse, uncomplicated						
F12.10	Cannabis abuse, in remission	Added in FY 2018					
		(effective Oct 1, 2017)					
F12.120	Cannabis abuse with intoxication, uncomplicated						
F12.121	Cannabis abuse with intoxication delirium						
F12.122	Cannabis abuse with intoxication with perceptual disturbance						
F12.129	Cannabis abuse with intoxication, unspecified						
F12.13	Cannabis abuse with withdrawal	Added in FY 2021 (effective Oct 1, 2020; not present in study data)					
F12.150	Cannabis abuse with psychotic disorder with delusions						
F12.151	Cannabis abuse with psychotic disorder with hallucinations						
F12.159	Cannabis abuse with psychotic disorder, unspecified						
F12.180	Cannabis abuse with cannabis-induced anxiety disorder						
F12.188	Cannabis abuse with other cannabis-induced disorder						
F12.19	Cannabis abuse with unspecified cannabis-induced disorder						
Cannabis depender	nce, F12.2						
F12.20	Cannabis dependence, uncomplicated						
F12.21	Cannabis dependence, in remission						
F12.220	Cannabis dependence with intoxication, uncomplicated						
F12.221	Cannabis dependence with intoxication delirium						
F12.222	Cannabis dependence with intoxication with perceptual disturbance						
F12.229	Cannabis dependence with intoxication, unspecified						
F12.23	Cannabis dependence with withdrawal	Added in FY 2019 (effective Oct 1, 2018)					
F12.250	Cannabis dependence with psychotic disorder with delusions						
F12.251	Cannabis dependence with psychotic disorder with hallucinations						
F12.259	Cannabis dependence with psychotic disorder, unspecified						
F12.280	Cannabis dependence with cannabis-induced anxiety disorder						
F12.288	Cannabis dependence with other cannabis-induced disorder						
F12.29	Cannabis dependence with unspecified cannabis-induced disorder						

ICD-10-CM Code	Description	Note				
Cannabis use, F12.9						
F12.90	Cannabis use, unspecified, uncomplicated					
F12.920	Cannabis use, unspecified with intoxication, uncomplicated					
F12.921	Cannabis use, unspecified with intoxication delirium					
F12.922	Cannabis use, unspecified with intoxication with perceptual disturbance					
F12.929	Cannabis use, unspecified with intoxication, unspecified					
F12.93	Cannabis use, unspecified with withdrawal	Added in FY 2019 (effective Oct 1, 2018)				
F12.950	Cannabis use, unspecified with psychotic disorder with delusions					
F12.951	Cannabis use, unspecified with psychotic disorder with hallucinations					
F12.959	Cannabis use, unspecified with psychotic disorder, unspecified					
F12.980	Cannabis use, unspecified with anxiety disorder					
F12.988	Cannabis use, unspecified with other cannabis-induced disorder					
F12.99	Cannabis use, unspecified with unspecified cannabis-induced disorder					
Poisoning by and a	dverse effects of cannabis (derivatives), T40.7					
T40.7X1A	Poisoning by cannabis (derivatives), accidental (unintentional)initial encounter					
T40.7X2A	Poisoning by cannabis (derivatives), intentional self-harm initial encounter					
T40.7X3A	Poisoning by cannabis (derivatives), assault initial encounter					
T40.7X4A	Poisoning by cannabis (derivatives), undetermined initial encounter					
T40.7X5A	Adverse effect of cannabis (derivatives), initial encounter					
	dverse effects of lysergide [LSD], T40.8					
T40.8X1A	Poisoning by lysergide [LSD] (accidental) initial encounter					
T40.8X2A	Poisoning by lysergide [LSD] (self-harm) initial encounter					
T40.8X3A	Poisoning by lysergide [LSD] (assault) initial encounter					
T40.8X4A	Poisoning by lysergide [LSD] (undetermined) initial encounter					
Poisoning by and a	dverse effects of unspecified psychodysleptics [hallucinogens], T40.90					
T40.901A	Poisoning by unspecified psychodysleptics [hallucinogens] (accidental) initial encounter					
T40.902A	Poisoning by unspecified psychodysleptics [hallucinogens] (self-harm) initial encounter					
T40.903A	Poisoning by unspecified psychodysleptics [hallucinogens] (assault) initial encounter					
T40.904A	Poisoning by unspecified psychodysleptics [hallucinogens] (undetermined) initial encounter					
T40.905A	Adverse effect of unspecified psychodysleptics [hallucinogens] initial encounter					
Poisoning by and a	dverse effects of other psychodysleptics [hallucinogens], T40.99					
	Poisoning by other psychodysleptics [hallucinogens] (accidental) initial					
1 10.55111	encounter					
T40.992A	Poisoning by other psychodysleptics [hallucinogens] (self harm) initial encounter					
T40.993A	Poisoning by other psychodysleptics [hallucinogens] (assault) initial encounter					
T40.994A	Poisoning by other psychodysleptics [hallucinogens] (undetermined) initial encounter					
T40.995A	Adverse effect of other psychodysleptics [hallucinogens] initial encounter					

Appendix 2. Annual counts of ED and hospital discharges with ICD-9-CM and ICD-10-CM codes for cannabis use disorders (Indicator 1) and poisoning/adverse effects of psychodysleptics (Indicator 2), 2011-2018

		ED Discharges				Inpatient Hospital Discharges					
Coding Scheme	Year	Indica Cannal disoro	ois use	Poisonir adverse	ator 2: ng by and effects of ysleptics ^b	Total	Indica Cannal disor	bis use	Indica Poisonin adverse psychody	g by and effects of	Total
	2011	7,993	0.60%	265	0.02%	1,327,248	6,228	1.30%	124	0.03%	480,048
ICD-9-	2012	9,767	0.69%	274	0.02%	1,424,217	6,625	1.40%	143	0.03%	473,777
	2013	13,815	0.85%	474	0.03%	1,620,114	8,179	1.76%	161	0.03%	464,870
CM	2014	17,767	1.01%	748	0.04%	1,756,313	11,364	2.43%	168	0.04%	468,157
	Q1-Q3 2015	10,126	0.73%	468	0.03%	1,389,344	10,825	3.00%	163	0.05%	360,379
ICD- 10-CM	Q4 2015	4,022	0.87%	196	0.04%	462,033	3,907	3.31%	68	0.06%	118,214
	2016	19,876	1.03%	803	0.04%	1,920,533	16,773	3.49%	260	0.05%	480,812
	2017	21,106	1.10%	943	0.05%	1,911,468	16,480	3.41%	278	0.06%	483,113
	2018	21,523	1.13%	1,237	0.06%	1,911,545	17,064	3.54%	295	0.06%	481,536
Tot	tal	125,995 0.92% 5,408 0.04% 13,722,815 97,445 2.56% 1,660 0.04%		3,810,906							

^a Indicator 1: Cannabis use disorders included ICD-9-CM codes 304.3X and 305.2X and all ICD-10-CM F12 codes

^b Indicator 2: Poisoning and adverse effects of psychodysleptics included ICD-9-CM codes 969.6, E854.1, and E939.6, and ICD-10-CM codes T40.7X1A-T40.7X5A, T40.8X1A-T40.8X4A, T40.901A-T40.905A, T40.991A-T40.995A

Appendix 3. Total number of cannabis ICD-10-CM codes in ED and hospital discharges from January 1, 2016 through December 31, 2018.

ICD-10-CM Code	Frequency (%)			
	ED Visits	Hospitalizations		
F12.10: Cannabis abuse (uncomplicated)	17,764 (25.42)	15,153 (27.38)		
F12.11: Cannabis abuse, in remission	38 (0.05)	174 (0.31)		
F12.12, -0,-1,-2,-9: Cannabis abuse with intoxication (uncomplicated,	1,141 (1.63)	184 (0.33)		
with delirium, with perceptual disturbance, and unspecified)				
F12.15, -0, -1, -9: Cannabis abuse with psychotic disorder (with	71 (0.1)	163 (0.29)		
delusions, with hallucinations, unspecified)				
F12.18, -0, -8: Cannabis abuse with other cannabis-induced disorder	823 (1.18)	324 (0.59)		
(cannabis-induced anxiety disorder, cannabis-induced disorder)				
F12.19: Cannabis abuse with unspecified cannabis-induced disorder	100 (0.14)	73 (0.13)		
F12.20: Cannabis dependence uncomplicated	2,227 (3.19)	4,386 (7.92)		
F12.21: Cannabis dependence in remission	134 (0.19)	226 (0.41)		
F12.22, -0,-1,-2,-9: Cannabis dependence with intoxication	85 (0.12)	43 (0.08)		
(uncomplicated, with delirium, with perceptual disturbance, and				
unspecified)				
F12.23: Cannabis dependence with withdrawal	<11	14 (0.03)		
F12.25, -0, -1, -9: Cannabis dependence with psychotic disorder (with	25 (0.04)	126 (0.23)		
delusions, with hallucinations, unspecified)				
F12.28, -0, -8: Cannabis dependence with other cannabis-induced	116 (0.17)	173 (0.31)		
disorder (cannabis-induced anxiety disorder, other cannabis-induced				
disorder)	(0.0-)			
F12.29: Cannabis dependence with unspecified cannabis-induced	52 (0.07)	110 (0.2)		
disorder	20.004 (55.00)	24 222 (7 (42)		
F12.90: Cannabis use, unspecified (uncomplicated)	39,986 (57.22)	31,230 (56.42)		
F12.92, -0,-1,-2,-9: Cannabis use, unspecified with intoxication	2,194 (3.14)	393 (0.71)		
(uncomplicated, with delirium, with perceptual disturbance, and				
unspecified)	04 (0.12)	202 (0.27)		
F12.95, -0, -1, -9: Cannabis use, unspecified with psychotic disorder	84 (0.12)	203 (0.37)		
(with delusions, with hallucinations, unspecified)	020 (1.2)	20((0.55)		
F12.98, -0, -8: Cannabis use, unspecified with other cannabis-induced	839 (1.2)	306 (0.55)		
disorder (with anxiety disorder, with cannabis-induced disorder)	005 (1.42)	1 140 (2.09)		
F12.99: Cannabis use with unspecified cannabis-induced disorder	995 (1.42)	1,149 (2.08)		
T40.7X1A: Poisoning by cannabis (accidental) initial encounter	1,551 (2.22)	461 (0.83)		
T40.7X2A: Poisoning by cannabis (self-harm) initial encounter	52 (0.07)	91 (0.16)		
T40.7X3A: Poisoning by cannabis (assault) initial encounter	<11	0 (0)		
T40.7X4A: Poisoning by cannabis (undetermined) initial encounter	84 (0.12)	29 (0.05)		
T40.7X5A: Poisoning by adverse effect of cannabis initial encounter	940 (1.35)	254 (0.46)		
T40.8X1A: Poisoning by lysergide [LSD] (accidental) initial encounter	352 (0.5)	34 (0.06)		
	25 (0.04)	0 (0 02)		
T40.8X2A: Poisoning by lysergide [LSD] (self-harm) initial	25 (0.04)	9 (0.02)		
encounter T40.8X3A: Poisoning by lysergide [LSD] (assault) initial encounter	<11	<11		
T40.8X4A: Poisoning by lysergide [LSD] (assaut) initial encounter	115 (0.16)	<11		
encounter	113 (0.10)	<u></u>		
T40.901A: Poisoning by unspecified psychodysleptics	11 (0.02)	<11		
[hallucinogens] (accidental) initial encounter	11 (0.02)	\11		
T40.902A: Poisoning by unspecified psychodysleptics	<11	<11		
[hallucinogens] (self-harm) initial encounter	~11	\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\		
T40.903A: Poisoning by unspecified psychodysleptics	0 (0.0)	0 (0.0)		
[hallucinogens] (assault) initial encounter	0 (0.0)	0 (0.0)		
[maintenant mount minutenant mount minutenant m	<u> </u>	<u> </u>		

ICD-10-CM Code	Frequency (%)		
	ED Visits	Hospitalizations	
T40.904A: Poisoning by unspecified psychodysleptics	<11	0 (0.0)	
[hallucinogens] (undetermined) initial encounter			
T40.905A: Adverse effect of unspecified psychodysleptics	<11	0 (0.0)	
[hallucinogens] initial encounter			
T40.991A: Poisoning by other psychodysleptics [hallucinogens]	37 (0.05)	18 (0.03)	
(accidental) initial encounter			
T40.992A: Poisoning by other psychodysleptics [hallucinogens] (self	<11	<11	
harm) initial encounter			
T40.993A: Poisoning by other psychodysleptics [hallucinogens]	<11	0 (0.0)	
(assault) initial encounter			
T40.994A: Poisoning by other psychodysleptics [hallucinogens]	<11	<11	
(undetermined) initial encounter			
T40.995A: Adverse effect of other psychodysleptics [hallucinogens]	18 (0.03)	<11	
initial encounter			