

Effect of Low Input Organic and Conventional farming systems on maize rhizosphere in two Portuguese OPV, ‘Pigarró’ (improved landrace) and ‘SinPre’ (a Composite Cross Population)

Aitana Ares, Joana Costa*, Carolina Joaquim, Duarte Pintado, Daniela Santos, Monika M. Messmer, Pedro Mendes-Moreira

* Correspondence: Corresponding Author: jcosta@uc.pt

Supplementary Table 7. Genera relative abundance significantly different between ‘Pigarró’ and ‘SinPre’ populations ($P < 0.05$).

Genera	Difference	
	Pigarró	SinPre
<i>Abortiporus - Alternaria</i>	-1233,5	-1406,67
<i>Abortiporus - Aspergillus</i>	-1199,83	-2969,67
<i>Abortiporus - Fusarium</i>	-2897,83	-1764,33
<i>Abortiporus - Mortierella</i>	-2368,33	-1928,67
<i>Abortiporus - Oidiodendron</i>	-4830,5	-
<i>Abortiporus - Penicillium</i>	-1458,67	-893,667
<i>Abortiporus - Podospora</i>	-1033,67	-780,5
<i>Abortiporus - Rhizophlyctis</i>	-1673,83	-1569,83
<i>Abortiporus - Rhizopus</i>	-3952,67	-
<i>Abortiporus - Dentiscutata</i>	-	-546,833
<i>Abortiporus - Exophiala</i>	-	-723,5
<i>Abortiporus - Microdochium</i>	-	-703,5
<i>Abortiporus - Olpidium</i>	-	-667,5
<i>Abortiporus - Cunninghamella</i>	-	-679,5
<i>Acaulospora - Alternaria</i>	-1232,83	-1406,67
<i>Acaulospora - Aspergillus</i>	-1199,17	-2969,67
<i>Acaulospora - Fusarium</i>	-2897,17	-1764,33
<i>Acaulospora - Mortierella</i>	-2367,67	-1928,67
<i>Acaulospora - Oidiodendron</i>	-4829,83	-
<i>Acaulospora - Penicillium</i>	-1458	-893,667
<i>Acaulospora - Podospora</i>	-1033	-780,5
<i>Acaulospora - Rhizophlyctis</i>	-1673,17	-1569,83
<i>Acaulospora - Rhizopus</i>	-3952	-
<i>Acaulospora - Cunninghamella</i>	-	-679,5
<i>Acaulospora - Dentiscutata</i>	-	-546,833
<i>Acaulospora - Exophiala</i>	-	-723,5
<i>Acaulospora - Microdochium</i>	-	-703,5
<i>Acaulospora - Olpidium</i>	-	-667,5
<i>Acremonium - Fusarium</i>	-2669,67	-1512,5
<i>Acremonium - Penicillium</i>	-1230,5	-641,833
<i>Acremonium - Rhizophlyctis</i>	-1445,67	-1318
<i>Acremonium - Rhizopus</i>	-3724,5	-
<i>Acremonium - Alternaria</i>	-	-1154,83
<i>Acremonium - Aspergillus</i>	-	-2717,83
<i>Acremonium - Mortierella</i>	-	-1676,83
<i>Acrocalymma - Alternaria</i>	-1124,5	-
<i>Acrocalymma - Aspergillus</i>	-1090,83	-2882,83
<i>Acrocalymma - Fusarium</i>	-2788,83	-1677,5
<i>Acrocalymma - Mortierella</i>	-2259,33	-1841,83
<i>Acrocalymma - Oidiodendron</i>	-4721,5	-
<i>Acrocalymma - Penicillium</i>	-1349,67	-806,833
<i>Acrocalymma - Rhizophlyctis</i>	-1564,83	-1483
<i>Acrocalymma - Rhizopus</i>	-3843,67	-1319,83
<i>Acrocalymma - Cunninghamella</i>	-	-592,667
<i>Acrocalymma - Exophiala</i>	-	-636,667
<i>Acrocalymma - Microdochium</i>	-	-616,667
<i>Acrocalymma - Olpidium</i>	-	-580,667
<i>Acrocalymma - Podospora</i>	-	-693,667