APPENDIX 1: Percent of target symptomatic bone metastases categorized as "complicated," calculated across all possible definitions for complicated bone metastases using the 8 variables listed.

motast		ig the 8 va		All			Soft	
Prior RT	Prior surgery	All fracture	Non- spine fracture only	neuraxis com- promise	CCS only	CE only	tissue comp- onent	Percent of "complicated" cases
√	✓	✓	Office	√			√	67.20/
√	√	√		•	✓		√	67.3%
_ v	√	√		✓	V		√	66.8%
	√	√		V	✓		√	65.9%
					V	,		65.3%
√	√	√				√	√	62.0%
√	√	✓	,	,			√	61.8%
✓	√		√	✓			√	61.8%
✓	√		✓		✓		√	61.1%
	✓	√				✓	✓	60.2%
	✓		✓	✓			✓	60.2%
	√	√					√	60.1%
✓	✓			✓			✓	59.5%
	✓		✓		√		✓	59.2%
✓		✓		✓			✓	58.7%
✓	✓				√		✓	58.5%
✓		✓			✓		✓	58.2%
	✓			✓			✓	57.4%
		✓		✓			✓	57.0%
	✓				✓		✓	56.7%
		√			✓		✓	56.4%
✓		√				✓	√	53.4%
√		✓					✓	53.2%
✓			✓	✓			✓	53.2%
✓	✓		✓			✓	✓	52.9%
✓	✓		✓				✓	52.5%
√			✓		√		✓	52.3%
		√				✓	✓	51.3%
			✓	✓			✓	51.3%
		√					✓	51.2%
	√		✓			✓	✓	50.9%
✓				✓			✓	50.6%
√	✓			-		✓	√	50.6%
	√		✓				√	50.3%
	-		√		✓		√	50.3%
√	✓		*				√	49.9%
√	*				√		√	49.7%
				✓	<u>'</u>		√	48.5%
	✓			*		✓	√	48.1%
√	√	√		✓		*	*	47.8%
	√	<u> </u>		*			✓	47.7%
	*				✓		√	47.7%
<u> </u>	✓	√		✓			•	45.3%
√	•	*	√	*		✓	√	45.3%
√			√			*	√	44.3%
√	√	√	•		√		*	44.2%
	Y	, ,	√		*	✓	√	
			٧			√	√	42.0%
✓		<u> </u>]	٧	v	41.7%

Prior RT	Prior surgery	All fracture	Non- spine fracture only	All neuraxis com- promise	CCS	CE only	Soft tissue comp- onent	Percent of "complicated" cases
			√				✓	41.5%
✓	√		√	✓				41.5%
✓							✓	41.4%
	√	√			✓			41.1%
✓		√		✓				39.2%
						✓	✓	39.1%
	✓		✓	✓				39.1%
							✓	38.6%
✓	√			✓				37.8%
		✓		✓				37.0%
√	✓		✓		✓			36.4%
✓		✓			✓			35.6%
	✓			✓				35.1%
√	√	✓				✓		34.3%
✓	✓	1						33.7%
√		·	✓	✓				33.1%
	√		· ·	,	√			32.9%
	,	√	,		· ·			32.7%
✓	√	<u> </u>			· /			32.7%
,	√	1			,	✓		32.7%
	,	,	√	√		,		30.6%
	√	√	, , , , , , , , , , , , , , , , , , ,	•				30.2%
✓	•	,		✓				30.2%
•	√			•	√			29.4%
√	•		√		√			29.4%
•			•	√	· ·			
✓		√		•		✓		28.4%
√		√				'		26.2%
V		· ·	,		,			25.4%
,			√		√			25.1%
√		,			√	,		24.5%
		√				✓		24.1%
		✓						21.7%
	,		,		√			21.3%
√	√	1	√			✓		20.6%
✓	√	1	√					19.1%
	√		√			√		16.9%
√ .	√	1				✓		15.3%
✓	√	-				<u> </u>		15.2%
	√	-	√					13.0%
	√	ļ				√		13.0%
✓	_		✓			✓		11.2%
	√	ļ						10.5%
√			√					8.9%
✓			_			✓		8.3%
			✓			✓		6.6%
✓								6.4%
			✓					4.4%
						✓		4.1%
()		<u> </u>					. "	0.0%

[✓] Indicates that the selected variable was used as part of the definition for "complicated" bone metastasis

CCS= central canal stenosis, CE= cord edema, RT=radiotherapy