

On-line Table: TRICKS, DSA findings, and treatment of patients with SDAVF (type I)

Age (yr)	Sex	Side and Level of Feeding Vessel		Treatment	Classification
		TRICKS	Angiogram		
76	F	R L2	R L2	Surgery	I
64	F	L T12	L T12	Surgery	I
59	F	T8/T9, no side identified	L T9	Surgery	I
54	M	L T9	L T8 and T9	Surgery	I
80	F	L T12	L L1	Surgery	I
79	M	R T12	R T12	Surgery	I
67	M	L L1/L2	L L1	Surgery	I
58	M	L T5	L T5	Surgery	I
68	F	T10/T11, no side identified	L T11	Surgery	I
59	M	R T12	R L1	Surgery	I
69	F	L T8	L T8	Surgery	I
60	M	R T12	R T12	Surgery	I
76	F	T10/T11, no side identified	L T12	Surgery	I
69	M	R T8	R T8	Surgery	I
56	M	R T9	R T9	Surgery	I
60	M	R T7	R T7	Surgery	I
70	F	R T11	R T11	Surgery	I
72	M	R T11	R T11	Surgery	I
60	F	L T11/T12	L L2	Surgery	I
69	M	R T10 and L T11	R T12	Surgery	I
65	F	L L1 and R T10	R T6 and L T8	Surgery	Ib
51	M	L T11	R S1	Surgery	I
65	M	R T9	R T9	Surgery	I
75	M	R T4	R T4	Surgery	I
76	F	R T8	R T8	Surgery	I
59	M	L T7/T8	L T6	Surgery	I
48	M	Upper mid-thoracic	L T6	Surgery	I
82	F	R T6–T8	L T6	Surgery	I
83	M	L T5	L T5	Surgery	I
64	M	R T5	R T5	Surgery	I
75	F	L T6	Unsuccessful	Surgery	I
58	F	SVM but no level or side identified	R L3	Surgery	I
44	F	Lower cervical	Posterior fossa, L occipital and middle meningeal branches	Embolization	I

Note:—L indicates left; R, right.