

**On-line Table: Overview of initial ASPECTS, clinical, and angiographic data**

Age (yr)/Sex	ASPECTS (Initial CT or DWI)	Initial NIHSS Score	Cervical ICA Stenosis (NASCET <sup>®</sup> , (%)) (100% = Occlusion)		Intracranial Occlusion Site	Postintervention. TICI	Antiaggregation	Hemorrhage, PH 2		mRS after 90 Days
			Initial NIHSS Score	(100% = Occlusion)				PH 2	mRS after 90 Days	
1	49/F	8	7	68	Left M1/M2	2b	Tirofiban	No	No	3
2	69/M	9	20	100	Left carotid T, M1	2b	Aspirin/clopidogrel <sup>a</sup>	No	No	4
3	62/M	8	16	81	Right M1	2a	Tirofiban	Yes	Yes	5
4	69/M	7	15	81	Left carotid T	2a	Tirofiban	Yes	Yes	4
5	75/M	8	22	100	Right carotid T, M1/2/3	2a	Aspirin/clopidogrel	Yes	Yes	6
6	69/M	8	12	77	Right M1	3	Tirofiban	No	No	1
7	53/M	9	19	74	Left carotid T	3	Tirofiban	No	No	2
8	72/M	8	18	86	Left M1/2	2a	Tirofiban	No	No	3
9	55/M	10	21	78	Left M1	2a	Tirofiban	No	No	1
10	80/M	9	15	78	Right M1/2	2b	Tirofiban	No	No	3
11	83/M	9	23	70	Right M1/2	2b	Tirofiban	No	No	5
12	63/M	7	17	100	Left M1	3	Tirofiban	No	No	4
13	77/M	9	Initial NIHSS 5, deteriorated to NIHSS 12	76	Left M1	3	Aspirin/clopidogrel	No	No	3
14	78/M	8	Initial NIHSS 4, deteriorated to NIHSS >10	71	Left M1	3	Aspirin/clopidogrel	No	No	5
15	64/M	10	16	100	Left M1	3	Tirofiban	No	No	2
16	52/M	8	18	100	Right carotid T/M1	2a	Tirofiban	Yes	Yes	5
17	81/M	9	19	100	Left carotid T/M1	2a	Tirofiban	No	No	2
18	60/M	10	16	90	Left carotid T/M1	3	Aspirin/clopidogrel	No	No	2
19	59/M	9	22	100	Left carotid T/M1	3	Aspirin/clopidogrel	No	No	0
20	57/M	8	19	100	Right carotid T, M1/2	3	Tirofiban	No	No	3
21	64/F	10	24	100	Left carotid T/M1	2a	Tirofiban	No	No	6
22	80/M	7	23	100	Left carotid T/M1	3	Aspirin/clopidogrel <sup>a</sup>	No	No	6
23	66/M	9	26	100	Left carotid T/M1	2a	Tirofiban	No	No	6
24	76/F	8	17	100	Right carotid T/M1	3	Tirofiban	No	No	3

**Note:**—PH 2 indicates parenchymal hemorrhage according to ECASS-2. Postintervention., postinterventional; carotid T, carotid triangle.

<sup>a</sup> These patients were already undergoing treatment with aspirin and clopidogrel.