

SUPPLEMENTARY TABLE 4 Individual patient symptoms at presentation

Case #	Age, y; sex († deceased) (A, ARDS)	Fever (> 38°C)/ chills	Cough	Weakness	Diarrhea	Nausea/ vomiting	Dyspnoea	Myalgia	Anosmia	Dys- phagia	Rhinitis	Sore throat
Kidney transplant with COVID-19 (KTX-COVID)												
1	52; m	1										
2	55; m	1	1	1				1	1			
3	64; f		1	1					1	1		
4	68; m (A)											
5	62; f (†) (A)	1	1		1	1						
6	62; f (†) (A)	1	1	1	1	1	1					
7	69; m (†) (A)	1	1	1	1							
Hemodialysis with COVID-19 (HD-COVID)												
1	65; m	1		1	1							
2	79; f	1	1					1				
3	61; f	1	1				1					
4	69; m			1								
5	73; m	1			1	1						
6	79; f	1		1		1						
7	38; f	1	1	1								
8	73; m		1	1	1	1						
9	66; f (A)	1	1				1					
10	72; m (†) (A)	1		1			1					
11	67; f (†) (A)	1	1	1								
Hemodialysis asymptomatic SARS CoV-2 RNA positive (HD-asympt CoV-2)												
1	65; f											
2	79; m											
3	87; f											
	Sum, N	14	11	11	6	5	4	2	2	1	0	0
	% of total of N=21	67	52	52	29	24	19	10	10	5	0	0

A, ARDS, acute respiratory distress syndrome; °C, degree Celsius; f, female; m, male; N, number of patients with symptom/sign; † deceased