Article

Myoglobin and C-Reactive Protein are Efficient and Reliable Early Predictors of COVID-19 Associated Mortality

- Ashaq Ali^{1,9#}, Muhammad Noman^{4#}, Yong Guo^{2,10#}, Xu Liu^{6#},Rong Zhang^{5,8}, Juan Zhou¹, Yang Zheng ⁷, Xian-En Zhang⁷, Yong Qi^{3*}, Xiaohua Chen^{2*}, Dong Men^{1,9*}
- ¹ State Key Laboratory of Virology, Wuhan Institute of Virology, Center for Biosafety Mega-Science, Chinese Academy of Sciences, Wuhan, 430071, China.
- ² Department of Laboratory Medicine, General Hospital of Central Theatre Command, PLA. Wuhan 430070, China.
- ³ Medical Department General Hospital of Central Theatre Command, PLA, Wuhan 430070, China
- ⁴ College of Life Science, Engineering Research Center of the Chinese Ministry of Education for Bioreactor and Pharmaceutical Development, Jilin Agricultural University, Changchun 130118, China.
- ⁵ Department of Laboratory Medicine, General Hospital of Southern Theatre Command, PLA. Guangzhou 510010, China.
- ⁶ Department of Biochemistry and Molecular Biology, Medical College, Hubei Minzu University, Enshi 445000, Hubei, China.
- ⁷ National Laboratory of Biomacromolecules, CAS Center for Excellence in Biomacromolecules, Institute of Biophysics, Chinese Academy of Sciences, Beijing, 100101, China.
- ⁸ Joint Expert Group for COVID-19, Wuhan Huoshenshan Hospital, Wuhan, Hubei 430100, China.
- ⁹ University of Chinese Academy of Sciences, Beijing, 100049, China.
- ¹⁰ Department of Pathology, General Hospital of Central Theatre Command, PLA. Wuhan 430070, China.
- # Contributed equally
- * Correspondence: <u>qiy9527@163.com</u> (Y.Q.); <u>cxhniuniu@163.com</u> (X.C.); <u>d.men@wh.iov.cn</u> (D.M.)




Figure S1: Age, sex, comorbidities and major initial symptoms in all patients




Figure S2: Age, sex, comorbidities and major initial symptoms in deceased patients



Figure S3: Age, sex, comorbidities and major initial symptoms in recovered patients

