
Supplementary Data

Supplementary Table S1. Child, Family, and Injury Characteristics by Follow-Up Completion

	Completed follow-up n=376	No follow-up n=57	p value
Child and family characteristics			
Age at injury			0.06
31 months to 5 years	120 (32%)	26 (46%)	
6–11 years	133 (35%)	12 (21%)	
12 – 15 years	123 (33%)	19 (33%)	
Child sex: Female	135 (36%)	18 (32%)	0.52
Child race/ethnicity		, ,	0.01
Hispanic or Latino	93 (25%)	22 (40%)	
White, non-Hispanic	226 (61%)	21 (38%)	
Black, non-Hispanic	28 (8%)	6 (11%)	
Other, non-Hispanic	25 (7%)	6 (11%)	
Insurance type			0.01
None	35 (9%)	13 (23%)	0.01
Medicaid/CHIP	137 (37%)	20 (35%)	
Commercial/Private/Military	203 (54%)	24 (42%)	
Income at or below poverty level	90 (26%)	18 (37%)	0.12
Problematic family functioning	50 (13%)	11 (19%)	0.23
Social capital index: mean (SD)	3.5 (1.0)	2.9 (1.1)	< 0.001
Latent class indicators of injury	severity		
Loss of consciousness pre-hospital	188 (54%)	26 (50%)	0.56
Hypotension in ED ED GCS Total	13 (3%)	2 (4%)	1.0 0.51
3-8	89 (24%)	10 (18%)	
9-12	24 (6%)	5 (9%)	
13-15	263 (70%)	42 (74%)	
Hours to Motor GCS of 6			0.24
<12	324 (86%)	50 (88%)	
12-<24	14 (4%)	1 (2%)	
24-<48	6 (2%)	3 (5%)	
≥ 48	32 (9%)	3 (5%)	
Head AIS	,	,	0.50
0-2	135 (36%)	23 (40%)	0.50
3-4	213 (57%)	32 (56%)	
5-6	28 (7%)	2 (4%)	
	114 (31%)	14 (25%)	0.35

SD, standard deviation; ED, emergency department; GCS, Glasgow Coma Scale; AIS, Abbreviated Injury Scale.



 $^{\rm a}$ Of 376 completing follow up, 27 (7%) completed a 6 month assessment only, 7 (2%) completed a 12 month assessment only, and 342 (91%) completed both assessments.

SUPPLEMENTARY FIG. S1. Cohort flow diagram.