

Supporting Information

Combining psychedelic and mindfulness interventions: Synergies to inform clinical practice

AUTHOR NAMES

Jake E Payne¹, Richard Chambers², Paul Liknaitzky^{3,4*}

AUTHOR ADDRESSES

¹Centre for Mental Health, Swinburne University of Technology, Melbourne, Australia

²Mindfulness Programs, Monash University, Melbourne, Australia

³Turner Institute, School of Psychological Sciences, Monash University, Melbourne,
Australia

⁴ Department of Psychiatry, School of Clinical Sciences, Monash University,
Melbourne, Australia

CORRESPONDING AUTHOR

*Paul Liknaitzky - Paul.L@monash.edu

TABLE OF CONTENTS.

Title page

S-1

Table of contents

S-2

Scale References

S-3 - S-4

Scale References

Determinants of Meditation Practice Inventory-Revised (DMPI-R)

- Hunt, C. A., Hoffman, M. A., Mohr, J. J., & Williams, A. I. (2020). Assessing Perceived Barriers to Meditation: the Determinants of Meditation Practice Inventory-Revised (DMPI-R). *Mindfulness*, 11(1), 1139–1149.
doi:10.1007/s12671-020-01308-7

Five Facet Mindfulness Questionnaire

- Baer, R. A., Smith, G. T., Hopkins, J., Kriemeyer, J., & Toney, L. (2006). Using self report assessment methods to explore facets of mindfulness. *Assessment, 13*, 27- 45. doi: 10.1177/1073191105283504

Meditation Depth Index

- Piron, H. (2001). The meditation depth index (MEDI) and the meditation depth questionnaire (MEDEQ). *Journal for Meditation and Meditation Research, 1*(1), 69-92. Retrieved from:[https://www.semanticscholar.org/paper/The-Meditation-Depth-Index-\(MEDI\)-and-the-Depth-\(Piron/4fb2f6294c0c3db35411fc70abfd793863183ca](https://www.semanticscholar.org/paper/The-Meditation-Depth-Index-(MEDI)-and-the-Depth-(Piron/4fb2f6294c0c3db35411fc70abfd793863183ca)

Mindful Adherence Questionnaire (MAQ)

- Hassed, C., Flighty, A.J., Chambers, R., Hosemans, D., Bailey, N., Connaughton, S., Lee, S., & Kazantzis, N. (2020). Advancing the Assessment of Mindfulness-Based Meditation Practice: Psychometric Evaluation of the Mindfulness Adherence Questionnaire. *Cognitive Therapy and Research, 45*, 190-204. doi:10.1007/s10608-020-10150-z

Self-Compassion Scale

- Neff, K. (2003). Self-Compassion: An Alternative Conceptualization of a Healthy Attitude Toward Oneself. *Self and Identity, 2*(2): 85-101. doi: 10.1080/15298860309032

Compassion Scale

- Pommier, E., Neff, K. D., & Tóth-Király, I. (2020). The development and validation of the Compassion Scale. *Assessment, 27*(1), 21-39. doi: 10.1177/1073191119874108

Warwick-Edinburgh Mental Wellbeing Scale

- Tennant, R., Hiller, L., Fishwick, R., Platt, S., Joseph, S., Weich, S., & Stewart-Brown, S. (2007). The Warwick-Edinburgh mental well-being scale

(WEMWBS): development and UK validation. *Health and Quality of life Outcomes*, 5(1), 1-13. doi:10.1186/1477-7525-5-63

5-Dimensional Altered States of Consciousness Rating Scale

- Dittrich, A. (1998). The standardized psychometric assessment of altered states of consciousness (ASCs) in humans. *Pharmacopsychiatry* 31, 80–84/ doi:10.1055/s-2007-979351

Emotional Breakthrough Inventory

- Roseman, Leor & Haijen, Eline & Idialu-Ikato, Kelvin & Kaelen, Mendel & R, Rosalind & Carhart-Harris, Robin. (2019). Emotional breakthrough and psychedelics: Validation of the Emotional Breakthrough Inventory. *Journal of Psychopharmacology*. 33. doi10.1177/0269881119855974.

Persisting Effects Questionnaire

- Griffiths, R. R., Richards, W. A., McCann, U., & Jesse, R. (2006). Psilocybin can occasion mystical-type experiences having substantial and sustained personal meaning and spiritual significance. *Psychopharmacology*, 187(3), 268-283. doi: 10.1007/s00213-006-0457-5.