

Supporting Information

Encapsulation and characterization of nanoemulsions based on an anti-oxidative polymeric amphiphile for topical apigenin delivery

Tzung-Han Chou^{1,*}, Daniel Setiyo Nugroho¹, Jia-Yaw Chang², Yu-Shen Cheng¹, Chia-Hua Liang³
and Ming-Jay Deng⁴

¹ Department of Chemical and Materials Engineering, National Yunlin University of Science and Technology, Yunlin 64022, Taiwan; chouth@yuntech.edu.tw

² Department of Chemical Engineering, National Taiwan University of Science and Technology, Taipei 10607, Taiwan; jychang@mail.ntust.edu.tw

³ Department of Cosmetic Science, Chia Nan University of Pharmacy and Science, Tainan 717, Taiwan; tinna_ling@mail.cnu.edu.tw

⁴ Department of Applied Chemistry, Providence University, 200 Taiwan Boulevard, Sec. 7, Taichung, 43301, Taiwan; dengmj1020@pu.edu.tw

*Correspondence: Author: Tel. (+) 886-5-5342601 ext. 4625, Fax. (+) 886-5-5312071. E-mail: chouth@yuntech.edu.tw




Figure S1. The viscosity of fresh AV oil-NEs with SOR 30 and 60%, oil content 1%, and different surfactant ratios of HL to TPGS as a function of the shear rate at 25°C.




Figure. S2. The viscosity of fresh BSFL oil-NEs with SOR 30 and 60%, oil content 1%, and different surfactant ratios of HL to TPGS as a function of the shear rate at 25°C.