

Supporting Information

Inhibition of Chikungunya Virus Infection by 4-Hydroxy-1-methyl-3-(3-morpholinopropanoyl) quinoline-2(1*H*)-one (QVIR) Targeting nsP2 and E2 Proteins

Mohammad Islamuddin*^{ϕ1,5}, Obaid Afzal^{ϕ2}, Wajihul Hasan Khan³, Malik Hisamuddin¹, Abdulmalik Saleh Alfawaz Altamimi*², Ibraheem Husain⁴, Kentaro Kato⁵, Mubarak A. Alamri², Shama Parveen*¹

¹Molecular Virology Laboratory, Centre for Interdisciplinary Research in Basic Sciences, Jamia Millia Islamia, New Delhi, India.

²Department of Pharmaceutical Chemistry, College of Pharmacy, Prince Sattam Bin Abdulaziz University, Al Kharj 11942, Saudi Arabia.

³Kusuma School of Biological Sciences, Indian Institute of Technology (IIT), New Delhi, India.

⁴Department of Pharmacology, School of Pharmaceutical and Research, Hamdard University, New Delhi, India.

⁵Laboratory of Sustainable Animal Environment, Graduate School of Agricultural Science, Tohoku University, Miyagi, Japan.

***Corresponding authors**

Dr. Mohammad Islamuddin (Ph.D) E-mail: pdf.mislamuddin@jmi.ac.in

Dr. Abdulmalik Saleh Alfawaz Altamimi (Ph.D) E-mail: as.altamimi@psau.edu.sa

Dr. Shama Parveen (Ph.D) E-mail: sparveen2@jmi.ac.in

ϕ These authors contributed equally to this work

Author's Email address

Mohammad Islamuddin pdf.mislamuddin@jmi.ac.in

Obaid Afzal o.akram@psau.edu.sa

Wajihul Hasan Khan wajihulbiotech@gmail.com

Malik Hisamuddin hmalik1984@gmail.com

Abdulmalik SA Altamimi as.altamimi@psau.edu.sa

Ibraheem Husain ibraheemhusain786@gmail.com

Kentaro Kato kentaro.kato.c7@tohoku.ac.jp

Mubarak A Alamri m.alamri@psau.edu.sa

Shama Parveen sparveen2@jmi.ac.in

Table of contents

S. No.	Content	Page number
1.	¹ H NMR spectrum of compound QVIR (4-hydroxy-1-methyl-3-(3-morpholinopropanoyl)quinoline-2(1 <i>H</i>)-one hydrochloride).	S3
2.	¹³ C NMR spectrum of compound QVIR (4-hydroxy-1-methyl-3-(3-morpholinopropanoyl)quinoline-2(1 <i>H</i>)-one hydrochloride).	S4




Figure S1: ^1H NMR spectrum of compound QVIR (4-hydroxy-1-methyl-3-(3-morpholinopropanoyl)quinoline-2(1*H*)-one hydrochloride).




Figure S2: ^{13}C NMR spectrum of compound QVIR (4-hydroxy-1-methyl-3-(3-morpholinopropanoyl)quinoline-2(1*H*)-one hydrochloride).