Supplemental Online Content

Mack CD, DiFiori J, Tai CG, et al. SARS-CoV-2 transmission risk among National Basketball Association players, staff, and vendors exposed to individuals with positive test results after COVID-19 recovery during the 2020 regular and postseason. *JAMA Intern Med*. Published online April 22, 2021. doi:10.1001/jamainternmed.2021.2114

eTable. Longitudinal Ct values of RT-PCR tests from the Roche cobas platform among individuals persistently testing positive after infection with SARS-CoV-2

This supplemental material has been provided by the authors to give readers additional information about their work.

eTable. Longitudinal Ct values of RT-PCR Tests from the Roche Cobas Platform among Individuals Persistently Testing Positive After Infection with SARS-Cov-2

Case Number	Days since Start of Initial Infection	Days From First Persistent Positive PCR Test in Orlando	Target 1 Ct value	Target 2 Ct value
1	N/A	0	33.19	35.18
	N/A	1	34.47	36.19
	N/A	2	36.43	Not Detected
	N/A	7	Not Detected	37.74
	N/A	8	35.78	36.86
	N/A	11	34.76	Not Detected
	N/A	13	34.90	37.72
2	27	1	34.51	36.61
	34	8	36.11	Not Detected
	52	26	35.29	Not Detected
3	19	0	Not Detected	36.68
	20	1	Not Detected	38.73
	25	6	Not Detected	38.09
	28	9	35.40	Not Detected
	31	12	Not Detected	37.78
	32	13	36.52	Not Detected
4	36	0	36.32	Not Detected
5	35	0	Not Detected	37.74
	36	1	34.71	Not Detected
	37	2	Not Detected	38.28
	38	3	34.66	37.84
	40	5	33.15	34.74
	43	8	35.52	36.70
6	21	0	Not Detected	37.69
	28	7	36.32	Not Detected
	31	10	36.38	Not Detected
7	N/A	0	36.42	38.20
8	27	0	34.87	38.69
	28	1	34.26	Not Detected
	30	3	34.35	36.85
	32	5	Not Detected	37.67
	35	8	Not Detected	38.14
	36	9	32.59	35.26
	38	11	32.12	33.23
9	16	0	33.77	36.83

	47	4	Net Detected	20.00
Ļ	17	1	Not Detected	36.20
Ļ	18	2	31.77	35.27
	19	3	Not Detected	35.50
	21	5	Not Detected	36.84
	22	6	Not Detected	37.69
	24	8	Not Detected	38.20
	34	18	36.33	Not Detected
10	15	0	Not Detected	38.37
Γ	23	8	Not Detected	37.61
11	16	2	36.73	36.60
-	21	7	34.81	36.69
12	27	0	Not Detected	37.52
F	35	8	Not Detected	37.19
13	68	0	Not Detected	37.60
14	16	0	34.53	36.29
	22	6	Not Detected	36.25
-	34	18	Not Detected	37.65
	36	20	Not Detected	37.91
15	17	0	31.37	34.42
-	18	1	Not Detected	38.83
F	21	4	Not Detected	38.09
-	22	5	Not Detected	37.03
16	24	0	Not Detected	37.73
10	25	1	31.01	32.80
17	20	0	Not Detected	37.47
	20	1	32.11	34.63
F	21	2	Not Detected	38.75
18	22	0	33.06	35.45
19	26	0	Not Detected	37.84
20	23	0	30.27	32.22
Ļ	25	2	Not Detected	36.40
	28	5	32.23	34.33
_	29	6	31.18	33.84
	30	7	31.90	34.09
21	15	0	Not Detected	38.48
	17	2	Not Detected	37.03
22	27	0	Not Detected	36.22
23	33	0	Not Detected	37.77
Γ	34	1	33.52	35.89
	36	3	35.30	Not Detected
	41	8	Not Detected	37.74

24	23	0	Not Detected	37.46
	40	17	Not Detected	37.56
26	11	0	32.24	35.51
	12	1	30.96	32.27
	20	9	Not Detected	37.81
-	21	10	33.05	35.00
27	33	0	Not Detected	38.02
28	N/A	0	32.28	34.77
-	N/A	6	Not Detected	37.01
	N/A	10	33.9	35.83
29	21	0	34.65	37.64
-	23	2	Not Detected	38.30
30	N/A	0	34.80	37.23
32	30	0	Not Detected	35.97
33	24	6	Not Detected	37.11
	25	7	Not Detected	38.08
-	35	17	33.66	35.10
34	17	0	34.11	35.52
	23	6	35.93	35.79
35	15	0	32.44	35.86
36	30	0	Not Detected	37.51

N/A: Not Available. The Roche cobas provides Ct values for both Target 1 (ORF1, detects SARS-CoV-2) and Target 2 (E gene, detects Sarbecovirus subgenus). If the cycle threshold reaches the maximum cycles without detection, a result of "Not Detected" for that target is returned. Persistent positive RT-PCR tests for case number 25 were from the Hologic platform and case number 31 had no positive RT-PCR tests while in Orlando; therefore, they are not in this table.