

Peripapillary RNFL	Control	SSD	P-value
S	119.4 ± 14.5	115.0 ± 15.1	0.234
N	71.6 ± 12.6	74.1 ± 12.1	0.307
I	129.7 ± 19.1	117.6 ± 17.1	0.009
T	65.8 ± 9.3	60.6 ± 11.1	0.010
Average	96.6 ± 10.4	91.8 ± 9.3	0.049

Macular RNFL	Control	SSD	P-value
S	35.1 ± 3.2	35.0 ± 4.2	0.681
SN	36.7 ± 3.8	37.4 ± 4.9	0.738
ST	23.3 ± 2.3	22.7 ± 2.2	0.120
I	35.9 ± 3.0	35.7 ± 4.2	0.341
IN	38.1 ± 3.7	37.9 ± 5.1	0.463
IT	24.3 ± 2.1	24.1 ± 2.4	0.308
Average	32.2 ± 2.3	32.2 ± 3.3	0.616

GC-IPL	Control	SSD	P-value
S	83.3 ± 6.8	81.8 ± 6.4	0.158
SN	84.6 ± 6.4	83.2 ± 6.3	0.153
ST	81.4 ± 5.9	80.3 ± 5.8	0.123
I	80.4 ± 6.7	78.6 ± 8.2	0.176
IN	82.5 ± 6.4	80.7 ± 8.0	0.169
IT	82.0 ± 7.4	80.7 ± 8.1	0.199
Average	82.4 ± 6.2	80.9 ± 6.6	0.130

Photoreceptor Complex	Control	SSD	P-value
S	129.7 ± 9.7	127.9 ± 8.8	0.470
SN	123.5 ± 11.5	123.8 ± 9.9	0.708
ST	126.4 ± 8.7	124.4 ± 8.7	0.308
I	121.2 ± 9.6	119.6 ± 8.5	0.348
IN	121.2 ± 10.9	119.2 ± 9.0	0.377
IT	124.1 ± 8.7	121.7 ± 8.4	0.193
Average	124.4 ± 8.9	122.8 ± 7.8	0.413

Total Macula	Control	SSD	P-value
Center	246.6 ± 18.9	254.2 ± 26.6	0.469
IR	313.6 ± 17.5	313.5 ± 18.4	0.610
IS	320.4 ± 16.8	319.0 ± 16.7	0.429
IL	315.2 ± 17.2	313.9 ± 18.8	0.371
II	316.2 ± 15.6	314.0 ± 17.6	0.254
OR	276.2 ± 22.4	276.0 ± 21.0	0.706

OS	276.5 ± 16.2	274.6 ± 12.1	0.533
OL	278.8 ± 23.3	276.8 ± 22.5	0.495
OI	263.4 ± 13.3	263.1 ± 12.3	0.725

Supplementary Table 1: S=superior; N=nasal; I=inferior; T=temporal; SN=superior-nasal; ST=superior-temporal; IN=inferior-nasal; IT=inferior-temporal; IR=inner-right; IS=inner-superior; IL=inner-left; II=inner-inferior; OR=outer-right; OS=outer-superior; OL=outer-left; OI=outer-inferior. Values $p < 0.05$ are in bold.