

ISN-GKHA: Structures, organization, and services for the management of kidney failure in Western Europe

Supplementary Tables, Figures, and Appendix

Table S1. Burden of chronic kidney disease and its risk factors in 21 countries in Western Europe that participated in the ISN-GKHA survey.

Figure S1. Shortages of kidney failure care providers identified by the 21 Western European countries that participated in the ISN-GKHA survey.

Figure S2. Proportion of patients starting dialysis with different forms of vascular access and adequate education.

Figure S3. Quality indicators monitored and reported by countries that participated in the ISN-GKHA survey.

Figure S4. Registry characteristics for countries that reported having one or more registries in the ISN-GKHA survey (see also Figure 5).

Figure S5. Availability of services to diagnose and treat complications of kidney failure.

Figure S6. National strategies available in countries.

Figure S7. Population covered under national non-communicable disease and chronic kidney disease strategies.

Supplementary Appendix: Reference list for annual cost of kidney replacement therapy (for Table 1).

Table S1. Burden of chronic kidney disease and its risk factors in 21 countries in Western Europe that participated in the ISN-GKHA survey.*^{S1},
S2

Country	CKD prevalence % (95% CI)	Death attributed to CKD % (95% CI)	DALYs attributed to CKD % (95% CI)	Obesity % (95% CI)	Increased BP % (95% CI)	Smoking % (95% CI)
Austria	10.23 (9.46–11.15)	3.38 (3.23–3.55)	1.52 (1.37–1.67)	21.9 (17.5–26.8)	21.0 (15.7–27.1)	25.2 (22.8–27.8)
Belgium	10.33 (9.53–11.27)	1.93 (1.81–2.05)	1.06 (0.97–1.15)	24.5 (20.7–28.5)	17.5 (12.9–23.0)	18.7 (17.0–20.4)
Denmark	10.14 (9.34–11.03)	1.79 (1.69–1.89)	1.10 (1.00–1.21)	21.3 (17.5–25.3)	20.6 (15.9–25.7)	17.5 (16.0–19.1)
Finland	10.75 (9.94–11.70)	1.03 (0.98–1.09)	0.74 (0.67–0.81)	24.9 (21.2–28.7)	19.4 (15.2–24.1)	16.8 (15.2–18.6)
France	9.88 (9.08–10.79)	1.60 (1.50–1.71)	0.95 (0.86–1.03)	23.2 (18.8–27.8)	22.0 (16.6–27.8)	21.4 (19.3–23.4)
Germany	11.46 (10.56–12.52)	2.82 (2.68–2.99)	1.48 (1.34–1.61)	25.7 (21.9–29.8)	19.9 (14.7–25.1)	21.2 (19.2–23.3)
Greece	11.01 (10.12–12.07)	2.98 (2.82–3.15)	1.75 (1.60–1.91)	27.4 (22.5–32.7)	19.1 (13.8–25.3)	31.2 (28.9–33.5)
Iceland	7.87 (7.28–8.55)	1.21 (1.14–1.30)	0.74 (0.67–0.82)	23.1 (19.1–27.4)	19.7 (14.1–25.9)	14.7 (12.9–16.5)
Ireland	8.68 (8.04–9.41)	1.88 (1.77–2.01)	0.95 (0.86–1.05)	26.9 (22.3–31.7)	19.7 (14.7–25.3)	21.6 (19.2–24.2)
Israel	7.84 (7.27–8.51)	4.91 (4.64–5.21)	2.13 (1.89–2.40)	26.7 (21.9–31.6)	16.6 (11.7–22.4)	17.8 (15.9–20.0)
Italy	10.60 (9.77–11.53)	10.60 (9.77–11.53)	1.27 (1.14–1.39)	22.9 (19.3–26.8)	21.2 (16.2–26.3)	19.4 (17.7–21.4)
Liechtenstein	—	—	—	—	—	—
Luxembourg	9.39 (8.65–10.21)	1.92 (1.77–2.08)	1.03 (0.92–1.14)	24.2 (19.4–29.4)	21.9 (16.3–27.9)	20.9 (18.4–23.6)
Malta	10.91 (10.08–11.87)	2.37 (2.22–2.52)	1.46 (1.31–1.61)	31.0 (25.1–37.0)	19.4 (13.8–25.5)	18.8 (16.6–20.9)
Netherlands	10.64 (9.86–11.56)	1.76 (1.67–1.87)	1.00 (0.91–1.09)	23.1 (19.3–27.0)	18.7 (14.4–23.7)	17.9 (16.2–19.5)
Norway	9.30 (8.65–10.05)	1.43 (1.38–1.48)	0.82 (0.75–0.90)	25.0 (20.9–29.2)	19.7 (14.7–25.0)	15.3 (13.6–17.2)
Portugal	11.44 (10.55–12.42)	2.73 (2.58–2.90)	1.63 (1.48–1.78)	23.2 (18.8–27.8)	24.4 (18.2–31.2)	17.8 (15.9–19.8)
Spain	9.60 (8.83–10.5)	2.55 (2.39–2.71)	1.29 (1.17–1.41)	27.1 (23.2–31.1)	19.2 (14.5–24.6)	21.8 (19.7–24.0)
Sweden	11.84 (11.0–12.85)	1.59 (1.51–1.68)	0.97 (0.88–1.06)	22.1 (18.3–26.0)	19.3 (14.7–24.3)	11.4 (10.7–12.2)
Switzerland	10.31 (9.52–11.2)	2.41 (2.27–2.57)	1.13 (1.02–1.25)	21.2 (17.3–25.3)	18.0 (13.5–23.2)	19.1 (17.1–21.3)
United Kingdom	8.96 (8.33–9.77)	1.11 (1.09–1.13)	0.77 (0.71–0.83)	29.5 (26.6–32.5)	15.2 (12.2–18.3)	18.7 (17.0–20.4)

Abbreviations: ISN: International Society of Nephrology; GKHA: Global Kidney Health Atlas; CKD: chronic kidney disease; DALYs: disability-adjusted life years, BP: blood pressure; CI: confidence interval

*: Results are expressed as percentage (%) of the population

–: Data not reported/unavailable.

Figure S1. Shortages of kidney failure care providers identified by the 21 Western European countries that participated in the ISN-GKHA survey.


	Nephrologists	Transplant surgeons	Surgeons (HD access)	Surgeons (PD access)	Interventional radiologists (HD access)	Interventional radiologists (PD access)	Laboratory technicians	Dietitians	Radiologists (ultrasound)	Vascular access coordinators	Counsellors/ psychologists	Transplant coordinators	Dialysis nurses	Dialysis technicians	TOTAL SHORTAGE
Total shortage →	9	4	8	4	4	1	5	0	0	6	5	1	9	2	5
Austria															1
Belgium															0
Denmark															3
Finland															0
France															0
Germany															7
Greece															3
Iceland															2
Ireland															9
Israel															4
Italy															1
Liechtenstein															0
Luxembourg															2
Malta															9
Netherlands															1
Norway															5
Portugal															1
Spain															0
Sweden															3
Switzerland															2
United Kingdom															0

Abbreviations: ISN: International Society of Nephrology; GKHA: Global Kidney Health Atlas; HD: hemodialysis; PD: peritoneal dialysis


No shortage
Shortage

Figure S2. Proportion of patients starting dialysis with different forms of vascular access and adequate education.

Western Europe




Global




Abbreviations: HD: hemodialysis; PD: peritoneal dialysis; AVF: arteriovenous fistula; AVG: arteriovenous graft

Figure S3. Quality indicators monitored and reported by countries that participated in the ISN-GKHA survey.



Abbreviations: ISN: International Society of Nephrology; GKHA: Global Kidney Health Atlas


Figure S4. Registry characteristics for countries that reported having one or more registries in the ISN-GKHA survey (see also Figure 5).



Three countries reported having a chronic kidney disease registry, 18 reported having a dialysis registry, and 19 reported having a transplantation registry.


Abbreviations: KF: kidney failure; CKD: chronic kidney disease; QoL: quality of life

Figure S5. Availability of services to diagnose and treat complications of kidney failure.




Abbreviations: Hb: hemoglobin; PTH: parathyroid hormone; BP: blood pressure

Figure S6. National strategies available in countries.



Abbreviation: CKD: chronic kidney disease; NCD: non-communicable disease

Figure S7. Population covered under national non-communicable disease and chronic kidney disease strategies.



Abbreviation: CKD: chronic kidney disease; NCD: non-communicable disease

Supplementary References:

- S1. Institute for Health Metrics and Evaluation. Global Burden of Disease Study 2017 (GBD 2017) Data Resources. Available at: <http://ghdx.healthdata.org/gbd-2017>. Accessed August 6, 2020.
- S2. World Health Organization. The Global Health Observatory. Available at: <https://www.who.int/gho/en/>. Published 2019. Accessed: August 6, 2020.

Appendix: Reference list for annual cost of kidney replacement therapy (Table 1) (APA format).

Baboolal, K., McEwan, P., Sondhi, S., Spiewanowski, P., Wechowski, J., & Wilson, K. (2008). The cost of renal dialysis in a UK setting—a multicentre study. *Nephrology Dialysis Transplantation*, 23(6), 1982-1989.

Benain, J. P., Faller, B., Briat, C., Jacquelinet, C., Brami, M., Aoustin, M., ... & Duru, G. (2007). Cost of dialysis in France. *Nephrologie & thérapeutique*, 3(3), 96-106.

Blotiere, P. O., Tuppin, P., Weill, A., Ricordeau, P., & Allemand, H. (2010). The cost of dialysis and kidney transplantation in France in 2007, impact of an increase of peritoneal dialysis and transplantation. *Néphrologie & thérapeutique*, 6(4), 240-247.

Cantaluppi, A., & East, P. (2000). Technical and economic strategies of maintenance dialysis in the UK and Nordic Countries. *Journal of nephrology*, 13, S10-5.

Cavallo, M. C., Sepe, V., Conte, F., Abelli, M., Ticozzelli, E., Bottazzi, A., & Geraci, P. M. (2014, December). Cost-effectiveness of kidney transplantation from DCD in Italy. In *Transplantation proceedings* (Vol. 46, No. 10, pp. 3289-3296). Elsevier.

Chaib-Eddour, D., Chaib-Eddour, H., Malaise, J., Mourad, M., & Squifflet, J. P. (2005, July). Cost of renal transplant in Belgium. In *Transplantation proceedings* (Vol. 37, No. 6, pp. 2819-2820). Elsevier.

Cleemput, I., & De Laet, C. (2013). Analysis of the costs of dialysis and the effects of an incentive mechanism for low-cost dialysis modalities. *Health Policy*, 110(2-3), 172-179.

- Cleemput, I., Beguin, C., & de la Kethule, Y. (2010). Organisation et financement de la dialyse chronique en Belgique. Health Technology Assessment (HTA). Bruxelles Centre federal d'expertise des soins de santé (KCE).
- Coentrão, L. A., Araújo, C. S., Ribeiro, C. A., Dias, C. C., & Pestana, M. J. (2013). Cost analysis of hemodialysis and peritoneal dialysis access in incident dialysis patients. *Peritoneal Dialysis International*, 33(6), 662-670.
- Cogny-Van Weydevelt, F., Bacquaert-Dufour, K., Bénévent, D., Lavaud, S., & Beaud, J. M. (1999). A cost-effectiveness analysis of continuous ambulatory peritoneal dialysis vs. Self-care in-center hemodialysis in France. *Dialysis & transplantation*, 28(2), 70-74.
- De Francisco, A. L. M., & de Francisco, A. L. (2011). Sustainability and equity of renal replacement therapy in Spain. *Nefrología (English Edition)*, 31(3), 241-246.
- De Wit, G. A., Ramsteijn, P. G., & de Charro, F. T. (1998). Economic evaluation of end stage renal disease treatment. *Health policy*, 44(3), 215-232.
- Eriksson, J. K., Neovius, M., Jacobson, S. H., Elinder, C. G., & Hylander, B. (2016). Healthcare costs in chronic kidney disease and renal replacement therapy: a population-based cohort study in Sweden. *BMJ open*, 6(10), e012062.
- Ess, S. M. (2004). Prevalence and direct medical costs of end-stage renal disease in patients with type 2 diabetes mellitus in Switzerland for 2001. *Swiss medical weekly*, 134(3132).
- Gonzalez-Perez, J. G., Vale, L., Stearns, S. C., & Wordsworth, S. (2005). Hemodialysis for end-stage renal disease: A cost-effectiveness analysis of treatment options. *International Journal of Technology Assessment in Health Care*, 21(1), 32.
- Greiner, W., Obermann, K., & Schulenburg, J. M. (2001). Socio-economic evaluation of kidney transplantation in Germany. *Arch Hell Med*, 18, 147-55.
- Grün, R. P., Constantinovici, N., Normand, C., & Lamping, D. L. (2003). Costs of dialysis for elderly people in the UK. *Nephrology Dialysis Transplantation*, 18(10), 2122-2127.
- Haller, M., Gutjahr, G., Kramar, R., Harnoncourt, F., & Oberbauer, R. (2011). Cost-effectiveness analysis of renal replacement therapy in Austria. *Nephrology Dialysis Transplantation*, 26(9), 2988-2995.

- Hallinen, T., Soini, E. J., Martikainen, J. A., Ikäheimo, R., & Ryynänen, O. P. (2009). Costs and quality of life effects of the first year of renal replacement therapy in one Finnish treatment centre. *Journal of medical economics*, 12(2), 136-140.
- Haycox, A., & Jones, D. (1996). The cost effectiveness of renal provision in the UK. *Journal of management in medicine*.
- Iannazzo, S., Carsi, M., & Chirolì, S. (2012). A cost-utility analysis of cinacalcet in secondary hyperparathyroidism in five European countries. *Applied health economics and health policy*, 10(2), 127-138.
- Icks, A., Haastert, B., Gandjour, A., Chernyak, N., Rathmann, W., Giani, G., ... & Koch, M. (2010). Costs of dialysis—a regional population-based analysis. *Nephrology Dialysis Transplantation*, 25(5), 1647-1652.
- Jakobsen, A., Albrechtsen, D., Sødal, G., Flatmark, A., Fauchald, P., & Vartdal, F. (1990). Costs of care in uremia. How much does kidney transplantation cost?. *Tidsskrift for den Norske Laegeforening: Tidsskrift for Praktisk Medicin, ny Raekke*, 110(3), 338-341.
- Jensen, C. E., Sørensen, P., & Petersen, K. D. (2014). In Denmark kidney transplantation is more cost-effective than dialysis. *Dan Med J*, 61(3), A4796.
- Jönsson, L., Carides, G. W., Burke, T. A., Brandt, A. S. I., Salonen, T., Schön, S., & Weiss, L. (2005). Cost-effective prevention of renal failure in type 2 diabetics using losartan. *Journal of Medical Economics*, 8(1-4), 131-138.
- Jürgensen, J. S., Ikenberg, R., Greiner, R. A., & Hösel, V. (2015). Cost-effectiveness of modern mTOR inhibitor based immunosuppression compared to the standard of care after renal transplantation in Germany. *The European Journal of Health Economics*, 16(4), 377-390.
- Keller, F., Dress, H., Mertz, A., & Marckmann, G. (2007). Money and dialysis. *Medical Clinic*, 102 (8), 659-664.
- Kerr, M., Bray, B., Medcalf, J., O'Donoghue, D. J., & Matthews, B. (2012). Estimating the financial cost of chronic kidney disease to the NHS in England. *Nephrology Dialysis Transplantation*, 27(suppl_3), iii73-iii80.

- Kirby, L., & Vale, L. (2001). Dialysis for end-stage renal disease. *International journal of technology assessment in health care*, 17(2), 181.
- Kleophas, W., & Reichel, H. (2007). International study of health care organization and financing: development of renal replacement therapy in Germany. *International journal of health care finance and economics*, 7(2-3), 185-200.
- Komenda, P., Gavaghan, M. B., Garfield, S. S., Poret, A. W., & Sood, M. M. (2012). An economic assessment model for in-center, conventional home, and more frequent home hemodialysis. *Kidney international*, 81(3), 307-313.
- Kontodimopoulos, N., & Niakas, D. (2008). An estimate of lifelong costs and QALYs in renal replacement therapy based on patients' life expectancy. *Health Policy*, 86(1), 85-96.
- Koukou, M. G., Smyrniotis, V. E., Arkadopoulos, N. F., & Grapsa, E. I. (2017). PD vs HD in Post-Economic Crisis Greece—differences in patient characteristics and estimation of therapy cost. *Peritoneal Dialysis International*, 37(5), 568-573.
- Lamas Barreiro, JM, Alonso Suarez, M., Saavedra Alonso, JA, & Gándara Martínez, A. (2011). Costs and added value of haemodialysis and peritoneal dialysis outsourcing agreements. *Nephrology (English Edition)*, 31 (6), 656-663.
- Lamas, J., Alonso, M., Saavedra, J., Garcia-Trio, G., Rionda, M., & Ameijeiras, M. (2001). Costs of chronic dialysis in a public hospital: myths and realities. *Nefrologia: publicacion oficial de la Sociedad Espanola Nefrologia*, 21(3), 283.
- Li, B., Cairns, J. A., Fotheringham, J., Tomson, C. R., Forsythe, J. L., Watson, C., ... & Dudley, C. (2015). Understanding cost of care for patients on renal replacement therapy: looking beyond fixed tariffs. *Nephrology Dialysis Transplantation*, 30(10), 1726-1734.
- Lorenzo, V., Perestelo, L., Barroso, M., Torres, A., & Nazco, J. (2010). Economic evaluation of haemodialysis. Analysis of cost components based on patient-specific data. *Nephrology (English Edition)*, 30 (4), 403-412.
- Mackenzie, P., & Mactier, R. A. (1998). Home haemodialysis in the 1990s. *Nephrology, dialysis, transplantation: official publication of the European Dialysis and Transplant Association-European Renal Association*, 13(8), 1944-1948.

- Maschoreck, T. R., Sørensen, M. C., Andresen, M., Høgsberg, I. M., Rasmussen, P., & Søgaard, J. (1998). Cost analysis of dialysis treatment at the Odense University Hospital and the Sønderborg Hospital. *Ugeskrift for laeger*, 160(51), 7418-7424.
- Moore, R., & Marriott, N. (1999). Cost and price in the NHS: the importance of monetary value in the decision-making framework—the case of purchasing renal replacement therapy. *Health services management research*, 12(1), 1-14.
- Naoum, P., Topkaroglou, I., Kitsonis, D., Skroumpelos, A., Athanasakis, K., Iatrou, C., ... & Kyriopoulos, J. (2016). Cost calculations during “Dire Straits”: A cost-of-illness analysis of regular hemodialysis for end-stage renal disease in Greece.
- Neil, N., Walker, D. R., Sesso, R., Blackburn, J. C., Tschosik, E. A., Sciaraffia, V., ... & Bhattacharyya, S. K. (2009). Gaining efficiencies: resources and demand for dialysis around the globe. *Value in Health*, 12(1), 73-79.
- Parra, E. M., Arenas, M. J., Alonso, M., Martínez, M. F., Gámen, A. P., Rebollo, P., ... & Álvarez-Ude, F. (2011). Multicentre study of haemodialysis costs. *Nefrologia: publicacion oficial de la Sociedad Espanola Nefrologia*, 31(3), 299-307.
- Pike, E., Hamidi, V., Ringerike, T., Wisloff, T., & Klemp, M. (2017). More use of peritoneal dialysis gives significant savings: a systematic review and health economic decision model. *Journal of clinical medicine research*, 9(2), 104.
- Pontoriero, G., Pozzoni, P., Del Vecchio, L., & Locatelli, F. (2007). International Study of Health Care Organization and Financing for renal replacement therapy in Italy: an evolving reality. *International journal of health care finance and economics*, 7(2-3), 201-215.
- Rocha, M. J., Ferreira, S., Martins, L. S., Almeida, M., Dias, L., Pedroso, S., ... & Cabrita, A. (2012). Cost analysis of renal replacement therapy by transplant in a system of bundled payment of dialysis. *Clinical transplantation*, 26(4), 529-531.
- Rodriguez-Carmona, A., Fontan, M. P., Bouza, P., Falcon, T. G., & Valdes, F. (1996). The economic cost of dialysis: a comparison between peritoneal dialysis and in-center hemodialysis in a Spanish unit. *Advances in Peritoneal Dialysis*, 12, 93-96.
- Sainsaulieu, Y., Sambuc, C., Logerot, H., Bongiovanni, I., & Couchoud, C. (2014). Cost of a renal graft: medico-economic analysis of the amount reimbursed by the National health

insurance to finance the preliminary and peripheral step of renal transplantation.

NEPHROLOGIE & THERAPEUTIQUE, 10(4), 228-235.

Salonen, T., Reina, T., Oksa, H., Rissanen, P., & Pasternack, A. (2007). Alternative strategies to evaluate the cost-effectiveness of peritoneal dialysis and hemodialysis. International urology and nephrology, 39(1), 289-298.

Salonen, T., Reina, T., Oksa, H., Sintonen, H., & Pasternack, A. (2003). Cost analysis of renal replacement therapies in Finland. American journal of kidney diseases, 42(6), 1228-1238.

Sánchez-Escuredo, A., Alsina, A., Diekmann, F., Revuelta, I., Esforzado, N., Ricart, M. J., ... & Fernandez, E. (2015, January). Economic analysis of the treatment of end-stage renal disease treatment: living-donor kidney transplantation versus hemodialysis. In Transplantation proceedings (Vol. 47, No. 1, pp. 30-33). Elsevier.

Sennfalt, K., Magnusson, M., & Carlsson, P. (2002). Comparison of hemodialysis and peritoneal dialysis--a cost-utility analysis. Peritoneal Dialysis International, 22(1), 39-47.

Sharif, A., & Baboolal, K. (2011). Update on dialysis economics in the UK. Peritoneal Dialysis International, 31(2_suppl), 58-62.

Van Biesen, W., Lameire, N., Peeters, P., & Vanholder, R. (2007). Belgium's mixed private/public health care system and its impact on the cost of end-stage renal disease. International journal of health care finance and economics, 7(2-3), 133-148.

van der Tol, A., Lameire, N., Morton, R. L., Van Biesen, W., & Vanholder, R. (2019). An international analysis of dialysis services reimbursement. Clinical Journal of the American Society of Nephrology, 14(1), 84-93.

Villa, G., Fernández-Ortiz, L., Cuervo, J., Rebollo, P., Selgas, R., González, T., & Arrieta, J. (2012). Cost-effectiveness analysis of the Spanish renal replacement therapy program. Peritoneal dialysis international, 32(2), 192-199.

Villa, G., Rodríguez-Carmona, A., Fernández-Ortiz, L., Cuervo, J., Rebollo, P., Otero, A., & Arrieta, J. (2011). Cost analysis of the Spanish renal replacement therapy programme. Nephrology Dialysis Transplantation, 26(11), 3709-3714.

- Wikström, B., Fored, M., Eichleay, M. A., & Jacobson, S. H. (2007). The financing and organization of medical care for patients with end-stage renal disease in Sweden. *International journal of health care finance and economics*, 7(4), 269-281.
- Wordsworth, S., Ludbrook, A., Caskey, F., & Macleod, A. (2005). Collecting unit cost data in multicentre studies. *The European Journal of Health Economics*, 6(1), 38-44.
- Zambrowski, J. J. (2016). Coût de la dialyse. *Néphrologie & Thérapeutique*, 12, S95-S97.