

Supplemental Online Content

Cho B, Han Y, Lian M, et al. Evaluation of racial/ethnic differences in treatment and mortality among patients with triple-negative breast cancer. *JAMA Oncol*. Published online May 13, 2021. doi:10.1001/jamaoncol.2021.1254

eTable. Characteristics of non-Hispanic African American women and non-Hispanic European American women with triple-negative breast cancer in the Surveillance, Epidemiology, and End Results, 2010-2015 (n = 23,213)

This supplemental material has been provided by the authors to give readers additional information about their work.

eTable. Characteristics of non-Hispanic African American women and non-Hispanic European American women with triple-negative breast cancer in the Surveillance, Epidemiology, and End Results, 2010-2015 (n = 23,213)

	AA (n = 5,881) %	EA (n = 17,332) %
Age at diagnosis, y		
Mean (standard deviation)	56.3 (12.8)	59.7 (14.1)
18–39	9.3	7.5
40–44	8.5	7.5
45–49	12.4	9.7
50–54	16.4	12.4
55–59	15.0	12.8
60–64	13.4	13.5
65–69	9.5	12.0
70–74	6.5	9.1
≥75	9.0	15.6
Health insurance		
Uninsured	3.7	1.4
Medicaid	20.6	8.8
Non-Medicaid insurance	74.4	88.5
Unknown	1.3	1.4
County-level socioeconomic deprivation, quartiles		
1 (least)	47.8	67.1
2	17.9	13.5
3	19.6	12.4
4 (most)	14.7	7.1
Rural residency	7.9	13.8
Cancer stage		
I	30.0	38.5
II	49.7	46.3
III	20.3	15.2
Tumor size		
≤2cm	38.6	47.1
>2cm–≤5cm	45.9	42.1
>5cm	14.3	9.6
Unknown	1.2	1.3
Lymph node status		
Negative	60.9	68.3
1-3 Positive	26.7	22.3
>3 Positive	12.3	9.3
Unknown	0.1	0.1
Tumor grade		
Well differentiation	1.3	2.3
Intermediate differentiation	13.0	17.8
Poor differentiation/undifferentiation	81.5	76.0
Unknown	4.2	3.9

Abbreviations: EA, European American; AA, African American. All *P* values <.0001