

63	Smolders et al., 2018	Yes	No	Yes	Yes	Yes	Yes	Yes	Yes	Yes	8
64	Songsivilai et al., 1996	Yes	No	Yes	Yes	Yes	Yes	Yes	Yes	Yes	8
65	Sugiyama et al., 1995	Yes	No	Yes	Yes	Yes	Yes	Yes	Yes	Yes	8
66	Sunanchaikarn et al., 2007	Yes	No	Yes	Yes	Yes	Yes	Yes	Yes	Yes	8
67	Theamboonlers et al., 2000	Yes	No	Yes	Yes	Yes	Yes	Yes	Yes	Yes	8
68	Tokita et al., 1995	Yes	No	Yes	Yes	Yes	Yes	Yes	Yes	Yes	8
69	Wasitthanasem et al., 2015	Yes	No	Yes	Yes	Yes	Yes	Yes	Yes	Yes	8
70	Wasitthanasem et al., 2016	Yes	No	Yes	Yes	Yes	Yes	Yes	Yes	Yes	8
71	Wasitthanasem et al., 2017	Yes	No	Yes	Yes	Yes	Yes	Yes	Yes	Yes	8
72	Do et al., 2015	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	9
73	Dunford et al., 2012	Yes	No	Yes	Yes	Yes	Yes	Yes	Yes	Yes	8
74	Duong et al., 2016	Yes	No	Yes	Yes	Yes	Yes	Yes	Yes	Yes	8
75	Duong et al., 2019	Yes	No	Yes	Yes	Yes	Yes	Yes	Yes	Yes	8
76	Kakumu et al., 1998	Yes	No	Yes	Yes	Yes	Yes	Yes	Yes	Yes	8
77	Le Ngoc et al., 2019	Yes	No	Yes	Yes	Yes	Yes	Yes	Yes	Yes	8
78	Li et al., 2014	Yes	No	Yes	Yes	Yes	Yes	Yes	Yes	Yes	8
79	Lioznov et al., 2016	Yes	No	Yes	Yes	Yes	Yes	Yes	Yes	Yes	8
80	Minh 2015	Yes	Unclear	Yes	Yes	Yes	Yes	Yes	Yes	Yes	8
81	Nadol et al., 2016	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	9
82	Nguyen et al., 2016	Yes	No	Yes	Yes	Yes	Yes	Yes	Yes	Yes	8
83	Nguyen et al., 2018	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	9
84	Noppornpanth et al., 2006	Yes	No	Yes	Yes	Yes	Yes	Yes	Yes	Yes	8
85	Pham et al., 2009	Yes	No	Yes	Yes	Yes	Yes	Yes	Yes	Yes	8
86	Pham et al., 2011	Yes	No	Yes	Yes	Yes	Yes	Yes	Yes	Yes	8
87	Song et al., 1994	Yes	No	Yes	Yes	Yes	Yes	Yes	Yes	Yes	8
88	Tanimoto et al., 2010	Yes	No	Yes	Yes	Yes	Yes	Yes	Yes	Yes	8
89	Tokita et al., 1994	Yes	No	Yes	Yes	Yes	Yes	Yes	Yes	Yes	8
90	Tran et al., 2003	Yes	No	Yes	Yes	Yes	Yes	Yes	Yes	Yes	8

* **1.** Appropriate sampling frame to address target population, **2.** Appropriate sampling way of study participants, **3.** Adequate sample size, **4.** Detail description of study participants and settings, **5.** Data analysis with sufficient coverage of identified sample, **6.** Use of valid methods to identify the condition, **7.** Standard, reliable way of measurement of condition for all participants, **8.** Availability of appropriate statistical analysis, **9.** Adequate response rate and management of low response rate