

	Reduced EF (n= 265)	mid-range EF (n= 113)	Preserved EF (n= 30)	p-value
<b>Age (years)</b>				
<b>Mean ± SD</b>	64.20 ±13.1	61.15 ±12.4	67.37 ±12.4	0.01*
<b>Median [IQR]</b>	64 [24 – 91]	61 [24 – 86]	67.5 [38 – 85]	
<b>≥ 75 years (n, %)</b>	65 (24.5%)	21 (18.6%)	12 (40%)	0.04
<b>Female sex (n, %)</b>	69 (26%)	33 (29.2%)	15 (50%)	0.02
<b>Diabetes (n, %)</b>	103 (38.9%)	53 (46.9%)	12 (40%)	0.34
<b>Hypertension (n, %)</b>	103 (38.9%)	48 (42.5%)	21 (70%)	0.005
<b>Smoking (n, %)</b>	67 (29.8%)	14 (12.5%)	7 (23.3%)	<10 <sup>-3</sup>
<b>COPD (n, %)</b>	28 (10.6%)	12 (10.6%)	3 (10%)	0.99
<b>Coronary heart disease (n, %)</b>	106 (40%)	57 (50.4%)	7 (23.3%)	0.01
<b>NYHA III (n, %)</b>	146 (55.1%)	50 (41.2%)	20 (66.6%)	<10 <sup>-3</sup>
<b>SBP (mmHg)</b>				
<b>Mean ± SD</b>	118.91 ±25.8	124.36 ±31.7	135.10 ±33.3	<10 <sup>-3</sup> *
<b>Median [IQR]</b>	120 [110 – 240]	120 [100 – 240]	139.5 [130 – 180]	
<b>Heart rate (bpm)</b>				
<b>Mean ± SD</b>	93.10 ±21.5	81.37 ±20.1	82.67 ±27.6	<10 <sup>-3</sup> *
<b>Median [IQR]</b>	90 [45 – 150]	76 [39 – 152]	75 [40 – 140]	
<b>≥ 70 bpm (n, %)</b>	167 (63.0%)	89 (78.7%)	19 (63.3%)	<10 <sup>-3</sup>
<b>Atrial fibrillation (n, %)</b>	43 (16.2%)	27 (23.8%)	17 (56.7%)	0.001
<b>QRS duration &gt;150 msec (n, %)</b>	14 (5.2%)	6 (5.3%)	2 (6.7%)	0.56
<b>Renal dysfunction (n, %)</b>	38 (14.3%)	14 (12.4%)	8 (26.6%)	0.11
<b>Anemia (n, %)</b>	29 (10.9%)	15 (13.3%)	11 (36.7%)	0.002

EF: ejection fraction; \* Kruskal-Wallis test