

Supplementary Table 1. ICD-10 codes and HIRA procedure code for delivery used in the population-based cohort study

	Code
Comorbidity (ICD-10)	
Hypertension	I10
Diabetes mellitus	E10, E11, E12, E13, E14
Uveitis	H20, H200, H201, H202, H208, H209, H221
Inflammatory bowel disease	K50, K500, K501, K508, K509, K51, K511, K512, K513, K514, K515, K518, K519, K528, K529, M074, M075
Psoriasis	L40, L400, L401, L402, L403, L404, L405, L408, L409, M07, M070, M072, M073, M090
Pregnancy complication (ICD-10)	
Preeclampsia	O140, O141, O149
Preterm delivery	O601, O603
Placental abruption	O45
Other obstetric trauma	O71
Maternal distress during labour and delivery	O750
Delivery (HIRA procedure code)	
Vaginal delivery	R3131, R3133, R3136, R3138, R3141, R3143, R3146, R3148, R4351, R4353, R4356, R4358, R4361, R4362, R4380
Caesarean section	R4507, R4508, R4509, R4510, R4514, R4516, R4517, R4518, R4519, R4520, R5001, R5002
Twin pregnancy	R3133, R3138, R3143, R3148, R4353, R4358, R4516, R4519, R4520, R5001, R5002
Multiparous delivery	R3136, R3138, R3146, R3148, R4356, R4358, R4362, R4380, R4508, R4510, R4514, R4516, R4518, R4520, R5002

ICD-10, International Classification of Disease and Related Health Problems, 10th revision; HIRA, Health Insurance Review and Assessment Service.